

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 56230

Manuscript Type: CASE REPORT

9
Pleomorphic adenoma of the trachea: A case report and review of the literature

Qian-Nuan Liao, Ze-Kui Fang, Shu-Bing **14** Chen, Hui-Zhen Fan, Li-Chang Chen, Xi-Ping
Wu, Xi He, Hua-Peng Yu

Abstract

BACKGROUND

Pleomorphic adenoma (PA) is the most common benign tumor that occurs in the salivary glands; however, tracheobronchial PA is rarely observed. To the best of our knowledge, fewer than 50 cases have been reported in the literature. We report a 49-year-old woman who had been treated for asthma for 2 years before being diagnosed

Match Overview

1	Internet 41 words crawled on 26-Aug-2020 www.wjgnet.com	1%
2	Internet 26 words crawled on 21-Nov-2015 synapse.koreamed.org	1%
3	Crossref 24 words "Abstract", <i>Virchows Archiv</i> , 2009	1%
4	Internet 20 words crawled on 01-Nov-2019 anosiahuman.com	1%
5	Crossref 17 words Goto, Taichiro, Arafumi Maeshima, Kumi Akanabe, Reo Hamaguchi, Misa Wakaki, Yoshitaka Oyamada, and Ryoichi K	1%
6	Crossref 15 words Yumi Honda. "Sialadenoma papilliferum of the bronchus: [...] are tracheobronchial tumor of salivary gland type", <i>Patholog</i>	<1%
7	Internet 15 words crawled on 10-Nov-2017 www.iraqidentaljournal.com	<1%
8	Crossref 13 words "Abstracts", <i>Virchows Archiv</i> , 2019	<1%



国内版

国际版

Pleomorphic adenoma of the trachea: A case report and review of the lit



Chat with Bing

Sign in



ALL

IMAGES

VIDEOS

Microsoft Bing

135,000 Results

Any time ▾

[Pleomorphic Adenoma of the Trachea: A Case Report](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3759643>

Although **pleomorphic adenoma** commonly occurs in the salivary glands of the head and neck, **tracheobronchial pleomorphic adenoma** is extremely rare.¹ In this report, we report a case of **pleomorphic adenoma of the trachea** with active pulmonary tuberculosis. We performed surgical resection of **pleomorphic adenoma of the trachea** after management of pulmonary tuberculosis.

Cited by: 2

Author: Ki-Sung Park, Woo Jung Sung

Publish Year: 2013

[Carcinoma ex pleomorphic adenoma of the trachea: A case ...](#)

<https://pubmed.ncbi.nlm.nih.gov/31559302>

Carcinoma ex pleomorphic adenoma of the trachea: A case report We report the fourth case of **tracheal CXPA**, and present the first instance of resection of **CXPA** using **high-frequency electrosurgical snare** and **laser ablation**. We also discuss the pathogenesis, diagnosis, histopathology, and systemic therapy of this rare disease.

Cited by: 1

Author: Heng-Xing Gao, Quan Li, Wen-Li Chang, ...

Pleomorphic adenoma

Pleomorphic adenoma is a common benign salivary gland neoplasm characterised by neoplastic proliferation of parenchymatous glandular cells along with myoepithelial components, having a malignant potentiality. It is the most common type of salivary gland tumor and the most common tumor of the parotid gland. It derives its name from the architectural Pleomorphism seen by light microscopy. It is also known as "Mixed tumor, salivary gland type", which refers to its dual origin from epithelial and myoepithelial elements as opposed to its pleomorphic appearance.

t Bing
Pleomorphic adenoma of the trachea: A case report and review of tl

ALL

IMAGES

VIDEOS

107,000 Results

Any time ▾

Pleomorphic Adenoma of the Trachea: A Case Report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3759643>

Although **pleomorphic adenoma** commonly occurs in the salivary glands of the head and neck, **tracheobronchial pleomorphic adenoma** is extremely rare.¹ In this **report**, we **report a case of pleomorphic adenoma of the trachea** with active pulmonary tuberculosis. We performed surgical resection of **pleomorphic adenoma of the trachea** after management of pulmonary tuberculosis.

Cited by: 2

Author: Ki-Sung Park, Woo Jung Sung

Publish Year: 2013

Pleomorphic Adenoma of the Cheek: A Case Report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6773457>

Aug 03, 2019 · Pleomorphic adenoma (PA) is the most common **salivary gland tumor**, accounting for about 40%-70% of all major and minor **salivary gland tumors** (MGST) . **PA** is a benign mixed tumor composed of epithelial and myoepithelial cells arranged in various morphological patterns, demarcated from the surrounding tissues by a fibrous capsule . **Parotid gland** is the most commonly affected ...

Author: Senthilnathan Periasamy, Ashok Man...

Publish Year: 2019

Malignant pleomorphic adenoma (malignant mixed tumor) ...

<https://www.researchgate.net/publication/8229585...>

Pleomorphic adenoma is the most common form of major **salivary gland tumors**,but it is exceedingly rare in the trachea. We present a case of pleomorphic adenoma of the trachea in an **80-years-old man**.

A case of tracheal pleomorphic adenoma misdiagnosed as ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6874862>

Pleomorphic adenoma is the most common benign neoplasm of the **salivary glands**. The adenomas are



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

364,000 Results Any time ▾

[Pleomorphic Adenoma of the Trachea: A Case Report](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3759643>

Although **pleomorphic adenoma** commonly occurs in the salivary glands of the head and neck, **tracheobronchial pleomorphic adenoma** is extremely rare.1 In this **report**, we **report a case of pleomorphic adenoma of the trachea** with active pulmonary tuberculosis. We performed surgical resection of **pleomorphic adenoma of the trachea** after management of pulmonary tuberculosis.

Cited by: 2 **Author:** Ki-Sung Park, Woo Jung Sung

Publish Year: 2013

[Malignant pleomorphic adenoma \(malignant mixed tumor\) of ...](#)

<https://www.researchgate.net/publication/8229585...>

Pleomorphic adenoma is the most common form of major **salivary gland tumors**, but it is exceedingly rare in the trachea. We present a case of pleomorphic adenoma of the trachea in an **80-years-old man**.

[A case of tracheal pleomorphic adenoma misdiagnosed as asthma](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6874862>

Pleomorphic adenoma is the most common benign neoplasm of the **salivary glands**. The adenomas are composed of **neoplastic myoepithelial cells** intermingled with neoplastic ducts and stroma. They progress slowly and can produce significant morbidity and, rarely, death. They have been reported to have the possibility of **malignant transformation**. Primary benign tracheal tumors are rare, and ...

Author: Mamoru Takahashi, Takahumi Yorozu... **Publish Year:** 2019

[Malignant pleomorphic adenoma \(malignant mixed tumor\) of ...](#)

<https://link.springer.com/article/10.1007/s00405-002-0515-5>

Feb 01, 2003 · A case of **malignant mixed tumor** of the **trachea** in a 56-year-old man is described. His tumor was **removed** by **segmental tracheal resection**, and end-to-end an **Malignant pleomorphic adenoma (malignant mixed tumor) of the trachea: a case report and review** of the literature | ...

Cited by: 21 **Author:** Funda Demirağ, Salih Topçu, Cüneyt Kur...

Publish Year: 2003

[Right main bronchial pleomorphic adenoma: A case report ...](#)

Pleomorphic adenoma

Pleomorphic adenoma is a common benign salivary gland neoplasm characterised by neoplastic proliferation of parenchymatous glandular cells along with myoepithelial components, having a malignant potentiality. It is the most common type of salivary gland tumor and the most common tumor of the parotid gland. It derives its name from the architectural Pleomorphism seen by light microscopy. It is also known as "Mixed tumor, salivary gland type", which refers to its dual origin from epithelial and myoepithelial elements as opposed to its pleomorphic appearance.

 Wikipedia

People also search for

[Warthin's tumor](#)

[Mucoepidermoid carcinoma](#)

[Adenoid cystic carcinoma](#)

[Lipoma](#)

[Leiomyoma](#)

[See more ▾](#)

Data from: Wikipedia

[Suggest an edit](#)