

Match Overview

| | | |
|---|--|-----|
| 1 | Internet 44 words crawled on 07-Mar-2019 www.wjgnet.com | 1% |
| 2 | Crossref 28 words Yoko Yamamoto, Yasushi Shintani, Soichiro Funaki, Masaki Taira et al. "Aggressive Surgical Resection of Pulmonary ... | 1% |
| 3 | Internet 15 words crawled on 05-Oct-2019 f6publishing.blob.core.windows.net | <1% |
| 4 | Crossref 13 words Dhirendra Govender, Shunmugam V. Pillay. "RIGHT PULM ONARY ARTERY SARCOMA", Pathology, 5/1/2001 | <1% |
| 5 | Crossref 12 words Javier López-Gómez, Erwin R. Flores-Vázquez, Ma. Alejandra Salazar-Álvarez, Rodrigo Y. Adame et al. "Treatment of ... | <1% |
| 6 | Crossref 12 words Lingge Yang, Huiyan Zhu, Peng Luo, Shiqi Chen, Yu Xu, Ch unmeng Wang. "Apatinib mesylate tablet in the treatment ... | <1% |
| 7 | Crossref 12 words Xin Pu, Man Song, Xiaoyong Huang, Guangfa Zhu, Dong C hen, Huili Gan, Lianjun Huang. "Clinical and radiological ... | <1% |
| 8 | Internet 12 words crawled on 10-Jan-2020 pinnacle.allenpress.com | <1% |
| 9 | Crossref 12 words Stefan Scheidl, Shahrokh Taghavi, Ursula Reiter, Natascl ... Tröster et al. "Intimal Sarcoma of the Pulmonary Valve", The | <1% |

3 Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 53138

Manuscript Type: CASE REPORT

Misdiagnose of primary intimal sarcoma of the pulmonary artery as chronic pulmonary embolism: A case report

Ping Lu, Bei-Bei Yin

Abstract

BACKGROUND

Primary intimal sarcoma of the pulmonary artery is a rare malignant tumor originated from the pulmonary artery, which has low incidence rate and is easily misdiagnosed as pulmonary embolism. There is still no standard protocol for the treatment of primary intimal sarcoma of the pulmonary artery.

CASE SUMMARY

This study reported one case with primary intimal sarcoma of the pulmonary artery who was admitted to our hospital in 2017. The clinical characteristics, the diagnosis, and treatment and follow-up outcomes of the patients were



Misdiagnose of primary intimal sarcoma of the pulmonary artery



ALL

IMAGES

VIDEOS

关闭取词

26,700 Results

Any time ▾

Primary pulmonary artery sarcoma: a close associate of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5059338>

May 16, 2016 · Primary pulmonary artery sarcoma (PPAS) is a rare tumor that mimics pulmonary thromboembolism (PE). Similarities to PE can delay the diagnosis and misguide the treatment of PPAS. This study aimed to evaluate tumor characteristics and ...

Cited by: 18

Author: Debabrata Bandyopadhyay, Tanmay S. P...

Publish Year: 2016

Intimal sarcoma of the pulmonary artery: Report of an ...

https://www.researchgate.net/publication/7624009_Intimal_sarcoma_of_the_pulmonary...

Primary pulmonary artery sarcomas (PASs) are rare and lethal tumors. They are easily misdiagnosed as chronic pulmonary embolism, mediastinal mass or tumor emboli...

Pulmonary artery intimal sarcoma misdiagnosed as ...

https://www.researchgate.net/publication/314024174_Pulmonary_artery_intimal_sarcoma...

Download Citation | Pulmonary artery intimal sarcoma misdiagnosed as pulmonary embolism: A case report | Intimal sarcoma of the pulmonary artery is rare, but false diagnosis of this sarcoma ...

Pulmonary Artery Intimal Sarcoma: A Case Report

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4881246>

Apr 29, 2016 · The tumor was weakly positive for CD31. Typically, poorly differentiated tumors such as pulmonary artery intimal sarcomas are positive for vimentin and variably positive for smooth muscle actin [5]. Routine staining of the tumor should be performed for desmin, cytokeratin, vimentin, and smooth muscle actin [7].

An intimal sarcoma of pulmonary artery mimicking ...

<https://onlinelibrary.wiley.com/doi/full/10.1002/rcr2.248>

Jun 28, 2017 · Pulmonary artery intimal sarcoma arises from the intimal layer of the right, left, or main pulmonary arteries 1. It is extremely rare, clinically unpredictable, and often misdiagnosed as pulmonary thromboembolism (PTE) because of the similar clinical presentation.

Cited by: 1

Author: Xiaojing Liu, Jun Hou, Xiangdong Wang, Z...

Publish Year: 2017

Intimal sarcoma of the pulmonary artery: Report of an



23,000 Results

Any time ▾

Neovascular Glaucoma Due to Branch Retinal Vein Occlusion ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3550317>

Branch retinal artery occlusion (BRAO) and **branch retinal vein occlusion (BRVO)** rarely cause **neovascular glaucoma (NVG)**. A 58-year-old woman with hypertension and type 2 diabetic mellitus complained of progressive visual loss in her right eye for the previous 3 months. At initial examination, visual acuity was 20 / 63 in the right eye.

Cited by: 4

Author: Tae-Su An, Soon-Il Kwon

Publish Year: 2013

Neovascular Glaucoma Associated with Cilioretinal Artery ...

<https://www.sciencedirect.com/science/article/pii/S0021515501004865>

Background: **Cilioretinal artery occlusion** rarely results in **neovascular glaucoma**, especially in cases of extensive cilioretinal infarction and combined **retinal vascular occlusion**. **Case:** A 62-year-old man with diabetes mellitus and essential hypertension showed a visual acuity of counting fingers, **retinal whitening** temporal to the optic disc with mild dilation and tortuosity of the **retinal** ...

Neovascular Glaucoma After Branch Retinal Artery Occlusion ...

<https://link.springer.com/article/10.1007/s10384-004-0223-3>



Get quick access to Bing with the Bing extension for Firefox

MAYBE LATER

YES