

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 54083

Manuscript Type: CASE REPORT

Hydatidiform mole in a scar on the uterus: A case report

Jiang *et al.* Hydatidiform mole in a scar on the uterus

Hao-Ru Jiang, Wen-Wei Shi, Xiao Liang, Hui Zhang, Yan Tan

Abstract

BACKGROUND

Cesarean scar molar pregnancy is extremely rare, but the incidence has been

Match Overview

1

Internet 26 words
crawled on 19-Jun-2019
onlinelibrary.wiley.com

3%

2

Crossref 12 words
Chen Ling, Jitong Zhao, Xianrong Qi "Partial molar pregnancy in the cesarean scar", *Medicine*, 2018

1%

3

Crossref 12 words
Yuichi Inoue, Yutaka Nemoto, Ryuusuke Murata, Takahiko Tashiro, Miyuki Shakudo, Kinuko Kohno, Osamu Matsuoka, Ki...

1%



国内版

国际版

Hydatidiform mole in a scar on the uterus: A case report



登录



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确



15,200 条结果

时间不限

Hydatidiform Mole on Uterine Serosa - A Case Report ... [翻译此页](#)

Read "Hydatidiform Mole on Uterine Serosa - A Case Report, Australian and New Zealand Journal of Obstetrics and Gynaecology" on DeepDyve, the largest online rental service for scholarly research with thousands of academic publications available at your fingertips.

<https://www.deepdyve.com/lp/wiley/hydatidiform...>

Partial hydatidiform mole diagnosis in a cat: A case ... [翻译此页](#)

Partial hydatidiform mole diagnosis in a cat: A case report ... the uterus or nutritional deficiencies (low in protein, ... Our findings are in accordance with gross morphology and histopathology ...

https://www.researchgate.net/publication/244481222_Partial_hydatidiform_mole_diagnosis...

(PDF) Molar Pregnancy in a Cesarean Section Scar of ... [翻译此页](#)

Early diagnosis is important in a case of molar pregnancy in a cesarean section scar to prevent serious complications such as severe bleeding that can be life-threatening. ... hydatidiform mole ...

https://www.researchgate.net/publication/266421166_Molar_Pregnancy_in_a_Cesarean...

Invasive mole in a perimenopausal woman with lung ... [翻译此页](#)

Author: Cristina Martínez Leocadio, José Garcí... Publish Year: 2019

It is preceded by a hydatidiform mole in about 95% of cases with an interval of less than 6 months between the presentation of the case and the diagnosis of invasive mole. In our case, the progression to invasive mole was within 2 months from the evacuation of the complete mole. Follow-up of such patients is essential for early detection of ...

<https://onlinelibrary.wiley.com/doi/10.1002/ccr3.2386>

Postmenopausal complete hydatidiform mole: A case ... [翻译此页](#)

Cited by: 10

Author: Faruk Abike, Osman Temizkan, Ahmet Pa...



Hydatidiform mole in a scar on the uterus: A case report



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

35,800 Results

Any time ▾

A case report of pelviscopic resection of invasive ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6799454>

Invasive H-moles or **invasive moles** are a type of abnormal pregnancy that grows into the muscular wall of the **uterus**. It may aggressively invade the myometrium and may even perforate the **uterine serosa**. The most common life-threatening complication of **invasive moles** is **uterine perforation**.

Author: Hyun Joo Lee, Yun Sook Kim **Publish Year:** 2019

An unexpected invasive hydatidiform mole in a rudimentary ...

<https://www.ncbi.nlm.nih.gov/pubmed/28927039>

The present study describes a rare **case** of a **uterine** rudimentary horn pregnancy. The **case** was diagnosed by the high serum β -HCG level, imageological results and dissection of the final pathological specimen, by combined **hysteroscopy** and laparoscopy. An **ultrasound** illustrated a suspicious gestational trophoblastic disease in the rudimentary **uterine horn**, with a rich blood flow signal at the right side of the **uterus**.

Author: Manfei Si, Peng Li, Zeng Yuan, Hui M... **Publish Year:** 2017

Postmenopausal complete hydatidiform mole: A case report ...

<https://www.sciencedirect.com/science/article/pii/S0378512207002927>

Jan 20, 2008 · **Case.** We **report the case** of a 56-year-old postmenopausal woman with a complete **mole**. The patient was admitted to gynecology outpatient clinic with abdominal pain, nausea and vomiting for about 1 month. **Ultrasound examination** revealed enlargement of the **uterus** with endometrial thickness containing **hypo/hyper** echogeneous and cystic areas.

Cited by: 10 **Author:** Faruk Abike, Osman Temizkan, Ahmet Pa...

Publish Year: 2008

Tubal hydatidiform mole treated with salpingotomy: A case ...

<https://onlinelibrary.wiley.com/doi/10.1002/ccr3.2037>

Hydatidiform moles mainly develop within the **uterine cavity**, but may also occur in ectopic pregnancy.

Tubal hydatidiform mole is a very rare entity which was first **reported** in 1871. To date, patients affected