

9
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 53486

Manuscript Type: CASE REPORT

Colonic perforation in a nasopharyngeal carcinoma patient treated with fluorouracil: A case report

Wei-Jia Lu, Gong Li, Lei Gao

Abstract

BACKGROUND

Nasopharyngeal carcinoma (NPC) is a commonly encountered type of tumor. Fluorouracil (FU) is an effective treatment providing satisfactory oncologic outcomes in nasopharyngeal carcinoma patients. We describe a unique case of colonic perforation in an NPC patient treated with FU. Thus far, only two reports of intestinal perforation associated with FU treatment have been

Match Overview

1	Crossref 53 words Yvonne Wettergren. "Pretherapeutic uracil and dihydrouacil levels of colorectal cancer patients are associated with se...	4%
2	Crossref 40 words Raj Shah, Danielle Witt, Talal Asif, Fahad F Mir. "Ipilimuma... as a Cause of Severe Pan-Colitis and Colonic Perforation",	3%
3	Crossref 26 words Warren D. Blackburn. "Toxic response to topical fluoroura... in two rheumatoid arthritis patients receiving low-dose, wee	2%
4	Internet 24 words crawled on 13-Aug-2016 mdanderson.influent.utsystem.edu	2%
5	Crossref 21 words R. Zhou, J. Zhu, X. Chen, Y. Liu, Y. Wang, T. Zhang. "The effi cacy and safety of docetaxel, cisplatin and fluorouracil (TP	1%
6	Crossref 20 words B. J. Kennedy. "5-Fluorouracil toxicity", <i>Cancer</i> , 1999	1%
7	Internet 17 words crawled on 03-Mar-2016 www.wjgnet.com	1%
8	Crossref 16 words Junya Oguma, Soji Ozawa, Akihito Kazuno, Yasushi Yama	1%

Colonic Perforation in a Nasopharyngeal Carcinoma Patie



ALL

IMAGES

VIDEOS

29,600 Results

Any time ▼

Colorectal neuroendocrine carcinoma: A case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6692263>

Jul 26, 2019 · **CASE SUMMARY.** Here, we report the case of patient with **NEC** showing an aggressive **growth pattern** that resulted in the rupture of the **tumor** to the outside the **colon** after stenting of the internal **colonic stenosis**. In addition, the **tumor** invaded into the duodenum, thereby causing **duodenal stenosis** that required an additional stent in the duodenum.

Author: Tomoaki Yoshida, Kenya Kamimura, ... **Publish Year:** 2019

Radiation recall after capecitabine in a patient with ...

<https://link.springer.com/article/10.1186/s13256-016-1033-1> ▼

Sep 07, 2016 · **Case presentation.** We report the case of a 64-year-old Chinese woman with **locoregionally advanced nasopharyngeal carcinoma** previously treated with **induction chemotherapy** followed by concurrent **chemoradiation** 6 years ago. She developed **cervical**, **mediastinal**, and **abdominal nodal relapses** 14 months later.

Cited by: 1 **Author:** Victor Lee, Ka-On Lam, Dora Kwong, To-...

Publish Year: 2016

Risk of gastrointestinal perforation in patients with

Colonic perforation in a nasopharyngeal carcinoma patie



ALL

IMAGES

VIDEOS

29,600 Results

Any time ▼

Colorectal neuroendocrine carcinoma: A case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6692263>

Jul 26, 2019 · CASE SUMMARY. Here, we report the case of **patient** with **NEC** showing an aggressive growth pattern that resulted in the rupture of the **tumor** to the outside the **colon** after stenting of the internal **colonic stenosis**. In addition, the **tumor** invaded into the duodenum, thereby causing **duodenal stenosis** that required an additional stent in the **duodenum**.

Author: Tomoaki Yoshida, Kenya Kamimura, ...

Publish Year: 2019

Carcinosarcoma on Ascending Colon Found by Bowel ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2998018>

Oct 31, 2010 · We experienced a case of a **colonic carcinosarcoma** in a 65-year-old male **patient** presenting as **panperitonitis** due to **bowel perforation** by the **tumor**. A right hemicolectomy with **lymph node dissection** was performed. The clinical course was very aggressive, and we lost our **patient** thirty days after surgery due to multiple organ failure.

Author: Hong Jin Shim, Young Ki Hong, Seo-J...

Publish Year: 2010

case of pneumatosis intestinalis during neoadjuvant ...

<https://academic.oup.com/jscr/article/2017/11/rjx227/4644421> ▼

Nov 21, 2017 · Here, we describe a case of **PI** during **neoadjuvant chemotherapy (NAC)** with **cisplatin** and **5-fluorouracil (CF)** for advanced **esophageal cancer** that was successfully **treated** conservatively. CASE REPORT A 70-year-old man visited to our hospital with **persistent** difficulty in swallowing.

Author: Keita Kouzu, Hironori Tsujimoto, Shui...

Publish Year: 2017



Colonic perforation in a nasopharyngeal carcinoma patie



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

29,700 Results

Any time ▾

Colorectal neuroendocrine carcinoma: A case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6692263>

Jul 26, 2019 · CASE SUMMARY. Here, we report the case of **patient** with **NEC** showing an aggressive growth pattern that resulted in the rupture of the **tumor** to the outside the **colon** ... +

Author: Tomoaki Yoshida, Kenya Kamimura, K... **Publish Year:** 2019

Carcinosarcoma on Ascending Colon Found by Bowel ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2998018>

Oct 31, 2010 · We experienced a case of a **colonic carcinosarcoma** in a 65-year-old male **patient** presenting as **panperitonitis** due to **bowel perforation** by the **tumor**. A right ... +

Cited by: 9 **Author:** Hong Jin Shim, Young Ki Hong, Seo-Jeo...

Publish Year: 2010

Colitis and colonic perforation in a patient with breast ...

www.indianjcancer.com/article.asp?issn=0019-509X;...

Neutropenic enterocolitis and colonic perforation in a patient with breast carcinoma treated with taxane-based **chemotherapy**: a case report and review of the **literature** Aslihan Demirel, Selçuk ... +

(PDF) Retropharyngeal Abscess after Radiation Therapy and ...

<https://www.researchgate.net/publication/14543128...>

Recently, **radiotherapy combined with chemotherapy** has been recommended for improving the efficacy of **treatment** for **nasopharyngeal carcinoma**. Two **patients with nasopharyngeal** ... +

(PDF) Radiation recall after capecitabine in a patient ...

<https://www.researchgate.net/publication/307918941...>

Background **Capecitabine** has been commonly used in **recurrent** or **metastatic nasopharyngeal carcinoma**. However, **radiation recall** after **capecitabine** for **nasopharyngeal carcinoma** ...

Paraneoplastic Dermatomyositis in Hepatocellular Carcinoma ...

<https://www.europepmc.org/articles/PMC5075726>

Sep 22, 2016 · To our knowledge, this is a rare case of **colonic perforation** after **steroid treatment** in an adult with **DM**. It is unclear how the **colonic perforation** occurred in this ... +

Cited by: 1 **Author:** Naoteru Miyata, Katsura Emoto, Yoshiaki ...