

9

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 54096

Manuscript Type: CASE REPORT

**Mesonephric adenocarcinoma of the uterine cervix with rare lung metastasis:
A case report and review of literature**

Jiang LL *et al.* MNA of the uterine cervix with rare lung metastasis

Li-Li Jiang, De-Ming Tong, Zi-Yi Feng, Kui-Ran Liu

Abstract

BACKGROUND

Mesonephric adenocarcinoma (MNA) of the female reproductive system is a rare tumor arising from remnants of the mesonephric duct, most of which are located in the cervix. MNA often occurs in adult women. Due to the rarity of the disease and few reports, the specific clinical features have not been established.

CASE SUMMARY

Match Overview

Match Number	Source	Words	Similarity
1	Internet	55 words crawled on 09-Feb-2020 molecular-cancer.biomedcentral.com	2%
2	Internet	28 words crawled on 16-May-2019 www.ncbi.nlm.nih.gov	1%
3	Internet	27 words crawled on 19-Mar-2020 www.wjgnet.com	1%
4	Internet	26 words crawled on 31-Jul-2016 diagnosticpathology.biomedcentral.com	1%
5	Internet	25 words crawled on 30-Jan-2019 academic.oup.com	1%
6	Crossref	25 words Goyal, Abha, and Bin Yang. "Differential Patterns of PAX8, p16, and ER Immunostains in Mesonephric Lesions and ..."	1%
7	Crossref	21 words Sandra Lee, Vikrant V. Sahasrabuddhe, Diana Mendoza-Cervantes, Rachel Zhao, Máire A. Duggan. "Tissue-based I"	1%
8	Crossref	19 words Elizabeth D. Euscher, Roland Bassett, Dzifa Y. Duose, Chih Lan et al. "Mesonephric-like Carcinoma of the Endometr"	1%
9	Internet	16 words crawled on 20-Jun-2019 f6publishing.blob.core.windows.net	1%
10	Crossref	15 words Mirkovic, Jelena, Lynette M Sholl, Elizabeth Garcia, Neal Lindeman, Laura MacConaill, Michelle Hirsch, Paola Dal Ci	1%



91,100 Results

Any time ▾

Mesonephric adenocarcinoma of the cervix: Case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4898911>

May 07, 2016 · A **mesonephric adenocarcinoma of the cervix** is a very **rare tumor** deriving from remnants of the **mesonephric duct**. Differential diagnosis from other **cervical carcinomas** is difficult and little is known regarding its biological behavior, ...

Cited by: 4

Author: A. Dierickx, M. Göker, G. Braems, P. Tu...

Publish Year: 2016

Mesonephric adenocarcinoma of the cervix: Case report and ...

<https://www.sciencedirect.com/science/article/pii/S235257891630025X>

A **mesonephric adenocarcinoma** of the **cervix** is a very **rare tumor** deriving from remnants of the **mesonephric duct**. Differential diagnosis from other **cervical carcinomas** is difficult and little is known regarding its biological behavior, prognosis, and the optimal management strategy.

Cited by: 4

Author: A. Dierickx, M. Göker, G. Braems, P. Tu...

Publish Year: 2016

Mesonephric adenocarcinoma of the uterine corpus: a case ...

<https://www.ncbi.nlm.nih.gov/pubmed/18580312>

Mesonephric adenocarcinoma (MA) is a **rare tumor** of the **female genital tract**, mainly in the **cervix** and **vagina**, which is usually associated with **mesonephric remnants** or **mesonephric hyperplasia**. In the **uterus corpus**, MA is as **rare** as **mesonephric** structures, and only a few cases have been previously reported.

Cited by: 18

Author: Yoji Wani, Kenji Notohara, Choutatsu T...

Publish Year: 2008

Mesonephric adenocarcinoma of the uterine cervix and ...

<https://casereports.bmj.com/content/2012/bcr.01.2012.5632> ▾

Dec 10, 2012 · **Mesonephric adenocarcinoma** is a **rare type** of **cervical cancer** that derives from **mesonephric remnants in the uterine cervix**. To the best of our knowledge, this is the 34th case of **mesonephric adenocarcinoma** in adult women documented in the literature.

Cited by: 5

Author: Antonios Anagnostopoulos, Stuart Rut...

Mesonephric adenocarcinoma of the uterine cervix wit



ALL

IMAGES

VIDEOS

46,800 Results

Any time ▾

Mesonephric adenocarcinoma of the cervix: Case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4898911>

May 07, 2016 · A **mesonephric adenocarcinoma of the cervix** is a very **rare tumor** deriving from remnants of the **mesonephric duct**. Differential diagnosis from other **cervical carcinomas** is difficult and little is known regarding its biological behavior, ...

Cited by: 4

Author: A. Dierickx, M. Göker, G. Braems, P. Tu...

Publish Year: 2016

Mesonephric adenocarcinoma of the uterine cervix: A case ...

<https://www.ncbi.nlm.nih.gov/pubmed/26338754>

Mesonephric adenocarcinoma is a rare neoplasm of **uterine cervix**. It originates from the **mesonephric ductus remnant** or **mesonephric hyperplasia area**. There have been few such cases reported. Our case was 64 years of age and her **tumour** held the whole endocervical wall. It was around 5cm in diameter, and had exophytic component as well. **Bilateral pelvic** and **paraaortic lymph nodes** were negative for **metastasis**...

Cited by: 3

Author: Tekin L, Yazici A, Akbaba E, Akin Mn

Publish Year: 2015

Mesonephric adenocarcinoma of the cervix: A case report ...

<https://www.sciencedirect.com/science/article/pii/S0090825806006299>

Malignant mesonephric tumor arising in the **uterine cervix** is an exceedingly uncommon variant of **cervical adenocarcinoma** with only 30 well-documented cases in the literature. Case. We present a case of a 54-year-old woman with **postmenopausal vaginal bleeding** who was found to have a stage **IB mesonephric adenocarcinoma of the cervix**.

Cited by: 12

Author: O.W. Stephanie Yap, Michael R. Hendri...

Publish Year: 2006



47,900 Results Any time ▾

Mesonephric adenocarcinoma of the cervix: Case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4898911>

May 07, 2016 · A **mesonephric adenocarcinoma of the cervix** is a very **rare tumor** deriving from remnants of the **mesonephric duct**. Differential diagnosis from other **cervical carcinomas** is difficult and little is known regarding its biological behavior, prognosis, and the optimal management strategy.

Cited by: 4 **Author:** A. Dierickx, M. Göker, G. Braems, P. Tum...

Publish Year: 2016

Mesonephric adenocarcinoma of the uterine cervix: A case ...

<https://www.ncbi.nlm.nih.gov/pubmed/26338754>

Mesonephric adenocarcinoma is a rare neoplasm of **uterine cervix**. It originates from the **mesonephric ductus remnant** or **mesonephric hyperplasia area**. There have been few such cases reported. Our case was 64 years of age and her **tumour** held the whole endocervical wall. It was around 5cm in diameter, and had exophytic component as well. **Bilateral pelvic** and **paraaortic lymph nodes** were negative for **metastasis**...

Cited by: 3 **Author:** Tekin L, Yazici A, Akbaba E, Akin Mn

Publish Year: 2015

[PDF] Mesonephric adenocarcinoma of the cervix: a case report ...

<https://diagnosticpathology.biomedcentral.com/track/pdf/10.1186/s13000-019-0847-8>

Mesonephric adenocarcinoma (MNAC) is a **rare tumor** of the **female genital tract** mainly occurring in the **lateral wall** of the **cervix** and originating from **mesonephric duct remnants** [1, 2]. Less than one hundred cases have been reported in the literature, including tumors arising from the **cervix** and **uterine corpus** (See Table 1). Its

Author: Nelson Montalvo, Ligia Redrobán, Da... **Publish Year:** 2019

Mesonephric adenocarcinoma of the uterine cervix and ...

<https://casereports.bmj.com/content/2012/bcr.01.2012.5632>

Dec 10, 2012 · **Mesonephric adenocarcinoma** is a **rare type** of **cervical cancer** that derives from **mesonephric remnants** in the **uterine cervix**. To the best of our knowledge, this is the 34th case of **mesonephric adenocarcinoma in adult women** documented in the literature.

Cited by: 5 **Author:** Antonios Anagnostopoulos, Stuart Ruthve...

Publish Year: 2012