

Match Overview

1	Internet 17 words crawled on 22-Mar-2018 journals.sagepub.com	<1%
2	Crossref 17 words ET te Beek, RWM Zoethout, MSG Bani, A Andorn, L Iavarone, ES Klaassen, P Fina, JMA van Gerven. " Pharmacok	<1%
3	Crossref 15 words "Abstracts from the XXVII CINP Congress, Hong Kong, ... -10 June 2010", The International Journal of Neuropsych	<1%
4	Internet 14 words opac.ll.chiba-u.jp	<1%
5	Crossref 14 words Geoffrey Stemp, Tracey Ashmeade, Clive L. Branch, Michael S. Hadley et al. " Design and Synthesis of -[4-2-(6-C	<1%
6	Crossref 13 words S.-M. Lin. "Comparison of long-term effects of lymphoblastoid interferon alpha and recombinant interferon alpha-2 ...	<1%
7	Internet 13 words crawled on 18-Oct-2019 www.nature.com	<1%
8	Internet 10 words crawled on 25-Sep-2018 www.garcitrin.com	<1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61517

Manuscript Type: ORIGINAL ARTICLE

Clinical Trials Study

Possible effect of blonanserin on gambling disorder: A clinical study protocol and a case report

Shiina A *et al.* Blonanserin on gambling disorder

Akihiro Shiina, Tadashi Hasegawa, Masaomi Iyo

Abstract

BACKGROUND

Gambling disorder is characterized by excessive and recurrent gambling and can have serious negative social consequences. Although several psychotherapeutic and pharmacological approaches have been used to treat gambling disorder, new treatment

国内版国际版

Microsoft Bing

Possible effect of blonanserin on gambling disorder: A clinical stud

ALLIMAGESVIDEOS

86,900 ResultsAny time

Risk factors for gambling and problem gambling: a protocol ...

https://systematicreviewsjournal.biomedcentral.com/...

Aug 27, 2020 · Gambling is increasingly being identified as a public health problem [1, 2].Harms associated with gambling are wide-ranging and include harms not only to the individual gambler but to their families and close associates as well as wider society [3, 4].The global prevalence of problem gambling has been reported to range from 0.7 to 6.5%, and studies from across Europe have reported ...

Author: Caryl Beynon, Nicola Pearce-Smith, Rac...Publish Year: 2020

Effects of Intranasal Naloxone on Gambling Urges and ...

https://clinicaltrials.gov/ct2/show/NCT03430180

The secondary objectives of the study are: To determine the effects of naloxone hydrochloride nasal spray on gambling severity, frequency and time, internet use, self-efficacy, quality of life, alcohol consumption, depression; To evaluate the safety of naloxone hydrochloride nasal spray in the treatment of gambling disorder

Pharmacotherapy and group cognitive behavioral therapy ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4982000

Background. Gambling disorder (GD), or pathological gambling, has rarely been studied as a disease. Until the late 1990s, little was known about the history and etiology of GD .Recently, GD was classified as a clinically significant addictive disorder .Although GD affects 0.2–5.3 % of adults and often results in severe damage to the lives of patients and their families, less than 10 % of ...

Cited by: 3Author: Sam-Wook Choi, Young-Chul Shin, HyunCh...Publish Year: 2016

Sustainability | Free Full-Text | Relaxing Effect Induced ...

https://www.mdpi.com/2071-1050/12/15/5969

The number of people addicted to gambling has increased worldwide. They often suffer from debilitating medical conditions associated with stress or depression. This study examined the physiological and psychological reactions of gambling disorder (GD) patients while listening to high-definition forest or city sounds using headphones. In total, 12 Japanese male GD patients were exposed to high ...

Author: Hiroko Ochiai, Chorong Song, Hyunju J...Publish Year: 2020

Blonanserin in the treatment of delirium - Kato - 2011 ...

https://onlinelibrary.wiley.com/doi/full/10.1111/j.1440-1819.2011.02213.x

May 16, 2011 · In this case, it is possible that BNS was not effective, but delirium and pneumonia suddenly worsened, and the patient became seriously ill. Delirium can be classified as hyperactive, hypoactive, or mixed type based on systematic clinical observation of hospitalized patients. 11 In the present study we did not diagnose the delirium subtypes ...

Cited by: 8Author: Koji Kato, Keigo Yamada, Mizuki Maehara, ...Publish Year: 2011

Internet Gaming Disorder Treatment: A Case Study ...

https://link.springer.com/article/10.1007/s11469-017-9845-9

Dec 05, 2017 · The present study has some limitations common to single-case studies carried out in a clinical setting. First, an intentional sample was used. Second, the use of self-reporting in data collection (in this case self-report diaries) can generate responses subject to well-known biases (such as social desirability and memory recall).

Internet-based cognitive behavior therapy for problem ...

https://pilotfeasibilitystudies.biomedcentral.com/...

Study design. The study is a non-randomized pilot and feasibility trial of iCBT with treatment-seeking participants (max N = 25) conducted in routine care. Participants will be assessed for diagnostic criteria of gambling disorder and psychiatric comorbidity prior to treatment and complete self-reported outcome measures pre-treatment (clinical assessment), weekly during treatment, post ...

Study protocol: the JEU cohort study – transversal ...

https://bmcpsychiatry.biomedcentral.com/articles/10.1186/s12888-014-0226-7

Aug 20, 2014 · There is abundant literature on how to distinguish problem gambling (PG) from social gambling, but there are very few studies of the long-term evolution of gambling practice. As a consequence, the correlates of key state changes in the gambling trajectory are still unknown. The objective of the JEU cohort study is to identify the determinants of key state changes in the gambling ...

The PROblem Gambling REsearch Study (PROGRESS) research ...

https://bmjopen.bmj.com/content/5/11/e009385

Introduction International prevalence rates for problem gambling are estimated at 2.3%. Problem gambling is a serious global public health concern due to adverse personal and social consequences. Previous research evaluating the effectiveness of psychological interventions for the treatment of problem gambling has been compromised by methodological limitations, including small sample sizes ...

Gender and gambling disorder: Differences in compulsivity ...

https://www.sciencedirect.com/science/article/pii/S0306460320308133

1. Introduction. In recent years, there has been growing interest in the study of compulsivity from a clinical and neurophysiological perspective, just as it has shown to be related to numerous clinical conditions such as gambling disorder (GD) (Figee et al., 2016, Yücel and Fontenelle, 2012).Compulsivity is a complex construct that can be described as "the performance of repetitive and ...

Chat with Bing

Oh! Let me guess why you search for this.

Say something...

Search Tools

Turn off Hover Translation (关闭取词)

12345>

增值电信业务经营许可证：合字B2-20090007京ICP备10036305号-7京公网安备11010802022657号

Privacy and CookiesLegalAdvertise

© 2021 Microsoft

HelpFeedback

ALL

IMAGES

VIDEOS

124,000 Results

Any time ▾

Open links in new tab



Effects of Intranasal Naloxone on Gambling Urges and ...

<https://clinicaltrials.gov/ct2/show/NCT03430180> ▾

The secondary objectives of the **study** are: To determine the **effects** of naloxone hydrochloride nasal spray **on gambling** severity, frequency and time, internet use, self-efficacy, quality of life,...

Risk factors for gambling and problem gambling: a protocol ...

<https://systematicreviewsjournal.biomedcentral.com/...> ▾

Aug 27, 2020 · **Gambling** is increasingly being identified as a public health problem [1, 2]. Harms associated with **gambling** are wide-ranging and include harms not only to the individual gambler...

Author: Caryl Beynon, Nicola Pearce-Smith, ... **Publish Year:** 2020

Estimated Reading Time: 10 mins

[PDF] PRACTICE GUIDELINES FOR THE TREATMENT OF GAMBLING ...

https://www.divisiononaddiction.org/html/publications/2004_Korn_Shaffer.pdf

condition. With respect to treating **gambling**-related **disorders**, the situation is particularly challenging and complex because this is a nascent field of **research**; consequently, there is a...

File Size: 489KB **Page Count:** 60

The PROblem Gambling REsearch Study (PROGRESS) research ...

<https://bmjopen.bmj.com/content/5/11/e009385> ▾

Nov 01, 2015 · Introduction International prevalence rates for problem **gambling** are estimated at 2.3%. Problem **gambling** is a serious global public health concern due to adverse personal and...

Cited by: 2 **Author:** Shane A Thomas, Stephanie S Merkour...

Publish Year: 2015 **Estimated Reading Time:** 10 mins

Internet Gaming Disorder Treatment: A Case Study ...

<https://link.springer.com/article/10.1007/s11469-017-9845-9> ▾

Dec 05, 2017 · The present **study** has some limitations common to single-case **studies** carried out in a **clinical** setting. First, an intentional sample was used. Second, the use of self-reporting in...

Cited by: 16 **Author:** Alexandra Torres-Rodríguez, Mark D. Gr...

Publish Year: 2019 **Estimated Reading Time:** 8 mins

Study protocol: the JEU cohort study – transversal ...

<https://bmcpsy psychiatry.biomedcentral.com/articles/10.1186/s12888-014-0226-7> ▾

Aug 20, 2014 · There is abundant literature on how to distinguish problem **gambling** (PG) from

Search Tools

Turn off Hover Translation (关闭取词)