

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59093

Manuscript Type: CASE REPORT

Role of positron emission tomography in primary carcinoma ex pleomorphic adenoma of the bronchus: A case report

Diagnosis of carcinoma ex pleomorphic adenoma

Abstract

BACKGROUND

Primary carcinoma ex pleomorphic adenoma arising from the tracheobronchial system is rarely reported.

CASE SUMMARY

We presented one case and reviewed the associated literature for further comparison, including age, clinical manifestation, and diagnostic process. This case had no history of

Match Overview

1	Internet 49 words crawled on 25-Jun-2020 academic.oup.com	4%
2	Internet 48 words crawled on 11-May-2020 link.springer.com	4%
3	Internet 20 words hdl.handle.net	1%
4	Crossref 13 words Takeaki Tomoyose. "Primary adrenal adult T-cell leukemia/lymphoma: A case report and review of the literature", <i>American J</i>	1%
5	Internet 12 words crawled on 19-Oct-2020 slideheaven.com	1%
6	Internet 12 words crawled on 17-Sep-2020 www.panafrican-med-journal.com	1%



ALL

IMAGES

VIDEOS

53,500 Results

Any time ▾

Salivary duct carcinoma ex pleomorphic adenoma of the ...

<https://pubmed.ncbi.nlm.nih.gov/25579019>

Similar to **carcinoma ex pleomorphic adenoma**, it is more common in the major salivary glands, with the parotid gland accounting for 88% and the submandibular gland for 10% of cases. To date, only 25 known cases of **primary** salivary duct **carcinoma** arising in the minor salivary glands have been documented, with most arising in the palate.

Cited by: 3

Author: Lauren G. Bourell, King Chong Chan, D...

Publish Year: 2015

Invasive Carcinoma Ex-Pleomorphic Adenoma of the ...

<https://www.hindawi.com/journals/cripa/2020/6482837> ▾

Malignant mixed tumor of the lacrimal gland, also known as **carcinoma ex-pleomorphic adenoma** (Ca-ex-PA), is the third most frequent epithelial lacrimal gland tumor, after **pleomorphic adenoma** (PA) and adenoid cystic **carcinoma** (ACA). Clinically, affected patients tend to be 5 to 12 years older than those with PA and often present with an ...

Author: Vamsee K. Neerukonda, Bryant Carr... **Publish Year:** 2020

Pleomorphic adenoma presenting with a mediastinal mass

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4704288>

Jan 02, 2014 · The diagnostic value of **positron emission tomography** (PET) scans in the differentiation of malignant and benign salivary gland tumors was limited, because the standardized uptake value (SUV) of the **pleomorphic adenoma** was increased moderately. 10 – 12 Given the cases of salivary gland tumors, the SUV of mediastinal **pleomorphic adenoma** would also be increased. Therefore, PET scans would not differentiate **pleomorphic adenoma** ...

Cited by: 7

Author: Young Kyung Lee, Yee Hyung Kim, Gou...

Publish Year: 2014

Positron Emission Tomography and Molecular Imaging of ...

<https://link.springer.com/article/10.1007/s40134-020-00366-y> ▾

The role of positron emission tomography in primary carcinoma ex



ALL

IMAGES

VIDEOS

54,600 Results

Any time ▾

Salivary duct carcinoma ex pleomorphic adenoma of the ...

<https://pubmed.ncbi.nlm.nih.gov/25579019>

Similar to **carcinoma ex pleomorphic adenoma**, it is more common in the major salivary glands, with the parotid gland accounting for 88% and the submandibular gland for 10% of cases. To date, only 25 known cases of **primary** salivary duct **carcinoma** arising in the minor salivary glands have been documented, with most arising in the palate.

Cited by: 3

Author: Lauren G. Bourell, King Chong Chan, David ...

Publish Year: 2015

Metastasizing pleomorphic adenoma in the multiple organs ...

<https://pubmed.ncbi.nlm.nih.gov/29879077>

We herein report an unusual case of **pleomorphic adenoma** with multiple metastases comprehensively demonstrated on F-18 fluorodeoxyglucose **positron emission tomography/computed tomography** (FDG-PET/CT). Patient concerns: A 63-year-old woman was referred to our hospital because of urine occult blood and lung nodules detected on a health checkup.

PEOPLE ALSO ASK

What are the pathophysiology of pleomorphic adenoma? ▾

What is the link between pleomorphic adenoma and lung cancer? ▾

What is metastatic pleomorphic adenoma? ▾

Who metastasizing pleomorphic adenoma? ▾



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

49,100 Results

Any time ▾

Open links in new tab



Salivary duct carcinoma ex pleomorphic adenoma of the ...

<https://pubmed.ncbi.nlm.nih.gov/25579019>

Carcinoma ex pleomorphic adenoma is a rare malignancy of the head and neck, particularly in the minor salivary glands. Most cases arise in the major salivary glands, most commonly in the parotid gland, followed by the submandibular gland. The malignant component of the tumor varies, but can be saliv ...

Cited by: 3

Author: Lauren G. Bourell, King Chong Chan, Da...

Publish Year: 2015

Small Cell Carcinoma ex-Pleomorphic Adenoma of the Parotid ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3500895>

Jun 27, 2012 · **Carcinoma ex pleomorphic adenoma** (CXPA) is a malignant epithelial neoplasm arising from a **pleomorphic adenoma** (i.e., benign mixed tumor or PA). CXPAs most commonly occur in the parotid gland . CXPA is uncommon, accounting for only approximately 3.6 % of salivary gland neoplasms and 12 % of salivary gland malignancies .

Cited by: 4

Author: Ashley Cimino-Mathews, Brian M. Lin, S...

Publish Year: 2012

PEOPLE ALSO ASK

What are the pathophysiology of pleomorphic adenoma? ▾

How to diagnose pleomorphic adenoma? ▾

What is the link between pleomorphic adenoma and lung cancer? ▾

Who classification of pleomorphic adenoma? ▾

Feedback

Metastasis of carcinoma ex pleomorphic adenoma to the ...

<https://www.sciencedirect.com/science/article/pii/S0266435619303006>

Nov 01, 2019 · **Carcinoma ex pleomorphic adenoma** is a rare type of cancer of the salivary gland