

Microsoft Bing

国内版 国际版

Detection of EGFR-SEPT14 fusion in cell-free DNA of a patient with .

Sign in

Chat with Bing

ALL IMAGES VIDEOS

52,100 Results Any time

Detection of fusion gene in cell-free DNA of a gastric ...

europaepmc.org/articles/PMC5829158

Feb 01, 2018 · Although SS can occur in any body part, primary gastric SS is substantially rare. Here we describe a detection of the fusion gene sequence of gastric SS in plasma cell-free DNA (cfDNA). A gastric submucosal tumor was detected in the stomach of a 27-year-old woman and diagnosed as SS.

Cited by: 9 Author: Shinpei Ogino, Hirotaka Konishi, Dais...

Publish Year: 2018

Cell-free DNA as a liquid biopsy for early detection of ...

https://europaepmc.org/article/MED/33240409

Nov 03, 2020 · Li Y, Xu H, Su S, Ye J, Chen J, Jin X, Lin Q, Zhang D, Ye C, Chen C. Clinical validation of a highly sensitive assay to detect EGFR mutations in plasma cell-free DNA from patients with advanced lung adenocarcinoma. PLoS One. 2017; 12:e0183331. doi:

Search Tools

Turn off Hover Translation (关闭取词)

Microsoft Bing

国内版 国际版

Detection of epidermal growth factor receptor-SEPT14 fusion in cell

Sign in

Add the Give with Bing extension

ALL IMAGES VIDEOS

58,500 Results Any time Open links in new tab

High sensitivity detection of epidermal growth factor ...

https://www.researchgate.net/publication/6957183_High_sensitivity_detection_of...

The diagnostic utility of ctDNA for the detection of epidermal growth factor receptor (EGFR) mutations harbored in tumors of patients with advanced non-small-cell lung cancer (NSCLC) is ...

Prospective Feasibility Study for Using Cell-Free ...

<https://ascopubs.org/doi/full/10.1200/PO.16.00059>

Jun 26, 2017 · The patient with an ALK fusion treated with crizotinib achieved a significant 65% response in the target lesion. Of the seven patients receiving first-line epidermal growth factor receptor inhibitors (EGFRi), six achieved PR on atatinib, erlotinib, or gefitinib, whereas the one patient with SD received rociletinib

Cited by: 15 Author: Seung Tae Kim, Kimberly C. Banks, S...

Publish Year: 2017

ALK Fusion Detection in Circulating Free DNA: Finding an ...

<https://theoncologist.onlinelibrary.wiley.com/doi/10.1634/theoncologist.2017-0178>

Jun 22, 2017 · Editor's Note: See the related articles, "A Case of Metastatic Atypical

Search Tools

Turn off Hover Translation (关闭取词)


激活 Windows

转到“设置”以激活 Windows。

20 Feb 2021 11:54AM

1772 words • 7 matches • 6 sources

FAQ

 iThenticate®

61364_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded

6%
SIMILAR

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61364

Manuscript Type: CASE REPORT

Detection of *EGFR-SEPT14* fusion in cell-free DNA of a patient with advanced gastric cancer: A case report

EGFR-SEPT14 fusion in advanced gastric cancer

Boyeon Kim, Yoonjung Kim, Inho Park, Jae Yong Cho, Kyung-A Lee

Match Overview

1

Crossref 29 words
Yong Li, Hai-Bo Zhang, Xian Chen, Xiaobing Yang, Yongnan
g Ye, Tamiel Bekai-Saab, Yaoye Zheng, Yimeng Zhang, "F...

2%

2

Internet 23 words
crawled on 02-Aug-2020
insights.evid.com

1%

3

Internet 20 words
crawled on 29-Dec-2020
www.e-dmj.org

1%

4

Crossref 16 words
Mans, Kei, Hyun Cheri Chung, Veena Shankaran, Ravit Giv
a, Daniel Catenacci, Shiga Gupta, Joseph Paul Eder, Tala

1%

5

Internet 14 words
crawled on 06-May-2020
www.nature.com

1%

6

Internet 12 words
crawled on 12-Feb-2021
www.bdbiosciences.com

1%

PAGE 1 OF 8

源活 Windows

Text-Only Report

国内版 国际版

Detection of epidermal growth factor receptor-SEPT14 fusion in cell



ALL

IMAGES

VIDEOS

57,000 Results

Any time ▾

Detection of epidermal growth factor receptor mutations in ...

<https://www.researchgate.net/publication/26295550...>

Detection of an epidermal growth factor receptor (EGFR) mutation in circulating cell-free DNA (cfDNA) is a noninvasive method to collect genetic information to guide treatment of lung cancer with ...

Prospective Feasibility Study for Using Cell-Free ...

<https://ascopubs.org/doi/full/10.1200/PO.16.00059>

Jun 26, 2017 · The patient with an ALK fusion treated with crizotinib achieved a significant 65% response in the target lesion. Of the seven patients receiving first-line epidermal growth factor receptor inhibitors (EGFRi), six achieved PR on afatinib, erlotinib, or gefitinib, whereas the one patient with SD received rociletinib.

Cited by: 15

Author: Seung Tae Kim, Kimberly C. Banks, Se ...

Publish Year: 2017

Junyi Ye's research works | Burning Glass, Boston and ...

<https://www.researchgate.net/scientific-contributions/Junyi-Ye-2007256581>

Epidermal growth factor receptor (EGFR) is a member of the receptor tyrosine kinases ErbB family and it is found to be overexpressed in gastric cancer. However, the mechanism of the regulation of ...

ALK Fusion Detection in Circulating Free DNA: Finding an ...

<https://theoncologist.onlinelibrary.wiley.com/doi/10.1634/theoncologist.2017-0178>

Jun 22, 2017 · Editor's Note:: See the related articles, "A Case of Metastatic Atypical Neuroendocrine Tumor with ALK Translocation and Diffuse Brain Metastases" by Victoria E.Wang et al. on pages 768–773 and "Detection of an ALK Fusion in Colorectal Carcinoma by Hybrid Capture-Based Assay of Circulating Tumor DNA" by Andrea Z. Lai et al. on pages ...

Cited by: 1

Author: Meghan J. Mooradian, Justin F. Gainor

Publish Year: 2017

Wen-xian Wang's research works | Zhejiang Cancer Hospital ...

<https://www.researchgate.net/scientific-contributions/Wen-xian-Wang-2128790081>

Epidermal growth factor receptor (EGFR) exon 19 deletion (E19del) is the most common activating mutation in advanced non-small cell lung cancer (NSCLC) and associates with the sensitivity of ...