

ALL

IMAGES

VIDEOS

35,800 Results

Any time ▾

(PDF) Dens evaginatus - ResearchGatehttps://www.researchgate.net/publication/340087063_Dens_evaginatus

Apexification of tooth with DE. A. Photograph of fractured tubercle (arrow) on mandibular right second premolar. ... Natkin E. Unusual root formation in a. ... Dens evaginatus: case report of a ...

(PDF) Dens Evaginatus on Occlusal Surface of Maxillary ...<https://www.researchgate.net/publication/46579284...>

Dens evaginatus is a rare dental anomaly characterized by the development of a tubercle on the occlusal surface of the tooth and can cause pulpitis, pulp necrosis, and periapical periodontitis due ...

Dens evaginatus - A diagnostic and treatment challenge ...<https://www.researchgate.net/publication/298166218...>

This case report is about the presentation of dens evaginatus in mandibular premolars bilaterally; among them tooth 44 was associated with chronic apical periodontitis. Fractured tubercle of three ...

Maxillary molar with dens evaginatus and multiple cusps ...<https://www.ijohsjournal.org/article.asp?issn=2231...>

The most commonly reported accessory cusps are cusp of Carabelli of the molars, talons cusps of the incisors and Leong's tubercle of premolar. Herewith, we present a case of maxillary third molar associated with six supernumerary cusps along with a dens evaginatus that is a rarely reported dental variation in the literature.

Author: NB Nagaveni, KV Umashankara Publish Year: 2013

Dens Evaginatus: Literature Review, Pathophysiology, and ...<https://www.sciencedirect.com/science/article/pii/S009923990500049X>

Jan 01, 2006 · Dens evaginatus (DE) is an uncommon dental anomaly, having been well documented since 1925. It occurs primarily in people of Asian descent and is exhibited by protrusion of a tubercle from occlusal surfaces of posterior teeth, and lingual surfaces of anterior teeth.

Cited by: 87

Author: Marc E. Levitan, Van T. Himel

Publish Year: 2006

(PDF) Paramolar Tubercle- Bolk cusp: A case report<https://www.researchgate.net/publication/327558495...>

国内版 国际版

Separated root tip formation associated with a fractured tubercle of



ALL

IMAGES

VIDEOS

28,300 Results

Any time ▾

Facial Cellulitis Arising from Dens Evaginatus: A Case Report

<https://www.researchgate.net/publication/7671672...>

Fracture or wear of the **tubercle of dens evaginatus** frequently results in pulp necrosis and early periapical infection, often prior to completion of **root formation**.

(PDF) Dens Evaginatus on Occlusal Surface of Maxillary ...

<https://www.researchgate.net/publication/46579284...>

Dens evaginatus is a rare dental anomaly characterized by the development of a **tubercle** on the occlusal surface of the tooth and can cause pulpitis, pulp necrosis, and periapical periodontitis...

(PDF) Dens Evaginatus: A Problem-Based Approach

<https://www.researchgate.net/publication/286239311...>

This case report is about the presentation of dens evaginatus in mandibular premolars bilaterally; among them tooth 44 was associated with **chronic apical periodontitis**. Fractured tubercle of ...

Dens evaginatus | Request PDF

https://www.researchgate.net/publication/11493102_Dens_evaginatus

Fracture or wear of the tubercle of dens evaginatus frequently results in **pulp necrosis** and **early periapical infection**, often prior to completion of root formation.

Dens evaginatus - A diagnostic and treatment challenge ...

<https://www.researchgate.net/publication/298166218...>

This **case report** is about the presentation of **dens evaginatus** in mandibular premolars bilaterally; among them tooth 44 was associated with **chronic apical periodontitis**. Fractured tubercle of ...

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62279

Manuscript Type: CASE REPORT

**Separated root tip formation associated with a fractured tubercle of dens evaginatus:
A case report**

Separated root tip formation

Abstract

BACKGROUND

Several previous studies have reported an unusual root formation in which a fractured apical fragment of immature root continued to develop independent of the main root after trauma to an immature tooth. To date, there have been only rare reports of the continuing apical formation of fractured root associated with dens evaginatus (DE). This paper presents a case of a separated root tip formation associated with a fractured tubercle of DE.

Match Overview

1	Crossref 90 words Il-Young Jung, Eun-Seong Kim, Chan-Young Lee, Seung Jo... Lee. "Continued Development of the Root Separated from th	4%
2	Crossref 68 words A. J. Moule. "Unusual root formation in a premolar with dens evaginatus", <i>Australian Dental Journal</i> , 10/1987	3%
3	Crossref 67 words Sarah Bukhari, Meetu R. Kohli, Frank Setzer, Bekir Karabul... k. "Outcome of Revascularization Procedure: A Retrospective	3%
4	Crossref 48 words Ping-Han Wen, Ji-Juei Liou, Bor-Ren Duh. "Apexification of r... nvital immature mandibular premolars using two different tech	2%
5	Internet 20 words crawled on 21-Jul-2017 documents.mx	1%
6	Crossref 14 words Jung-Wei Chen, George T.-J. Huang, Leif K. Bakland. "Denti... evaginatus", <i>The Journal of the American Dental Association</i> ,	1%
7	Crossref 12 words Shue-Fen Yang. "Continuing root formation following apexific ation treatment", <i>Dental Traumatology</i> , 10/1990	1%

(PDF) Dens Evaginatus: A Problem-Based Approach

<https://www.researchgate.net/publication/286239311...>

This case report is about the presentation of dens evaginatus in mandibular premolars bilaterally; among them tooth 44 was associated with chronic apical periodontitis. Fractured tubercle of three...

Dens Evaginatus: Literature Review, Pathophysiology, and ...

<https://www.sciencedirect.com/science/article/pii/S009923990500049X>

Jan 01, 2006 · Dens evaginatus (DE) is a developmental aberration of a tooth resulting in formation of an accessory cusp whose morphology has been variously described as an abnormal tubercle, elevation, protuberance, excrescence, extrusion, or bulge.

Cited by: 89

Author: Marc E. Levitan, Van T. Himel

Publish Year: 2006

Dens evaginatus - A diagnostic and treatment challenge ...

<https://www.researchgate.net/publication/298166218...>

This case report is about the presentation of dens evaginatus in mandibular premolars bilaterally; among them tooth 44 was associated with chronic apical periodontitis. Fractured tubercle of three ...

(PDF) Dens Evaginatus on Occlusal Surface of Maxillary ...

<https://www.researchgate.net/publication/46579284...>

Dens evaginatus is a rare dental anomaly characterized by the development of a tubercle on the occlusal surface of the tooth and can cause pulpitis, pulp necrosis, and periapical periodontitis due ...

Dens evaginatus | Request PDF

https://www.researchgate.net/publication/11493102_Dens_evaginatus

Fracture or wear of the tubercle of dens evaginatus frequently results in pulp necrosis and early periapical infection, often prior to completion of root formation.

Some results are removed in response to a notice of local law requirement. For more information, please see [here](#).