

Microsoft Bing

国内版

国际版

Intracortical chondroma of the metacarpal bone: A case study of th

12:45

100%

100%

100%

Sign in

Chat with Bing

ALLIMAGESVIDEOS

12,200 ResultsAny timeOpen links in new tab

Parosteal extra-axial chordoma of the second metacarpal ...

<https://www.ncbi.nlm.nih.gov/pubmed/29151144>

It is a very rare tumor, with 20 cases reported to date, 14 in bone and six in soft tissue. Of the 14 skeletal extra-axial chordomas, ten were intramedullary and four were intracortical. We report the first case of parosteal extra-axial chordoma arising in the second metacarpal bone, expressing brachyury on immunohistochemical analysis, and ...

Cited by: 5 Author: Shinji Tsukamoto, Daniel Vanel, Alberto Rig...

Publish Year: 2018

Imaging Diagnosis of Solitary Tumors of the Phalanges and ...

<https://www.ajronline.org/doi/10.2214/AJR.14.13340>

Enchondroma. Enchondroma is a benign intramedullary tumor consisting of hyaline cartilage; it is the most common tumor involving the bones of the hand, accounting for up to 50% of all primary tumors in this anatomic region [5, 6]. Enchondroma occurs most commonly in the proximal phalanges, followed by the metacarpals and middle phalanges.

Cited by: 4 Author: Osman Ahmed, Drew D. Moore, Gregory Sc...

Publish Year: 2015

(PDF) Intracortical epidermoid cyst of the tibia

<https://www.researchgate.net/publication/8905974...>

Other imaging modalities that have been employed to diagnose IFCs in people and less commonly in

Search Tools

Turn off Hover Translation (关闭悬停)

激活 Windows

转到“设置”以激活 Windows。

国内版 国际版

Intracortical chondroma of the metacarpal bone: A case report



ALL IMAGES VIDEOS TOOLS ▾

[PDF] ENCHONDROMA OF THE SECOND METACARPAL BONE

<https://acsjournals.onlinelibrary.wiley.com/doi...>

HE case to be reverted has several unusual feature\, chiefly its location and treatment. An **enchondroma** or central **chondroma** located in a metacarpal bone is not a common lesion. Numerous **reports** may b...

Osteoid Osteoma of the Metacarpal—A Case Report

www.ncbi.nlm.nih.gov/pmc/articles/PMC4461619

The present **case** represents an unusual location of Osteoid osteoma in third **metacarpal** shaft. Although a rare site for osteoid osteoma, it would be prudent to consider it amongst differential diagnosis of hand...

Cited by: 3

Author: Prince Gupta, R. Rammohan, Lalit Maini, ...

Publish Year: 2016

PEOPLE ALSO ASK

Are metacarpals common site for osteoid osteoma? ▾

Can enchondromas replace marrow 1? ▾

Can enchondroma be distinguished from chondrosarcoma? ▾

What is osteosteoid osteoma of the metacarpal bones? ▾

Feedback

A case of metacarpal chondrosarcoma of the thumb — Keio ...

<https://keio.pure.elsevier.com/en/publications/a...> ▾

This is a case report of **chondrosarcoma** affecting the **metacarpal bone** of the **thumb**, treated by enblock resection and preserving the function of the **thumb** by bone graft reconstruction, with reference...

Cited by: 7

Author: Atsushi Miyake, Hideo Morioka, Hiroo Ya...

Publish Year: 2006

Osteoid osteoma of a metacarpal bone: A case report and ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/1752-1947-2-285> ▾

Aug 27, 2008 · Osteoid osteoma is a benign **bone** tumor of the growing skeleton representing approximately 10% of all benign **bone** neoplasias [].It usually affects children and young adults [].Heine...

Cited by: 9

Author: Efsthathios Chronopoulos, Fragiskos N Xy...

Publish Year: 2008

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59966

Manuscript Type: CASE REPORT

Intracortical chondroma of the metacarpal bone: A case report

Yoshida Y *et al.*, Intracortical chondroma of the metacarpal bone

Yuki Yoshida, Ukei Anazawa, Itsuo Watanabe, Hiraku Hotta, Ryoma Aoyama, Satoshi Suzuki, Takeo Nagura

Match Overview

Full

1	Internet: 49 words created on 22-Dec-2020 www.ajnet.com	2%
2	Internet: 21 words created on 22-Feb-2006 www.ajonline.org	1%
3	Crossref: 15 words Wee, Seong Hyun, Seon Kwan Juhng, Keum Ha Choi, Kwon Ho Yoon, Seong Hoon Park, and Hye Won Kim, "Intracortical ...	1%
4	Crossref: 16 words Jeffrey A. Pearson, "Beyond the Bandeau", <i>Journal of Cranio- facial Surgery</i> , 37(2005)	1%
5	Internet: 13 words created on 16-Jan-2015 www.robertmedicalfindings.com	1%

国内版 国际版

Intracortical chondroma of the metacarpal bone: A case report



ALL

IMAGES

VIDEOS

21,400 Results

Any time ▾

A Rare Case of Intracortical Chondroma of Metacarpal ...

<https://www.researchgate.net/publication/315157597...>

Article. A Rare Case of Intracortical Chondroma of Metacarpal. January 2001; Orthopedics & Traumatology 50(1):210-214

Chondrosarcoma Arising in an Enchondroma of the ...

<https://www.researchgate.net/publication/261999806...>

PDF | Chondrosarcoma is a rare malignant tumour of proliferating cartilaginous tissue. It may arise as a primary lesion, or occur secondarily at the... | Find, read and cite all the research you ...

Chondrosarcoma arising in an enchondroma of the ...

<https://europepmc.org/articles/PMC4003615> ▾

Mar 15, 2014 · We report a case, where the patient had developed a painful swelling in the 5th metacarpal bone of the right hand, 15 years back, which was diagnosed as **enchondroma**. Subsequently the patient presented with a 3-year history of increase in the size of the swelling at the same site, which on radiological and histopathological examination revealed malignant transformation ...

Cited by: 9

Author: Honnappa Sridhar, Mysorekar Vijaya, Wilf...

Publish Year: 2014

[PDF] ENCHONDROMA OF THE SECOND METACARPAL BONE

<https://acsjournals.onlinelibrary.wiley.com/doi...>

HE case to be reported has several unusual features, chiefly its location and treatment. An **enchondroma** or central **chondroma** located in a metacarpal bone is not a common lesion. Numerous reports may be found in the literature of the treatment of benign and malignant tumors ...

Parosteal extra-axial chordoma of the second metacarpal ...

<https://link.springer.com/article/10.1007/s00256-017-2818-z> ▾

Nov 18, 2017 · Of the 14 skeletal extra-axial **chordomas**, ten were intramedullary and four were intracortical. We report the first case of parosteal extra-axial **chordoma** arising in the second **metacarpal bone**, expressing brachyury on immunohistochemical analysis, and describe the pathologic and radiologic findings.

Cited by: 5

Author: Shinji Tsukamoto, Daniel Vanel, Alberto R...

Publish Year: 2018