

### [Surgical Technology International Online](#)

<https://surgicaltechnology.com/0-Spec-GYN.html> ▾

Given this concern, many gynecologists are either resorting to performing traditional laparotomies or risking dissemination with uncontained power morcellation techniques. The purpose of this article is to address these concerns by illustrating three techniques to perform contained power morcellation, thereby reaping the benefits of the ...

### [Surveillance After Initial Surgery for Pediatric and ...](#)

<https://ascopubs.org/doi/10.1200/JCO.2013.51.1006>

Purpose To determine whether overall survival (OS) can be preserved for patients with stage I pediatric malignant ovarian germ cell tumor (MOGCT) with an initial strategy of surveillance after surgical resection. Patients and Methods Between November 2003 and July 2011, girls age 0 to 16 years with stage I MOGCT were enrolled onto Children's Oncology Group study AGCT0132. Required histology ...

Cited by: 97 Author: Deborah F. Billmire, John W. Cullen, Fred...

Publish Year: 2014

### [Endoscopic Treatment and Power Morcellation of Uterine ...](#)

<https://www.researchgate.net/publication/301312807...>

Download Citation | Endoscopic Treatment and Power Morcellation of Uterine Fibroids | Although a variety of pharmacological and radiological treatment options are available, surgery in the form of ...

### [Surveillance after initial surgery for pediatric and ...](#)

<https://europepmc.org/articles/PMC4876316> ▾

Jan 06, 2014 · Surveillance after initial surgery for pediatric and adolescent girls with stage I ovarian germ cell tumors: report from the Children's Oncology Group. ... The design had 80% power to detect a decrease in 5-year survival to 83%. ... Kurman RJ, Norris HJ. Endodermal sinus tumor of the ovary: A clinical and pathologic analysis of 71 cases. *Cancer*.

Cited by: 97 Author: Deborah F. Billmire, John W. Cullen, Fred...

Publish Year: 2014

### [Case report and surgical solution for a voluminous uterine ...](#)

<https://www.researchgate.net/publication/23460239...>

A case of ovarian cancer associated with the Mayer-Rokitansky-Küster-Hauser syndrome is reported.

### Surveillance after initial surgery for pediatric and ...

<https://europepmc.org/articles/PMC4876316> ▾

Jan 06, 2014 · Surveillance after initial surgery for pediatric and adolescent girls with stage I ovarian germ cell tumors: report from the Children's Oncology Group. ... The design had 80% power to detect a decrease in 5-year survival to 83%. ... Kurman RJ, Norris HJ. Endodermal sinus tumor of the ovary: A clinical and pathologic analysis of 71 cases. Cancer.

Cited by: 96 Author: Deborah F. Billmire, John W. Cullen, Frederi...

Publish Year: 2014

### duodenal duplication cyst: Topics by Science.gov

<https://www.science.gov/topicpages/d/duodenal+duplication+cyst.html> ▾

The aim of this article is to report a case of an annular pancreas and describe the technical steps involved in carrying out a laparoscopic duodenal-jejunal anastomosis, for correction of the duodenal obstruction. The patient's recovery was uneventful; she was discharged on the fourth postoperative day and remained asymptomatic for the 2-year ...

### (PDF) Surveillance After Initial Surgery for Pediatric and ...

<https://www.researchgate.net/publication/259608218...>

Jan 06, 2014 · The median age was 21 years (range, 4–44 years), with a histology of immature teratoma (IT) for 17 patients, endodermal sinus tumor (EST) for 20 patients, and mixed tumors for 32 patients ...

### Surgical Technology International Online

<https://surgicaltechnology.com/0-Spec-GYN.html> ▾

There was 1 case of urinary symptom recurrence. Conclusion: Laparoscopic partial cystectomy and shaving of the bladder lesion seem to improve urinary symptoms, with a low rate of intra- and

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62146

Manuscript Type: CASE REPORT

**Laparoscopic uncontained power morcellation-induced dissemination of ovarian endodermal sinus tumors: A case report**

Morcellation-induced disseminated ovarian EST

**Abstract**

**BACKGROUND**

Endodermal sinus tumors, which arise primarily in children and adolescents, account for 20% of malignant ovarian germ cell tumors, but constitute only 1% of all ovarian malignancies. Treatment of endodermal sinus tumors consists of surgical staging with fertility-sparing surgery and chemotherapy.

**CASE SUMMARY**

Match Overview

1	Internet 37 words crawled on 03-Oct-2019 <a href="http://www.wjnet.com">www.wjnet.com</a>	2%
2	Internet 36 words crawled on 03-Sep-2020 <a href="http://worldwidescience.org">worldwidescience.org</a>	2%
3	Internet 35 words crawled on 26-May-2019 <a href="http://morcellator-cancer-lawyers.com">morcellator-cancer-lawyers.com</a>	2%
4	Crossref 20 words Chin-Fan Chen, Wee-Yeen Wong, Chieh-Han Chuang, Yung-Sung Yeh, Kun-Bow Tsai, Jaw-Yuan Wang. "Ruptured ovarian	1%
5	Internet 14 words crawled on 28-Jan-2021 <a href="http://e-sc.org">e-sc.org</a>	1%
6	Crossref 14 words Jin Li, Xiaohua Wu. "Current Strategy for the Treatment of C... arian Germ Cell Tumors: Role of Extensive Surgery", Current	1%
7	Crossref 12 words Maria Luisa Geminiani, Achille Panetta, Vida Pajetta, Franco... co Bacci et al. "Endodermal Sinus Tumor of the Omentum: C	1%

国内版

国际版

Laparoscopic uncontained power morcellation-induced disseminati



ALL

IMAGES

VIDEOS

58 Results

Any time ▾

### Surveillance After Initial Surgery for Pediatric and ...

<https://ascopubs.org/doi/full/10.1200/jco.2013.51.1006>

Jan 06, 2014 · Purpose To determine whether overall survival (OS) can be preserved for patients with stage I pediatric malignant ovarian germ cell tumor (MOGCT) with an initial strategy of surveillance after surgical resection. Patients and Methods Between November 2003 and July 2011, girls age 0 to 16 years with stage I MOGCT were enrolled onto Children's Oncology Group study AGCT0132. Required ...

Cited by: 96

Author: Deborah F. Billmire, John W. Cullen, Fred...

Publish Year: 2014

### Surveillance after initial surgery for pediatric and ...

<https://europepmc.org/articles/PMC4876316> ▾

Jan 06, 2014 · Surveillance after initial surgery for pediatric and adolescent girls with stage I ovarian germ cell tumors: report from the Children's Oncology Group. ... The design had 80% power to detect a decrease in 5-year survival to 83%. ... Kurman RJ, Norris HJ. Endodermal sinus tumor of the ovary: A clinical and pathologic analysis of 71 cases. Cancer.

Cited by: 96

Author: Deborah F. Billmire, John W. Cullen, Fred...

Publish Year: 2014

### duodenal duplication cyst: Topics by Science.gov

<https://www.science.gov/topicpages/d/duodenal+duplication+cyst.html> ▾

The aim of this article is to report a case of an annular pancreas and describe the technical steps involved in carrying out a laparoscopic duodenal-jejunal anastomosis, for correction of the duodenal obstruction. The patient's recovery was uneventful; she was discharged on the fourth postoperative day and remained asymptomatic for the 2-year ...

### (PDF) Surveillance After Initial Surgery for Pediatric and ...

<https://www.researchgate.net/publication/259608218>...

Jan 06, 2014 · The median age was 21 years (range, 4–44 years), with a histology of immature teratoma (IT) for 17 patients, endodermal sinus tumor (EST) for 20 patients, and mixed tumors for 32 patients ...

### Case report and surgical solution for a voluminous uterine ...

<https://www.researchgate.net/publication/23460239>...

A case of ovarian cancer associated with the Mayer-Rokitansky-Küster-Hauser syndrome is reported.