

9,380 Results

Any time ▾

Bone Cement Implantation Syndrome | Advisory

patientsafety.pa.gov/ADVISORIES/Pages/200612_01b.aspx ▾**Introduction**

BCIs: Past and Present

Trends in Prosthesis Fixation



1. Dissected Right Hip and Total Arthroplasty Left
*Anterior and lateral positions

PA-PSRS has received reports of six intraoperative cardiac arrests in patients—five resulting in death—associated with hip arthroplasties using bone cement to implant prostheses. While hip surgery is a common procedure among the elderly and generally considered safe and effective, mortality most often occurs postoperatively, usually from cardiopulmonary causes such as myocardial infarction or pulmonary e...

[See more on patientsafety.pa.gov](https://patientsafety.pa.gov)

Bone Cement Implantation Syndrome | Earl's View

<https://earlsview.com/2012/07/01/bone-cement-implantation-syndrome> ▾

Jul 01, 2012 · Bone Cement Implantation Syndrome.. Bone Cement Implantation Syndrome. PA PSRS Patient Saf Advis 2006 Dec;3(4):1,4-9. PA-PSRS has received reports of six intraoperative cardiac arrests in patients—five resulting in death—associated with **hip** arthroplasties using **bone cement** to implant prostheses. While **hip** surgery is a common procedure among the elderly and ...

PEOPLE ALSO ASK

Can osteoarthritis cause hip replacement? ▾

Can you die from hip arthroplasty? ▾

What are the health risks of bone cement? ▾

How does rheumatoid arthritis affect the hip? ▾

Bone Cement Implantation Syndrome | Advisory
patientsafety.pa.gov/ADVISORIES/Pages/200612_01b.aspx< **Introduction** BGIs: Past and Pres... Trends in Prosthesis Fixati... >

PA-PSRS has received reports of six intraoperative cardiac arrests in patients—five resulting in death—associated with hip arthroplasties using bone cement to implant prostheses. While hip surgery is a common procedure among the elderly and generally considered safe and effective, mortality most often occurs postoperatively, usually from cardiopulmonary causes such as myocardial infarcti...

[See more on patientsafety.pa.gov](https://patientsafety.pa.gov)**Bone Cement Implantation Syndrome | Earl's View**<https://earlview.com/2012/07/01/bone-cement-implantation-syndrome>

Jul 01, 2012 **Bone Cement Implantation Syndrome** **Bone Cement Implantation Syndrome**. PA PSRS Patient Saf Advis 2006 Dec.3(4).1.4-9. PA-PSRS has received reports of six intraoperative cardiac arrests in patients—five resulting in death—associated with hip arthroplasties using **bone cement** to implant prostheses. While hip surgery is a common ...

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)


激活 Windows

转到“设置”以激活 Windows。

27-Feb-2021 09:59PM

3013 words • 4 matches • 2 sources

FAQ

iThenticate®

59878_Auto_Edited.docx

Quotes Included
Bibliography Included

3%
SIMILAR

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59878

Manuscript Type: CASE REPORT

Bone cement implantation syndrome during hip replacement in a patient with pemphigus and Parkinson's disease: A case report

BCIS in pemphigus and Parkinson's disease

Wei Zhou, Wenjing Zhang, Guoqing Zhao, Kai Li

Match Overview

1

Internet 78 words
crawled on 04-Jan-2018
isakanyakumar.com

3%

2

Crossref 20 words
Kenneth K. Chen, Raymond O. Powrie. "Approach to the i...
e of Glucocorticoids in Pregnancy for Nonobstetric Indicato

1%

PAGE 1 OF 12

激活 Windows
转到“设置”以激活 Windows。

Text-Only Report

国内版 国际版

Bone cement implantation syndrome during hip replacement in a p



ALL IMAGES VIDEOS

17,100 Results Any time ▾

Bone Cement Implantation Syndrome | Advisory

patientsafety.pa.gov/ADVISORIES/Pages/200612_01b.aspx ▾

< Introduction BCIs: Past and Present Trends in Prosthesis Fixation >



1. Dislocated Hip and Total Hip Arthroplasty of the Hip and Pelvis

PA-PSRS has received reports of six intraoperative cardiac arrests in patients—five resulting in death—associated with hip arthroplasties using bone cement to implant prostheses. While hip surgery is a common procedure among the elderly and generally considered safe and effective, mortality most often occurs postoperatively, usually from cardiopulmonary causes such as myocardial infarction or pulmonary emboli.1 Intraoper...

See more on patientsafety.pa.gov

Bone Cement Implantation Syndrome | Earl's View

<https://earlsview.com/2012/07/01/bone-cement-implantation-syndrome> ▾

Jul 01, 2012 · Bone Cement Implantation Syndrome.. Bone Cement Implantation Syndrome. PA PSRS Patient Saf Advis 2006 Dec;3(4):1,4-9. PA-PSRS has received reports of six intraoperative cardiac arrests in patients—five resulting in death—associated with hip arthroplasties using bone cement to implant prostheses. While hip surgery is a common procedure among the elderly and generally ...

Notable risks in the use of bone cement – Bone Cement ...

<https://www.operatingroomissues.org/notable-risks...> ▾

Intraoperative deaths during hip arthroplasty occur less frequently but are almost exclusively associated with cementing of the femoral prosthesis. 1,2 Although cardiac arrest and death are the most catastrophic symptoms associated with cemented arthroplasty, bone cement implantation syndrome (BCIS) is a well-recognized complex of sudden ...

The Dislocated Hip Hemiarthroplasty: Current Concepts of ...

<https://openorthopaedicsjournal.com/VOLUME/11/PAGE/1200/FULLTEXT> ▾

One major drawback related to the use of cement is the rare but serious complication of bone cement implantation syndrome (BCIS). This can result in cardiac arrhythmias and cardiopulmonary collapse which can ultimately be fatal and thus should be avoided in frail patients considered too high risk to justify a cemented prosthesis.

Cited by: 5

Author: Carl Jones, Nikolai Briffa, Joshua Jacob, ...

Publish Year: 2017