

Match Overview

- 1 **Crossref** 25 words
Shih-Ya Hung, Hong-Chang Chen, William Tzu-Liang Chen. "A Randomized Trial Comparing the Bowel Cleansing Efficiency of Two Different Bowel Preparation Protocols in Patients Undergoing Colonoscopy: A Randomized Trial Comparing the Bowel Cleansing Efficiency of Two Different Bowel Preparation Protocols in Patients Undergoing Colonoscopy" 1%
- 2 **Crossref** 12 words
Carolina Jimenez-Rivera, Donna Haas, Margaret Boland, Janice L. Barkey, David R. Mack. "Comparison of Two Colon Preparation Protocols in Patients Undergoing Colonoscopy" <1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61993

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Cleansing efficacy and safety of bowel preparation protocol using sodium picosulfate/magnesium citrate considering subjective experiences: an observational study

Fang-Xun Liu *et al.* Bowel preparation protocol using SPMC

激活 Windows
转到“设置”以激活 Windows。

Cleansing efficacy and safety of bowel preparation protocol using s



ALL

IMAGES

VIDEOS

55,000 Results

Any time ▾

[Colon cleansing efficacy and safety with 1 L NER1006 ...](#)

<https://pubmed.ncbi.nlm.nih.gov/30025415>

Background: Polyethylene glycol (PEG) bowel preparations are widely used for precolonoscopy bowel cleansing. This phase 3 trial assessed the efficacy, safety, and tolerability of the novel 1 L PEG-based NER1006 vs. sodium picosulfate plus magnesium citrate (SP + MC) in day-before dosing.

Cited by: 23

Author: Stefan Schreiber, Daniel C. Baumgart, Jo...

Publish Year: 2019

[PDF] CLINICAL TRIAL PROTOCOL

https://clinicaltrials.gov/ProvidedDocs/35/NCT03017235/Prot_000.pdf

Sodium picosulfate with magnesium citrate is a low-volume cleansing agent that was developed to provide an efficient and well tolerated method of clearing the bowel prior to X-ray examination, endoscopy, or surgery. The safety, tolerability, and efficacy of PREPOPIK® were demonstrated in two

PEOPLE ALSO ASK

Can magnesium citrate be taken before or after a colonoscopy? ▾

Is magnesium citrate cleanse safe? ▾

What is magnesium citrate used for? ▾

How long can I take magnesium citrate? ▾

Feedback

[PDF] Sodium Picosulfate, Magnesium Oxide, and ...

<https://www.pbm.va.gov/clinicalguidance/drug...>

approved by the U.S. Food and Drug Administration on July 16, 2012 for cleansing the colon in adults preparing for colonoscopy. 1 - Sodium picosulfate is hydrolyzed by colonic bacteria to desacetyl-bisacodyl, the active metabolite of bisacodyl, while magnesium oxide and anhydrous citric acid react with water to form magnesium citrate.

Sodium Picosulfate with Magnesium Citrate (SPMC) Plus ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4477993>



ALL

IMAGES

VIDEOS

Add the Give with Bing extension >

58,500 Results

Any time ▾

[Colon cleansing efficacy and safety with 1 L NER1006 ...](https://pubmed.ncbi.nlm.nih.gov/30025415)

<https://pubmed.ncbi.nlm.nih.gov/30025415>

Background: Polyethylene glycol (PEG) bowel preparations are widely used for precolonoscopy bowel cleansing. This phase 3 trial assessed the efficacy, safety, and tolerability of the novel 1 L PEG-based NER1006 vs. sodium picosulfate plus magnesium citrate (SP + MC) in day-before dosing.

Cited by: 25

Author: Stefan Schreiber, Daniel C. Baumgart, Jo...

Publish Year: 2019

[Sodium Picosulfate with Magnesium Citrate \(SPMC\) Plus ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4477993)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4477993>

Oct 07, 2014 · Sodium picosulfate with magnesium citrate (SPMC) is a low-volume, dual-action bowel-cleansing agent used mostly in the United Kingdom and Canada as a tolerable preparation agent. 12 – 15 Recently, SPMC was approved in the United States for bowel preparation before colonoscopy and it is also available in Korea as Picolight powder® (Phambio ...

Cited by: 22

Author: Hyun Gun Kim, Kyu Chan Huh, Hoon Su...

Publish Year: 2015

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

PEOPLE ALSO ASK

激活 Windows

转到“设置”以激活 Windows。

93,400 Results Any time ▾

Colon cleansing efficacy and safety with 1 L NER1006 ...

<https://pubmed.ncbi.nlm.nih.gov/30025415>

Background: Polyethylene glycol (PEG) **bowel** preparations are widely used for precolonoscopy **bowel cleansing**. This phase 3 trial assessed the **efficacy, safety,** and tolerability of the novel 1 L PEG-based...

Cited by: 25 Author: Stefan Schreiber, Daniel C. Baumgart, Joos...

Publish Year: 2019

(PDF) Colon cleansing efficacy and safety with 1 L NER1006 ...

<https://www.researchgate.net/publication/326519622...>

This phase 3 trial assessed the **efficacy, safety,** and tolerability of the novel 1 L PEG-based NER1006 vs. **sodium picosulfate** plus **magnesium citrate** (SP + MC) in day-before dosing.

PEOPLE ALSO ASK

Can magnesium citrate be taken before or after a colonoscopy? ▾

Is magnesium citrate a laxative? ▾

How to clean magnesium citrate? ▾

How much magnesium citrate should I take? ▾

Feedback

A Randomized Trial Comparing the Bowel Cleansing Efficacy ...

<https://pubmed.ncbi.nlm.nih.gov/32221332>

Bowel cleansing is essential for a successful colonoscopy, but the ideal clearing agent and the volume have yet to be determined. A small-volume cleanser is important for patient compliance. This **study**...

Cited by: 1 Author: Shih Ya Hung, Hong Chang Chen, William T...

Publish Year: 2020

Sodium Picosulfate with Magnesium Citrate (SPMC) Plus ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4477993>

Oct 07, 2014 · **Sodium picosulfate** with **magnesium citrate** (SPMC) is a low-volume, dual-action **bowel-**

See results for

Sodium picosulfate (Contact Stimulant Laxative)

Sodium picosulfate is a contact stimulant laxative used as a treatment for constipation or to prepare the large bowel be...

