

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 60514

Manuscript Type: CASE REPORT

Case report of haemangiomas in the urinary bladder: Two rare cases

Gui-Cheng Zhao *et al.* Case Report on UBH

Gui-Cheng Zhao, Chang-Xing Ke

Abstract

BACKGROUND

Urinary bladder hemangioma (UBH) is a benign non-urothelial tumor that rarely occurred in pediatric and adolescent patients. Clinical and radiological examinations are not adequate for an accurate diagnosis. The purpose of this serial case report is to raise awareness of urinary bladder hemangioma and appropriate management.

Match Overview

1	Internet 84 words crawled on 19-Apr-2020 e-sciencecentral.org	2%
2	Crossref 75 words Syuan-Hao Syu, Kai-Sheng Chan, Chi-Hao Hsiao, Wei-Yu Chen, Liang-Ming Lee, Yu-Ching Wen. "A Large Urinary B ...	2%
3	Crossref 73 words Xinming Hu, Kangli Deng. "Bladder cavernous hemangioma after pelvic radiotherapy in a female patient: A case report" ...	2%
4	Internet 71 words crawled on 18-Aug-2016 www.panafrican-med-journal.com	2%
5	Internet 61 words crawled on 02-Jul-2019 www.austinpublishinggroup.com	2%
6	Internet 45 words crawled on 28-Apr-2020 www.rb.org.br	1%
7	Internet 45 words crawled on 25-Jul-2019 tessera.spandidos-publications.com	1%
8	Internet 43 words crawled on 13-Feb-2019	1%

0 Ks
0.3 Ks
60%
1%


[ALL](#)
[IMAGES](#)
[VIDEOS](#)

156,000 Results

Any time ▾

Concurrent müllerianosis of the urinary bladder and the ...

<https://bmcwomenshealth.biomedcentral.com/articles/...> ▾

Apr 03, 2020 - Müllerianosis is a very rare neoplasm composed of at least two of müllerian-derived tissues, namely endosalpinx, endometrium and endocervix, [] and has mainly been reported in the urinary bladder. Only approximately 20 cases of müllerianosis of the urinary bladder have been documented in the English literature []. Herein, we report the first case of concurrent müllerianosis of the urinary ...

Author: Syu Jhang, Syu Jhang, Marcelo Chen... Publish Year: 2020

(PDF) Bladder cavernous hemangioma after pelvic ...

<https://www.researchgate.net/publication/329166310...>

Bladder cavernous hemangioma after pelvic radiotherapy in a female patient: A case report and literature review November 2018 International Journal of Surgery Case Reports 53

Primary Angiosarcoma of the Urinary Bladder: A Review and ...

<https://jacobsublishers.com/journals/jacobs-journal-of-nephrology-and-urology/...> ▾

Introduction. Majority of vascular lesions in the urinary bladder are haemangiomas which comprise 0.6% of all urinary bladder cancers and this makes primary angiosarcoma of the urinary bladder very rare. Jungano referred to an older report from 1905 of a "telangiectasia fibrosarcoma" of the bladder in a 64-year-old man, which by modern criteria may have truly been the first case of angiosarcoma of the urinary bladder.

Simple melanosis of the bladder: Case report and review of ...

<https://journals.sagepub.com/doi/full/10.1177/2051415814548260>

Harikrishnan, JA, Chilka, S, Jain, S. Urinary tract transitional cell carcinoma and melanosis of the bladder: A case report and review of the literature. Ann R Coll Surg Eng 2012 ; 94: e152 - e154 .

Bladder Stone in Pregnancy: A Case Report and Review of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6322064>

While bladder stones in pregnancy are rare, there have been many cases described in the literature. Risk factors include urinary stasis, recurrent urinary tract infections, and foreign bodies. As technology advances, minimally invasive removal may become the preferred management method and appears to be safe in pregnancy.

Case report of haemangiomas in the urinary bladder: Two rare cases



ALL

IMAGES

VIDEOS

233,000 Results

Any time ▾

Female detrusor underactivity: Two uterine leiomyoma cases ...

<https://onlinelibrary.wiley.com/doi/full/10.1002/iju5.12223>

Female urinary retention is rare. **Case presentation.** **Case 1**, a 35-year-old nulliparous woman, and **case 2**, a 47-year-old nulliparous woman, had transient **urinary retention**. A **urodynamics** revealed increased **bladder sensation** in **case 1** and detrusor underactivity with a large post-void residual in **cases 1** and **2**. Both women had a **uterine leiomyoma** of >10 cm in diameter.

(PDF) Bladder hemangiomas and Proteus syndrome: A rare ...

<https://www.researchgate.net/publication/40821549...>

Case Report on Hemangioma of The **Urinary Bladder: two rare cases** and literature review ... To our knowledge we **report** the first **case** of **bladder** involvement in PS. **CASE REPORT** ...

Transurethral resection of a large bladder hemangioma of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6559226>

Introduction. Hemangioma is a benign vascular tumor that accounts for 0.6% of all **bladder** tumors.^{1,2} The tumor occurs more often in the first **two** decades of life.^{3,4} It can present as a single tumor or be combined with hemangiomas of other localizations (Klippel–Trenaunay and Sturge–Weber syndromes).^{1,5} Hemangioma manifests itself as asymptomatic macrohematuria; however, large ...

Author: Alexey G Martov, Viktoriya M Pomin...

Publish Year: 2019

Xanthoma of the urinary bladder – A rare entity

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3579135>

Xanthomas of the **urinary bladder** are extremely uncommon and 12 **cases** have been **reported** in English medical literature so far. Many of the **cases** have been **reported** from **Japan**.^[1,2] Patients are often asymptomatic or may present with hematuria or lower abdominal pain. In most **cases**, the lesions were located at the dome of the **bladder**.

Cited by: 2

Author: M. Vimal, D. Masih, Mt T. Manipadam, K...

Publish Year: 2019

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

TOOLS ▾

Including results for **hemangiomas** in the urinary bladder two case reports.

Do you want results only for Haemangiomas in the urinary bladder: Two case reports?

Case Report on Hemangioma of The Urinary Bladder: two rare ...

<https://www.researchgate.net/publication/342732348...>

Urinary bladder hemangiomas are rare, accounting for 0.6% of the **urinary bladder** tumors. Hemangioma is considered arising from embryonic stem cells of an angioblastic lineage. A 3-year old boy ...

Multiple hemangiomas of the urinary bladder in a child ...

<https://pubmed.ncbi.nlm.nih.gov/25672772>

We report a case of multiple hemangiomas involving the **urinary bladder** in a 4-year-old boy who presented with recurrent episodes of gross hematuria. On ultrasonography, compared with the **bladder** wall, the lesions presented as multiple isoechoic polypoid intraluminal masses with mildly increased vascularity on color Doppler exam.

Cited by: 3

Author: Yeun Yoon Kim, Myung Joon Kim, Mi Jung ...

Publish Year: 2015

Urinary bladder pyogenic granuloma: a case report ...

<https://jmedicalcasereports.biomedcentral.com/...>

Jun 12, 2012 · Although vascular tumors, especially hemangiomas, are relatively common mesenchymal tumors in soft tissue, skin and organs such as the liver, hemangioma of the **urinary bladder** is a rare tumor that accounts for only 0.6% of all **bladder** tumors []. Hemangiomas have been classified into two histologic types, cavernous, the most common, and capillary.

Cited by: 8

Author: Shoichiro Mukai, Hiroyuki Tanaka, Kouji Ya...

Publish Year: 2012

Propranolol as an effective therapy for infantile ...

<https://www.ncbi.nlm.nih.gov/pubmed/30709884>

Feb 01, 2019 · **Infantile** haemangiomas are one of the most common tumours in infancy, but typically present as cutaneous lesions; haemangiomas of the urinary bladder are incredibly rare. Although benign, these can sometimes ulcerate and bleed, causing **haematuria** in the case of bladder lesions.

Author: Taha Anwar, Elizabeth Malm-Buatsi

Publish Year: 2019

Diffuse cavernous haemangioma of the rectosigmoid with ...

See results for

Urinary bladder

The urinary bladder, or simply bladder, is a hollow muscular organ in humans and other vertebrates that stores urine from the kidneys.