

Dynamic Enhancement Features of Cavernous Sinus Cavernous ...

www.ajnr.org/content/29/3/577

May 01, 2008 - Fortunately, as a pathognomonic MR feature of cavernous hemangiomas in the liver revealed by the traditional dynamic contrast-enhanced T1-weighted spin-echo study, progressive contrast "filling in" was frequently found on conventional contrast-enhanced T1-weighted sequences in our series. 12, 13 Actually, they revealed the dynamic enhancement of the lesions to a great extent because axial, ...

Cited by: 68 Author: Y. Jinhu, D. Jiarping, L. Xin, Z. Yuanli Publish Year: 2008

Intraosseous Cavernous Hemangioma in the Mandible: A Case ...

https://pubmed.ncbi.nlm.nih.gov/28149481

Intraosseous vascular lesions are rare conditions. They are most commonly seen in the vertebral column and skull; nevertheless, the mandible is a quite rare location. In this report, we present a case of intraosseous cavernous hemangioma in the mandible and discuss the clinical and radiological features.

Cited by: 2 Author: Bilgi Elif, Yildirim Derya, Kozer Gulperi, Boz... Publish Year: 2016

PEOPLE ALSO ASK

What is cavernous hemangiomas?

See results for

Cavernous sinus

The cavernous sinus within the human head is one of the dural venous sinuses creating a cavity called the lateral sellar compartment bordered ...

Search Tools

Turn on Hover Tracelation (并@60%)

10,000 Results Any time ▾

Dynamic Enhancement Features of Cavernous Sinus Cavernous ...

www.ajnr.org/content/29/3/577



Mar 01, 2008 · **BACKGROUND AND PURPOSE:** The reported MR imaging characteristics of cavernous sinus cavernous hemangiomas (CSCHs) in the literature are nonspecific. The purpose of our study was to explore dynamic enhancement features of CSCHs on...

Cited by: 70 Author: Y. Jinhu, D. Jianping, L. Xin, Z. Yuanli
Publish Year: 2008

Role of MRI in the diagnosis and evaluation of cavernous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3956096>

Mar 15, 2014 · Sinusoidal hemangioma represents a rare subtype of cavernous hemangiomas, which presents with different clinico-pathological aspects. Magnetic resonance imaging (MRI) plays an important role in the assessment of these lesions, concerning the diagnosis the type of lesions and evaluation of the extent, for proper treatment guidance.

Cited by: 3 Author: Ciurea Me, Bondari S, Stoica Le, Gheonea Ia
Publish Year: 2014

PEOPLE ALSO ASK

- How is MRI used to diagnose Sinusoidal hemangioma? ▾
- What is pituitary hemangioma? ▾
- What is intrasellar hemangioma? ▾


Feedback

Serial Dynamic Magnetic Resonance Imaging of Orbital ...

<https://www.sciencedirect.com/science/article/pii/S0002939414701370>

Mar 01, 1997 · In this report, we describe serial enhancement effects of orbital cavernous hemangiomas using dynamic magnetic resonance imaging after rapid intravenous injection of contrast material in two patients. Two patients with orbital cavernous hemangioma, 40- and 53-year-old women, were studied.

Cited by: 18 Author: Kenji Ohtsuka, Masato Hashimoto, Hidetar...
Publish Year: 1997



Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61855

Manuscript Type: CASE REPORT

Dynamic magnetic resonance imaging features of cavernous hemangioma in the manubrium: A case report

Lin TT *et al.* Dynamic MRI features of manubrium hemangioma

Tsung-Tai Lin, Hsian-He Hsu, Shih-Chun Lee, Yi-Jen Peng, Kai-Hsiung Ko

Abstract

BACKGROUND

Osseous hemangiomas, especially those located in the manubrium, are rare benign tumors. In a review of the literature, only three case reports of sternal hemangioma were found. A precise diagnosis is difficult because of their nonspecific findings on computed tomography/magnetic resonance imaging (CT/MRI).

Match Overview

1	Internet 27 words Crawled on 05-Mar-2021 www.vignet.com	2%
2	Internet 16 words Crawled on 27-Feb-2020 itl.amegroups.com	1%
3	Crossref 14 words Z Xia, K Sittampalam, TS Howe, NN Li. "Successful treat... of solitary intracerebral hemangioma of the femoral nec	1%
4	Internet 12 words Crawled on 31-Mar-2020 Spiegelberg.tobi.com/windows.net	1%

国内版 国际版

Dynamic magnetic resonance imaging features of cavernous heman



ALL IMAGES VIDEOS

10,200 Results Any time ▾

Submandibular triangle cavernous hemangioma: Case report ...

<https://www.sciencedirect.com/science/article/pii/S2212555818300486>

Jul 01, 2018 · **Magnetic resonance imaging (MRI) of hemangiomas** showed enhancement on T1- and T2-weighted images. **Dynamic MRI of cavernous hemangioma** shows slow enhancement and low washout. Herein, we report a rare case of cavernous hemangiomas around a submandibular salivary gland that showed rapid increase in signal intensity on dynamic contrast-enhanced MRI (CE-MRI).

Author: Mari Shibata, Masahiko Terauchi, Hiro... Publish Year: 2018

Serial Dynamic Magnetic Resonance Imaging of Orbital ...

<https://www.sciencedirect.com/science/article/pii/S0002939414701370>

Mar 01, 1997 · In this report, we describe serial enhancement effects of orbital cavernous hemangiomas using dynamic magnetic resonance imaging after rapid intravenous injection of contrast material in two patients. Two patients with orbital cavernous hemangioma, 40- and 53-year-old women, were studied.

Cited by: 18 Author: Kenji Ohtsuka, Masato Hashimoto, Hiden...
Publish Year: 1997

(PDF) CAVERNOUS HEMANGIOMA OF ORBIT; IMAGING ...

<https://www.researchgate.net/publication/284625198...>

Clinical symptoms, Imaging features & Management of Cavernous Hemangioma are herewith discussed. Axial (a,b) and Sagittal(c,d) fat suppressed T1W with ...

[PDF] Cavernous Hemangioma of the Gallbladder: a Case Report

<https://www.researchgate.net/publication/336583273...>

A cavernous hemangioma of the gallbladder in a 53-year-old male patient, CT findings. () and a, b) The axial (a coronal (b) contrast-enhanced CT images show a 1.8 cm, well-defined oval nodular ...

Orbital Cavernous Hemangioma: Role of Imaging | Request ...

<https://www.researchgate.net/publication/7814003...>

The aim of our study was to evaluate the magnetic resonance imaging (MRI) and ultrasound (US) characteristics of cavernous hemangioma and their role in the differential diagnosis of orbital tumors.

Cavernous hemangioma of the liver: pathologic correlation ...