

The outcomes of high-grade aneurysmal subarachnoid hemorrhage



ALL

IMAGES

VIDEOS

57,600 Results

Any time ▾

[PDF] [Association between Early Hyperoxia and Neurologic ...](#)

[https://www.jneuro.com/neurology-neuroscience/...](https://www.jneuro.com/neurology-neuroscience/)

High Grade Aneurysmal Subarachnoid Hemorrhage Abstract Background: Oxygenation support is a common practice in patients with aneurysmal subarachnoid hemorrhage (SAH). The aim of this study was to analyze the association between early hyperoxia and the neurological outcome in patients presenting a High Grade SAH, using the modified Rankin Scale ...

[Predictors of Outcome in Aneurysmal Subarachnoid ...](#)

<https://www.ahajournals.org/doi/10.1161/STROKEAHA.117.017777>

Introduction. Advances in diagnostic and treatment strategies for aneurysmal subarachnoid hemorrhage (aSAH), through the introduction of computed tomography angiography with early detection of aneurysms, the use of nimodipine, specialist care for patients, and endovascular coiling of ruptured aneurysms, have substantially improved the outcomes of hospitalized patients. 1 – 4 Despite these ...

Cited by: 57

Author: James P. Galea, Louise Dulhanty, Hiren ...

Publish Year: 2017

PEOPLE ALSO ASK

Can aneurysm cause stroke? ▾

What is a subarachnoid hemorrhage? ▾

What causes a brain aneurysm? ▾

Are poor grade aneurysmal patients treated palliatively? ▾

Feedback

[Subarachnoid Hemorrhage: Symptoms, Causes, Treatments](#)

[https://my.clevelandclinic.org/health/diseases/...](https://my.clevelandclinic.org/health/diseases/) ▾

After a subarachnoid hemorrhage, a patient may have a seizure from the sudden increase in brain pressure, or due to the bleeding in the brain irritating the brain cells. Patients are treated with medications to prevent them from seizing at the onset of the hemorrhage.

[Magnesium and Hydrogen in Subarachnoid Hemorrhage | ...](#)



Outcomes of high-grade aneurysmal subarachnoid hemorrhage pat



Sign in



ALL

IMAGES

VIDEOS



Add the Give with Bing extension >

61,100 Results

Any time ▾

[High-Grade Aneurysmal Subarachnoid Hemorrhage: ...](https://www.sciencedirect.com/science/article/pii/S1878875019302621)

<https://www.sciencedirect.com/science/article/pii/S1878875019302621>

May 01, 2019 · Introduction. **Aneurysmal subarachnoid hemorrhage** (aSAH) has an estimated incidence of 9.1 cases per 100,000 person-years worldwide.^{1, 2} Despite declining case-fatality rates, aSAH continues cause significant neurologic morbidity and functional disability.^{2, 3, 4} The severity of the initial clinical presentation is the strongest prognostic indicator of long-term **outcomes** after aSAH. 5 ...

Cited by: 5

Author: Natasha Ironside, Thomas J. Buell, Ching...

Publish Year: 2019



See more

[Predictors of Outcome in Aneurysmal Subarachnoid ...](https://www.ahajournals.org/doi/10.1161/STROKEAHA.117.017777)

<https://www.ahajournals.org/doi/10.1161/STROKEAHA.117.017777>

Introduction. Advances in diagnostic and **treatment** strategies for **aneurysmal subarachnoid hemorrhage** (aSAH), through the introduction of computed tomography angiography with early detection of **aneurysms**, the use of nimodipine, specialist care for **patients**, and endovascular **coiling** of ruptured **aneurysms**, have substantially improved the outcomes of hospitalized patients. 1, 2, 3, 4 Despite these

Match Overview

1

Crossref 12 words

Christoph Schwartz, Thomas Pfefferkorn, Caroline Ebrahimi,
Caroline Ottomeyer et al. "Long-term Neurological Outcome a

1%

Name of Journal: *World Journal of Clinical Cases***Manuscript NO:** 62431**Manuscript Type:** ORIGINAL ARTICLE*Retrospective Study***Outcomes of high-grade aneurysmal subarachnoid hemorrhage patients treated with coiling and ventricular intracranial pressure monitoring**

Li-Li Wen, Xiao-Ming Zhou, Sheng-Yin Lv, Jiang Shao, Han-Dong Wang, Xin Zhang

Abstract

BACKGROUND

High-grade aneurysmal subarachnoid hemorrhage (aSAH) is a devastating disease with