

ALL IMAGES VIDEOS

17,500 Results Any time

[Framingham risk score and severity of coronary artery disease](https://pubmed.ncbi.nlm.nih.gov/23873009)

<https://pubmed.ncbi.nlm.nih.gov/23873009>

Cited by: 16 Author: M.R. Sayin, M.A. Cetiner, T. Karabag, I. A...

Publish Year: 2014

We aimed to examine whether the Framingham risk scoring system can be used for this purpose. Methods: A total of 222 patients (96 women, 126 men; mean age, 59.1 ± 11.9 years) who underwent...

[Prediction of coronary artery disease severity in lower ...](https://pubmed.ncbi.nlm.nih.gov/28353312)

<https://pubmed.ncbi.nlm.nih.gov/28353312>

Cited by: 3 Author: Ertan Vuruskan, Erhan Saracoglu, Mustaf...

Publish Year: 2017

Prediction of coronary artery disease severity in lower extremity artery disease patients: A correlation study of TASC II classification, Syntax and Syntax II scores *Cardiol J.* 2017;24(5):495-501. doi:...

Search Tools

Turn off Hover Translation (关闭取词)

35,100 Results Any time ▾

**Cardiovascular Risk Prediction in Patients With Stable and ...**  
<https://www.ahajournals.org/doi/full/10.1161/circulationaha.109.852749>

The American Heart Association estimates that 1 in 3 American adults have cardiovascular (CV) disease, including 16.8 million individuals with ischemic heart disease, 8 million individuals with peripheral arterial disease, and 6.5 million individuals with ischemic stroke. In 2005, CV disease accounted for 35% of all deaths in the United States. . . Given the high prevalence of CV disease and ...  
Cited by: 126 Author: David A. Morrow  
Publish Year: 2010

**Validation of a Novel Clinical Prediction Score for Severe ...**  
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0094493>

Apr 08, 2014 · Objectives Coronary artery disease (CAD) severity is associated with patient prognosis. However, few efficient scoring systems have been developed to screen severe CAD in patients with stable angina and suspected CAD before coronary angiography. Here, we present a novel scoring system for CAD severity before elective coronary angiography. Methods Five hundred fifty-one ...  
Cited by: 10 Author: Zhang Wei Chen, Ying Hua Chen, Ju Yin...  
Publish Year: 2014

**Prediction of coronary artery disease by a systemic ...**

Search Tools

Turn off Hover Translation (关闭翻译)

激活 Windows  
转到“设置”以激活 Windows。



**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 65538

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Prediction of presence and severity of coronary artery disease using prediction for atherosclerotic cardiovascular disease risk in China scoring system**

Prediction of CAD using China-PAR

Xulin Hong, Hao Chen, Ya Li, Hema Darinee Teeroovengadam, Guosheng Fu, Wenbin Zhang

**Match Overview**

1	Internet 82 words crawled on 14-Apr-2020 <a href="http://www.jcdr.net">www.jcdr.net</a>	4%
2	Internet 50 words crawled on 09-Dec-2019 <a href="http://www.journalagent.com">www.journalagent.com</a>	4%
3	Internet 77 words crawled on 15-Jun-2018 <a href="http://link.springer.com">link.springer.com</a>	3%
4	Crossref 57 words Mustafa Celik, Musa Cakici, Cemil Zencir, Hakan Tasolun, Erkan Deyal, Mehmet Balli, Erdal Akturk. "Prediction of	2%
5	Internet 25 words crawled on 18-Jul-2020 <a href="http://www.science.gov">www.science.gov</a>	1%
6	Internet 17 words crawled on 25-Apr-2021 <a href="http://downloads.hindawi.com">downloads.hindawi.com</a>	1%
	Internet 15 words	

国内版 国际版

Prediction of presence and severity of coronary artery disease using



ALL IMAGES VIDEOS

32,600 Results Any time ▾

### Prediction of Coronary Artery Disease Extent and Severity ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0168598> ▾

Dec 22, 2016 · Background Pulse-wave velocity (PWV) measures aortic stiffness. It is an independent predictor of cardiovascular events and mortality, yet there is paucity in the literature on its association with the severity and extent of coronary artery disease (CAD). Methods To examine the utility of PWV in predicting CAD burden in men and women the PWV was determined in 344 patients (Men = 266, ...

Cited by: 7 Author: Joseph Chiha, Paul Mitchell, Bamini Gopi...

Publish Year: 2016

### Cardiovascular Risk Prediction in Patients With Stable and ...

<https://www.ahajournals.org/doi/full/10.1161/circulationaha.109.852749>

The American Heart Association estimates that 1 in 3 American adults have cardiovascular (CV) disease, including 16.8 million individuals with ischemic heart disease, 8 million individuals with peripheral arterial disease, and 6.5 million individuals with ischemic stroke. 1 In 2005, CV disease accounted for 35% of all deaths in the United States. . . Given the high prevalence of CV disease and ...

Cited by: 126 Author: David A. Morrow

Publish Year: 2010

### Association Between Self-rated Health, Coronary Artery ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6484585>

Self-rated health and coronary artery calcium score showed complementary predictive utility, and their simple combination showed similar risk discrimination for coronary heart disease and cardiovascular disease events compared with the 2013 College of Cardiology/American Heart Association atherosclerotic cardiovascular disease risk score.

Cited by: 4 Author: Olusola A. Orimoloye, Mohammadhassa...

Publish Year: 2019

### Validation of a Novel Clinical Prediction Score for Severe ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0094493> ▾

Apr 08, 2014 · Objectives Coronary artery disease (CAD) severity is associated with patient prognosis. However, few efficient scoring systems have been developed to screen severe CAD in patients with stable angina and suspected CAD before coronary angiography. Here, we present a novel scoring system for CAD severity before elective coronary angiography. Methods Five hundred fifty-one ...

Cited by: 10 Author: Zhana Wei Chen, Ying Hua Chen, Ju Yin