

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 66664

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Prognostic factors and its predictive value in patients with metastatic spinal cancer

Gao QP *et al.* Prognostic factors in metastatic spinal cancer patients

Qing-Peng Gao, Da-Zhi Yang, Zheng-Bin Yuan, Yu-Xia Guo

Abstract

BACKGROUND

Spine is the most common location of metastatic diseases. Treating a metastatic spinal

Match Overview

Match Number	Source	Words	Similarity
1	Internet	45 words crawled on 27-Sep-2020 www.wjem.com.cn	1%
2	Crossref	40 words He-Ping Xu, Xiao-An Zhuo, Jin-Jian Yao, Duo-Yi Wu, Xiang Wang, Ping He, Yan-Hong Ouyang. "Prognostic value of he..."	1%
3	Internet	28 words ir.ymlib.yonsei.ac.kr	1%
4	Crossref	24 words Qun-Xi Li, Xiao-Jing Zhao, Hai-Yan Fan, Xiang-Nan Li, Da-Li Wang, Xiu-Jie Wang, Jiang Zhang, Rui-Ying Chen, Li Zhang, ...	1%
5	Crossref	16 words "Spinal Cord Decompression with Surgery", Georg Thieme Verlag KG, 2014	<1%
6	Internet	14 words crawled on 02-Aug-2017 www.wjem.org	<1%
7	Crossref	12 words Shou-Chu Chou, How-Wen Ko, Ying-Chin Lin. "Single-Nucleotide Polymorphisms Correlate with the Susceptibility and ..."	<1%
8	Crossref	12 words Kimura, K.. "Hyperglycemia independently increases the risk of early death in acute spontaneous intracerebral hemorrhage"	<1%
9	Crossref	10 words LIANG DONG, Lang Li, JIE YAN. "652", Critical Care Medicine, 2018	<1%



ALL

IMAGES

VIDEOS

921,000 Results

Any time ▾

Prognostic factors in patients with metastatic spine ...

<https://wjso.biomedcentral.com/articles/10.1186/s12957-018-1439-x> ▾

Jul 05, 2018 · Goodwin CR et al. indicated that the factors that influence the prognosis of patients with lung cancer-derived spinal metastasis include age, motor function, the presence/absence of major internal organ metastasis, and the presence/absence of extra-thoracic metastasis [6].

Cited by: 6

Author: Hiroshi Uei, Yasuaki Tokuhashi

Publish Year: 2018

Evaluation of scoring systems and prognostic factors in ...

<https://www.sciencedirect.com/science/article/pii/S1529943014005592>

Dec 01, 2014 · Its predictive value was improved by assigning NPC as a better primary tumor score of 5 instead of 2. To our knowledge, no previous studies have been conducted to evaluate the predictive value of the various prognostic scoring systems in patients with spinal metastases from NPC.

Cited by: 13

Author: Naresh Kumar, Jonathan Jiong Hao Tan, ...

Publish Year: 2014

PEOPLE ALSO ASK

What are the prognostic factors for metastatic spine cancer? ▾

What are the exclusion criteria for spinal metastasis? ▾

What is the post treatment survival time for spinal metastasis? ▾

What is the prognosis for bone metastasis from lung cancer? ▾

Feedback

Distribution and predictive value of initial presenting ...

<https://link.springer.com/article/10.1007/s00586-020-06425-4> ▾

May 06, 2020 · The distribution of spinal metastases is associated with primary tumor type and initial presenting symptoms. The predictive value of initial presenting symptoms differs in age groups, but resembles in cancer types. The presence of night-aggravating pain had relative high value in predicting metastases in cancer patients under 65 years old. This is a preview of subscription content, log in to ...

Prognostic factors in patients with metastatic spine ...

<https://wjso.biomedcentral.com/articles/10.1186/s12957-018-1439-x>

Jul 05, 2018 · Goodwin CR et al. indicated that the factors that influence the prognosis of patients with lung cancer-derived spinal metastasis include age, motor function, the presence/absence of major internal organ metastasis, and the presence/absence of extra-thoracic metastasis [6].

Cited by: 6 Author: Hiroshi Uei, Yasuaki Tokuhashi
Publish Year: 2018

Prognostic factors for local control and survival after ...

<https://pubmed.ncbi.nlm.nih.gov/16849752>

Purpose: To evaluate potential prognostic factors for local control and survival after radiotherapy of metastatic spinal cord compression (MSCC). Patients and methods: The following potential prognostic factors were investigated retrospectively in 1,852 patients irradiated for MSCC: age, sex, performance status, primary tumor, interval between tumor diagnosis and MSCC (< or = 15 v > 15 months), number ...

PEOPLE ALSO ASK

- What are the prognostic factors for metastatic spine cancer? ✓
- What are the exclusion criteria for spinal metastasis? ✓
- What is the post treatment survival time for spinal metastasis? ✓
- What is the prognosis for bone metastasis from lung cancer? ✓

Feedback

New prognostic factors and scoring system for patients ...

<https://onlinelibrary.wiley.com/doi/10.1002/cam4.292>

Jul 10, 2014 · These patients are not good candidates for spinal surgery; therefore, radiotherapy with supportive care is the treatment of choice for patients with spinal metastases. For patients with a prognostic score of 4–6, the expected rate of survival is 49% at 1 year.

Cited by: 167 Author: Hirohisa Katagiri, Rieko Okada, Tatsuya Tak...
Publish Year: 2014

(PDF) Visceral Metastasis: A Prognostic Factor of Survival ...

<https://www.researchgate.net/publication/340277348...>

Predictive value of seven preoperative ... a significant prognostic factor in patients with spinal metastases ... for survival and functional outcome of lung cancer patients with metastatic

Search Tools

Turn off Hover Translation (关闭取词)