

66,400 Results Any time ▾

[Neonatal ruptured intracranial aneurysms: case report and ...](https://pubmed.ncbi.nlm.nih.gov/19381651)

<https://pubmed.ncbi.nlm.nih.gov/19381651>

Cited by: 13 Author: Y. Van Raay, S. Darteyre, F. Di Rocco, J. Go...

Publish Year: 2009

Introduction: Intracranial aneurysms are exceptional in neonatal patients: There are only 16 cases previously reported. We describe the first case of neonatal posterior inferior cerebellar artery (PICA)...

[Ruptured Intracranial Aneurysm in a Neonate: Case Report ...](https://www.sciencedirect.com/science/article/pii/S1878875020309785)

<https://www.sciencedirect.com/science/article/pii/S1878875020309785>

Author: Alice Goia, Elisabeth Gerrido, Margaux Lef... Publish Year: 2020

Aug 01, 2020 · Introduction. Intracranial aneurysms (IAs) are uncommon in the pediatric population, accounting from 0.5% to 4.6% of all IAs. 1, 2 The incidence of IA is highest in late adolescence (0.52 p...

Search Tools

Turn off Hover Translation (关闭取词)

PEOPLE ALSO ASK

31,800 Results Any time

Neonatal ruptured intracranial aneurysms: case report and ...

<https://pubmed.ncbi.nlm.nih.gov/19381651>

Introduction: Intracranial aneurysms are exceptional in neonatal patients: There are only 16 cases previously reported. We describe the first case of neonatal posterior inferior cerebellar artery (PICA)...

Cited by: 13 Author: Y. Van Raay, S. Darteyre, F. Di Rocco, J. Goo...

Publish Year: 2009

Ruptured Mycotic Aneurysm of the Distal Circulation in a ...

<https://www.ncbi.nlm.nih.gov/pubmed/29800469>

Mar 01, 2019 - Intracranial aneurysms of fungal etiology carry a high mortality risk and typically occur in immunocompromised patients via direct extension of skull base infections, or more rarely, after...

Cited by: 1 Author: Shivani D Rangwala, Ben A Strickland, Rob...

Publish Year: 2019

PEOPLE ALSO ASK

- What is an intracranial aneurysm rupture? ▾
- What happens if an aneurysm ruptures in the brain? ▾
- What is the treatment for aneurysm rupture? ▾
- What is the percentage of aneurysms in the central nervous system? ▾

Feedback

Cerebral Aneurysm – Symptoms, Diagnosis and Treatments


<https://www.aans.org/Patients/Neurosurgical...>

A cerebral or intracranial aneurysm is an abnormal focal dilation of an artery in the brain that results from a weakening of the inner muscular layer (the intima) of a blood vessel wall. The vessel develops a...

Concomitant ruptured anterior circulation and unruptured ...

<https://www.ncbi.nlm.nih.gov/pubmed/31113699>

Basilar artery apex or bifurcation is the most common location for aneurysms arising from posterior



Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 57619

Manuscript Type: CASE REPORT

Ruptured intracranial aneurysm presenting as cerebral circulation insufficiency: A case report

Zhao L *et al.* Ruptured intracranial aneurysm misdiagnosed

Long Zhao, Shuang-Quan Zhao, Xiao-Ping Tang

Abstract

BACKGROUND

Rupture of an intracranial aneurysm is a type of acute stroke that is a serious threat to human health. Misdiagnosis of ruptured intracranial aneurysms is a serious clinical event that may have disastrous consequences in some patients. To date, ruptured intracranial aneurysms have been misdiagnosed as meningitis, tumors, stroke or trauma, among other conditions. Here, we report what appears to be the first case of a

Match Overview

1	Internet 36 words crawled on 17-Oct-2020 synapse.koreamed.org	2%
2	Internet 26 words crawled on 05-Apr-2021 www.neurologyintra.com	1%
3	Internet 24 words crawled on 02-Dec-2020 worldjclinicalcases.com	1%
4	Internet 20 words crawled on 01-Jul-2020 pesquisa.bvsalud.org	1%
5	Internet 16 words crawled on 27-Sep-2019 ink.springer.com	1%
6	Crossref 16 words Cheng-Ta Hsieh, En-Yuan Lin, Tung-Han Tsai, Yang-Hsiao Chiang, Da-Tong Ju. "Delayed rupture of pre-existing cere...	1%
7	Internet 12 words crawled on 31-Dec-2020 active.org	1%

激活 Windows
转到“设置”以激活 Windows。

国内版 国际版

Ruptured intracranial aneurysm presenting as cerebral circulation in



ALL IMAGES VIDEOS

159,000 Results Any time ▾

Neonatal ruptured intracranial aneurysms: case report and ...

<https://pubmed.ncbi.nlm.nih.gov/19381651>

Introduction: Intracranial aneurysms are exceptional in neonatal patients: There are only 16 cases previously reported. We describe the first case of neonatal posterior inferior cerebellar artery (PICA)...

Cited by: 13

Author: Y. Van Raay, S. Darteyre, F. Di Rocco, J....

Publish Year: 2009

Concomitant ruptured anterior circulation and unruptured ...

<https://www.ncbi.nlm.nih.gov/pubmed/31113699>

Basilar artery apex or bifurcation is the most common location for aneurysms arising from posterior cerebral circulation. Reports of unruptured aneurysms of the basilar bifurcation associated with...

Cited by: 1

Author: M. Burhan Janjua, Sumanth Reddy, Willia...

Publish Year: 2019

PEOPLE ALSO ASK

What happens if an aneurysm ruptures in the brain? ▾

Can intracranial aneurysms cause permanent damage? ▾

What is the treatment for an unruptured brain aneurysm? ▾

What can a brain aneurysm look like without symptoms? ▾

Feedback

Intracranial Venous Hemodynamics and Rupture of Cerebral ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4291789>

Dec 01, 2014 · Illustrative Case 1 had a ruptured left Pcom aneurysm. The cerebral venous circulation was equal on both sides even with severe dural sinus hypoplasia by quantitative cerebral...

Cited by: 6

Author: Fong-Ytsai, Kwo-Whei Lee, Wei-Liang Ch...

Publish Year: 2014

A ruptured aneurysm arising at the leptomeningeal ...