

ALL IMAGES VIDEOS

40,200 Results Any time

(PDF) Prostatic Carcinosarcoma: A Case Report

https://www.researchgate.net/publication/317611193... Prostatic Carcinosarcoma: A Case Report. June 2017, DOI:10.4274/uob.771

Prostate Cancer Treatment (PDQ®)–Health Professional ...

https://www.cancer.gov/types/prostate/hp/prostate-treatment-pdq Follow-up after hormonal therapy. After hormonal therapy, reduction of PSA to undetectable levels provides information regarding the duration of progression-free status; however, decreases in PSA of less than 80% may not be very predictive. Because PSA expression itself is under hormonal control, androgen deprivation therapy can decrease the serum level of PSA independent of tumor response.

Table with 2 columns: Question, Answer. Questions include: Can you get prostate cancer after a prostatectomy?, What percentage of prostate cancer is adenocarcinoma?, What is the paradigm of prostate cancer?, What is the recurrence rate of prostate cancer?

Feedback

Prostate Cancer Returns 7 years after Radical ...

https://www.inspire.com/groups/us-too-prostate... Mar 21, 2020 - Prostate Cancer Returns 7 years after Radical Prostatectomy - Prostate cancer. DBinAL. March 21, 2020 at 12:57 pm ... - Prostatic adenocarcinoma, Gleason Score 4+3=7 (Grade Group 3), involving two of three cores (35% and 61%, 6 mm and 8 mm). ... He said that if we are going to attempt to remove the cancer that is residing in my prostate ...

Sarcomatoid Carcinoma of the Prostate

https://www.hindawi.com/journals/crui/2013/631809 - Abstract Introduction Case Discussion

Sarcomatoid carcinoma of the prostate is among the rarest malignant neoplasm types and has been well known for its aggressive clinical course. Patient was admitted with the symptoms of lower urinary tract. Transurethral resection of prostate (TUR-P) was carried out. Revealing Gleason 5 + 3 = 8 prostate adenocarcinoma in TUR-P material. Thereby, a Radical Prostatectomy procedure was planned. In operation, frozen examination revealed adenocarcinoma metastasis to the obturator lymph node. The o...

See more on hindawi.com Cited by: 5 Author: Onur Açıkgoz, Eymen Gazel, Neslihan İnci Z. Publish Year: 2013

Large-cell neuroendocrine tumor of the prostate: a case ...

https://medicalexpress.biomedcentral.com/... We report a Caucasian case of a mixed prostatic carcinoma, with the largest component being the large-cell neuroendocrine carcinoma, in a patient who underwent a total prostatectomy for a localized cancer. Diagnostic, histological, therapeutic and evolutive aspects are reported and discussed.

Prostatic carcinosarcoma: A case report and review of ...

https://www.researchgate.net/publication/230608715... In this case report, a 78 year-old male patient with prostate adenocarcinoma developing prostatic carcinosarcoma after using androgen blockade for 3 years was presented.

Prostate cancer recurrence after prostatectomy: why does ...

https://www.santishealth.org/.../prostate-cancer-recurrence-after-prostatectomy - What Factors Increase The Cha... How Soon Can We Detect this? Additional T

The likelihood of metastasis occurring increases with higher grade (aggressiveness) and stage (extent) of the cancer – as the more aggressive and developed the cancer is, the higher the chance of it breaking out of the prostate. More specifically: 1. High Gleason grades (8-10); 2. High clinical stages (T3-4); 3. Positive surgical margins (where the tumour goes up to the edge of the prostate gland). However, most prostate cancers are cured with surgery. As an example, using my results from eper...

See more on santishealth.org

Prostatic carcinosarcoma: A case report and review of ...

https://onlinelibrary.wiley.com/doi/10.1046/j.1442-2042.2003.00574.x Abstract A unique case of carcinosarcoma of the prostate detected in a 71-year-old man is presented. Pelvic exenteration was performed, and the resected prostatic mass was found to consist of two b...

Post Radical Prostatectomy Pathology Report – Good/Bad ...

https://www.healingwell.com/community/default.aspx?f=35&m=2926891 - Dec 06, 2019 - D. Prostate with bilateral seminal vesicles (robotic assisted laparoscopic prostatectomy) 1. Prostatic adenocarcinoma 2. Carcinoma involves the right posterior mid-gland to base 3. Gleason grade 3+3 score 6 4. Carcinoma involves 10% of gland volume 5. Apical margin is negative for carcinoma 6. Bladder base margin is negative for carcinoma 7 ...

Some results are removed in response to a notice of local law requirement. For more information, please see here.

Search Tools

Turn off Hover Translation (关闭)

Make a difference for a nonprofit, simply by searching on Bing. MAYBE LATER YES



Name of Journal: *World Journal of Clinical Cases*  
Manuscript NO: 58366  
Manuscript Type: CASE REPORT

**Prostatic carcinosarcoma 7 years after radical prostatectomy and hormonal therapy for prostatic adenocarcinoma: A case report**

Huang X *et al.* Prostatic carcinosarcoma after prostatectomy of adenocarcinoma

Xiao Huang, Song-Liang Cai, Li-Ping Xie

**Abstract**

**BACKGROUND**

Prostatic carcinosarcoma is a very rare and highly aggressive tumor. It may occur after androgen deprivation therapy (ADT) for adenocarcinoma even after a 7-year interval

**CASE SUMMARY**

**Match Overview**

|   |   |    |
|---|---|----|
| 1 | Crossref 49 words<br>Fernando C. Kowalski, Thomas M. T. Turk, Eva M. Wojcik, E...<br>via M. Abbasi. "Carcinosarcoma of the prostate", <i>World Journa</i> | 4% |
| 2 | Crossref 48 words<br>Donna E. Hansel, Jonathan I. Epstein. "Sarcomatoid Carci...<br>oma of the Prostate: A Study of 42 Cases", <i>American Journa</i>     | 4% |
| 3 | Crossref 42 words<br>Varoujan S. Subramanian, Michael Coburn, Brian J. Miles.<br>"Carcinosarcoma of the prostate with multiple metastases. ...            | 3% |
| 4 | Internet 10 words<br>crawled on 24-Jun-2020<br>academic.oup.com   | 1% |
| 5 | Internet 10 words<br>crawled on 10-May-2021<br>www.wjgnet.com   | 1% |

国内版 国际版

Prostatic carcinosarcoma seven years after radical prostatectomy an



ALL IMAGES VIDEOS

51,800 Results

Any time ▾

### Case Reports on Prostate Cancer - National Institutes of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1472886>

In this study, high-risk patients following radical prostatectomy are randomized to receive 2 years of androgen deprivation versus androgen deprivation and 6 months of the combination of mitoxantrone and...

### Treating Prostate Cancer That Doesn't Go Away or Comes ...

<https://www.cancer.org/cancer/prostate-cancer/treating/recurrence> ▾

After surgery: If you've had a radical prostatectomy, radiation therapy might be an option, sometimes along with hormone therapy. After radiation therapy: If your first treatment was radiation, treatmen...

[Radiation Therapy](#) - [Hormone Therapy](#)

#### PEOPLE ALSO ASK

Can a prostate adenocarcinoma be diagnosed at a later stage? ▾

Is there a treatment for adenosquamous carcinoma of the prostate? ▾

Is there a recurrence of prostate cancer after surgery? ▾

Is there a cure for hormone refractory prostate cancer? ▾

[Feedback](#)

### High-grade prostatic intraepithelial neoplasialike ductal ...

<https://pubmed.ncbi.nlm.nih.gov/18496142>

Treatment included radical prostatectomy (n=9), hormone therapy (n=7), radiotherapy (n=5), and cryotherapy (n=1). Three patients had recent biopsies without information on treatment and 3 patients...

Cited by: 100

Author: Fabio Tavora, Jonathan I. Epstein

Publish Year: 2008

### Prostate cancer recurrence after prostatectomy: why does ...

<https://www.santishealth.org/prostate-cancer...> ▾