

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 67293

Manuscript Type: CASE REPORT

3 Uterine tumor resembling an ovarian sex cord tumor: A case report and literature review

Fang-Fang Zhou, Ying-Tao He, Ying Li, Min Zhang, Fang-Hong Chen

Abstract

BACKGROUND

Endometrial stromal tumors originate from the endometrial stroma and account for < 2% of all uterine tumors. Uterine tumor resembling an ovarian sex cord tumor

Match Overview

1	Internet 43 words crawled on 01-May-2021 diagnosticpathology.biomedcentral.com	2%
2	Crossref 40 words Bernard Czernobilsky. "Uterine Tumors Resembling Ovarian Sex Cord Tumors", International Journal of Gynecological	2%
3	Crossref 36 words Diego Segala, Stefano Gobbo, Anna Pesci, Guido Martignoni et al. "Tamoxifen related Uterine Tumor Resembling Ov	2%
4	Internet 36 words crawled on 08-May-2021 www.wjgnet.com	2%
5	Crossref 26 words Jianzhou Wang. "Uterine Tumor Resembling Ovarian Sex Cord Tumor: Report of a Case With t(X;6)(p22.3;q23.1) a ...	1%
6	Crossref 25 words "Management of Endometrial Cancer", Springer Science and Business Media LLC, 2020	1%
	Crossref 22 words	1%

Uterine tumor resembling an ovarian sex cord tumor: A case report



ALL

IMAGES

VIDEOS

49,400 Results

Any time ▾

Uterine tumors resembling ovarian sex cord tumors: A case ...

<https://pubmed.ncbi.nlm.nih.gov/26893767>

Uterine tumors with **ovarian sex cord-like** elements are a rarely observed type of **uterine body tumor** with unknown etiology, and are divided into two groups: Endometrial stromal **tumors** with **sex cord-like** elements (ESTSCLEs) and **uterine tumors resembling ovarian sex cord tumors** (UTROSCTs).

Cited by: 3

Author: Nilufer Cetinkaya, Sevda Bas, Zeliha Firat C...

Publish Year: 2016

Search Tools

Turn on Hover Translation (开启取词)

Uterine tumors resembling ovarian sex-cord tumor: A case ...

<https://pubmed.ncbi.nlm.nih.gov/30539872>

Abstract. **Uterine tumors resembling ovarian sex-cord tumor** (UTROSCT) are a rare, multi-phenotype **sex-cord tumors**, containing a structure which is characteristic with the trabecular, cord, nests, and false adenoid arrangement. In addition, CD99-positive was a basis for diagnosis of the disease. With uncertain malignant potential and relapse, these patients should be closely followed up.

Author: Li-Li Fan, Yang Shen, Kenneth Chanda, ...

Publish Year: 2017

Uterine tumor resembling ovarian sex cord tumor. Case ...

<https://www.ncbi.nlm.nih.gov/pubmed/23967565>

A **uterine tumor resembling an ovarian sex cord tumor** (UTROSCT) shows a poly phenotypic immunophenotype with coexpression of epithelial, myoid, and sex cord markers, as well as hormone receptors. The authors present a case of a 59-year-old multiparous woman admitted to the Institute of Gynecology and Obstetrics Clinical Centre of Serbia in January 2010 due to prolonged vaginal bleeding

Uterine tumor resembling an ovarian sex cord tumor: A case report



ALL

IMAGES

VIDEOS

94,000 Results

Any time ▼

[Uterine tumors resembling ovarian sex-cord tumor: A case ...](https://pubmed.ncbi.nlm.nih.gov/30539872)

<https://pubmed.ncbi.nlm.nih.gov/30539872>

Abstract. **Uterine tumors resembling ovarian sex-cord tumor** (UTROSCT) are a rare, multi-phenotype **sex-cord tumors**, containing a structure which is characteristic with the trabecular, cord, nests, and false adenoid arrangement. In addition, CD99-positive was a basis for diagnosis of the disease. With uncertain malignant potential and relapse, these patients should be closely followed up.

[Uterine tumors resembling ovarian sex cord tumors: A case ...](https://pubmed.ncbi.nlm.nih.gov/26893767)

<https://pubmed.ncbi.nlm.nih.gov/26893767>

See more

ALL IMAGES VIDEOS MAPS NEWS SHOPPING

97,700 Results Any time ▾

Uterine tumors resembling ovarian sex-cord tumor: A case ...

<https://pubmed.ncbi.nlm.nih.gov/30539872>

Abstract. **Uterine tumors resembling ovarian sex-cord tumor** (UTROSCT) are a rare, multi-phenotype **sex-cord tumors**, containing a structure which is characteristic with the trabecular, cord, nests, and false...

Uterine tumors resembling ovarian sex cord tumors: A case ...

<https://pubmed.ncbi.nlm.nih.gov/26893767>

Uterine tumors with **ovarian sex cord-like** elements are a rarely observed type of **uterine** body **tumor** with unknown etiology, and are divided into two groups: Endometrial stromal **tumors** with **sex cord-like**...

Uterine tumor resembling ovarian sex cord tumor. Case ...

<https://www.ncbi.nlm.nih.gov/pubmed/23967565>

A **uterine tumor resembling an ovarian sex cord tumor** (UTROSCT) shows a poly phenotypic immunophenotype with coexpression of epithelial, myoid, and sex cord markers, as well as hormone...

Uterine tumors resembling ovarian sex-cord tumor: A case ...

<https://pubmed.ncbi.nlm.nih.gov/26937483>

•**Uterine tumors** with **sex-cord** elements are very rare. •UTROSCT can present with infiltration similar to **endometrial** stromal sarcomas. •**Case report** of a locally advanced UTROSCT. Keywords: **Case-report**;...

[Uterine tumor resembling ovarian sex cord tumor: case ...

<https://www.ncbi.nlm.nih.gov/pubmed/17726857>

Uterine tumours with **sex cord-like** differentiation are rare. They are observed,pre- and post-menopausal women between the fourth and the sixth decade andmanifest themselves by haemorrhagic anomalies...

Uterine tumor resembling ovarian sex cord tumor (UTROSCT ...

<https://pubmed.ncbi.nlm.nih.gov/25395990>

Introduction: **Uterine tumors resembling ovarian sex cord tumors** (UTROSCT) are uterine neoplasms of unknown histiogenesis which show near complete differentiation towards ovarian sex cord elements an...

Sex cord–gonadal stromal tumour

Symptoms

Diagnosis

Causes

Treatments



Sex cord–gonadal stromal tumour is a group of tumors derived from the stromal component of the ovary and testis, which comprises the granulosa, thecal cells and fibrocytes. In contrast, the epithelial cells originate from the outer epithelial lining surrounding the gonad while the germ cell tumors arise from the precursor cells of the gametes, hence the name germ cell. In humans, this group accounts for 8% of ovarian cancers and under 5% of testicular cancers. Their diagnosis is histological: only a biopsy of the tumour can make an exact diagnosis. They are often suspected of being malignant prior to operation, being solid ovarian tumours that tend to occur most commonly in post menopausal women.



People also search for

[Germ Cell Tumors](#)

[Ovarian Cancer](#)

[Teratoma](#)

[Prostate Cancer](#)

[Uterine serous carcinoma](#)

[See more ▾](#)

Data from: Wikipedia

[Suggest an edit](#)