

Trial of Three Anticonvulsant Medications for Status ...

<https://www.nejm.org/doi/10.1056/NEJMdo005653/full>

Serum Neutralizing Activity Elicited by mRNA-1273 Vaccine — Preliminary Report K. Wu et al. Safety and Efficacy of the BNT162b2 mRNA Covid-19 Vaccine

Randomized Trial of Three Anticonvulsant Medications for ...

<https://www.nejm.org/doi/full/10.1056/NEJMoa1905795>

Antibody Persistence through 6 Months after the Second Dose of mRNA-1273 Vaccine for Covid-19 N. Doria-Rose et al. Sunken Nose R. Zonozi et al.

Cited by: 143 Author: Nett and Pecarn Investigators

Publish Year: 2019

Frontiers | Complications and Pathophysiology of COVID-19 ...

<https://www.frontiersin.org/articles/10.3389/fneur.2020.573421>

In Italy, Vollono et al. reported a patient with COVID-19 whose primary symptom was a focal status epilepticus in the context of a predisposing but well-controlled postencephalitic epilepsy. Although the...

Cited by: 1 Author: Haiyang Yu, Tong Sun, Juan Feng

Publish Year: 2020

Covid-19 Case Reports - encephalitis.info

<https://www.encephalitis.info/faqs/covid-19-case-reports>

A case of rhombencephalitis as a rare complication of acute COVID-19 infection. LESSONS OF THE MONTH Clinical Medicine: 2020 Vol 20, No 3: 1 – 2. Chaumont H., Etienne P., Roze E., et al. Acute...

COVID-19–associated acute transverse ... - BMJ Case Reports

<https://casereports.bmj.com/content/13/8/e238668>

Aug 01, 2020 · The first reported case of COVID-19–associated ATM was reported from Wuhan in a 66-year-old man who developed paraparesis 1 week after the onset of fever.⁹ The second case was report...

Cited by: 15 Author: Uddalak Chakraborty, Atanu Chandra, Ari...

Publish Year: 2020

COVID-19 and Brain Injury - Psychiatric Times

<https://www.psychiatrytimes.com/view/covid-19-brain-injury>

Cureus | Two Cases of Post-Moderna COVID-19 Vaccine ...

<https://www.cureus.com/articles/56583-two-cases-of...>

Jul 04, 2021 · One of the most common COVID-19 CNS complications is COVID-19 encephalopathy, a disorder characterized by cognitive impairment, altered consciousness, and even seizures. The Moderna COVID-19 vaccine is a recently approved mRNA-based vaccine aimed at preventing COVID-19 infections and their complications.

Guillain-Barré Syndrome Associated with SARS-CoV-2 | NEJM

<https://www.nejm.org/doi/full/10.1056/NEJMc2009191>

Apr 17, 2020 · Guillain-Barré Syndrome with Covid-19 Five patients who had Guillain-Barré syndrome 5 to 10 days after the onset of Covid-19 are described. ... and mRNA-1273 Vaccines ... Status Epilepticus ...

Cited by: 781

Author: Gianpaolo Toscano, Francesco Palmerini,...

Publish Year: 2020

Acute and Post-Acute Neurological Complications of COVID ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8006051>

Mar 09, 2021 · Several cases of neurological complications have been reported in patients with COVID-19. Although some complications present as non-specific symptoms, such as headache, fatigue, and altered mental status, certain neurological complications and diseases are thought to be directly linked to SARS-CoV-2 infection. 3.1.

Cited by: 2

Author: Ali Al-Ramadan, Omar Rabab'h, Jawad S...

Publish Year: 2021

^[PDF] Moderna COVID-19 vaccine (mRNA-1273)

https://cdn.who.int/media/docs/default-source/immunization/covid-19/9-feb_21054...

The Moderna COVID-19 vaccine is a messenger RNA (mRNA) based vaccine against coronavirus disease 2019 (COVID-19). The host cells receive the instruction from the mRNA to produce protein of the S-antigen unique to SARS-CoV-2, allowing the body to generate an immune response and to retain that information in memory immune cells.

Purpuric Rash and Thrombocytopenia After the mRNA-1273 ...

<https://news.unboundmedicine.com/medline/citation/...>

国内版

国际版

Status epilepticus as a complication after COVID-19 mRNA-1273 v



ALL

IMAGES

VIDEOS

16,200 Results

Any time ▾

[Cureus | Two Cases of Post-Moderna COVID-19 Vaccine ...](#)

<https://www.cureus.com/articles/56583-two-cases-of...>

Jul 04, 2021 - One of the most common COVID-19 CNS complications is COVID-19 encephalopathy, a disorder characterized by cognitive impairment, altered consciousness, and even seizures. The Moderna COVID-19 vaccine is a recently approved mRNA-based vaccine aimed at preventing COVID-19 infections and their complications.

[Guillain-Barré Syndrome Associated with SARS-CoV-2 | NEJM](#)

<https://www.nejm.org/doi/full/10.1056/NEJMc2009191>

Apr 17, 2020 - Guillain-Barré Syndrome with Covid-19 Five patients who had Guillain-Barré syndrome 5 to 10 days after the onset of Covid-19 are described. ... and mRNA-1273 Vaccines ... Status Epilepticus ...

Cited by: 781

Author: Gianpaolo Toscano, Francesco Palmerini,...

Publish Year: 2020

[A Comparison of Lorazepam, Diazepam, and Placebo for the ...](#)

<https://www.nejm.org/doi/full/10.1056/NEJMoa002141>

Kaplan-Meier Curves Comparing the Durations of Out-of-Hospital Status Epilepticus after Treatment with Lorazepam, Diazepam, or Placebo. ... of Covid-19 with the BNT162b2 and mRNA-1273 ...

Cited by: 935

Author: Brian K. Alldredge, Alan M. Gelb, S. Mar...

Publish Year: 2001

[Acute and Post-Acute Neurological Complications of COVID ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8006051>

Mar 09, 2021 - Additionally, Hosseini and colleagues reported two cases who presented with delirium and changes in mental status as the initial symptoms of COVID-19. The first case was a 46-year-old male patient who developed delirium and confusion after experiencing a headache for two days. The patient laboratory tests, and imaging studies were unremarkable.

Cited by: 2

Author: Ali Al-Ramadan, Omar Rabab'h, Jawad S...

Publish Year: 2021

Some results are removed in response to a notice of local law requirement. For more information, please see [here](#)