

Expression of brain-specific angiogenesis inhibitor-1 and...
<https://pubmed.ncbi.nlm.nih.gov/26129954>

The aim of the present study was to investigate the expression levels of brain-specific angiogenesis inhibitor-1 (BAI-1) in bladder transitional cell carcinoma (BTCC) at different stages and the...

Advances in Bladder Cancer Research - National Cancer ...

<https://www.cancer.gov/types/bladder/research>

The most common type of bladder cancer is transitional cell carcinoma, also called urothelial carcinoma, which begins in cells in the innermost tissue layer of the bladder. There are other types of...

PEOPLE ALSO ASK

- Where does transitional cell bladder cancer come from?
- Is there a difference between superficial and invasive bladder cancer?
- What is the prognosis for transitional cell carcinoma?
- Can a person have non muscle invasive bladder cancer?

Feedback

Clinical analysis of small cell carcinoma of the bladder ...
<https://pubmed.ncbi.nlm.nih.gov/28125986>

Eh, I seem to know why you query this.

Say something...

Bladder Cancer

Medical Condition

A common type of cancer, which develops in the urinary bladder. This causes back pain, painful urination, frequent urination, and blood in urine.

Rare (Fewer than 200,000 cases per year in US)

Requires lab test or imaging

Treatable by a medical professional

Can last several months

It is caused by the abnormal growth of bladder cells. Symptoms may include blood in urine, painful urination and pelvic pain. Treatments include surgery, chemotherapy, and biological therapy.

Symptoms

Symptoms include:

- Blood in urine
- Difficulty in urinating
- Low back pain
- Rapid weight loss
- loss of appetite
- Swollen feet
- Extreme weakness and tiredness

Metastatic Bladder Cancer: A Review of Current Management

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3197261>

Jun 09, 2011 · A study by Bochner et al. [31] explored the association between traditional prognostic indicators and tumour angiogenesis. Estimated probability of recurrence at 5 years for lowest microvessel counts compared with highest counts were 19% and 68%; respectively, and overall 5 year survival was 68% compared to 34%.

Cited by: 13 Author: Andrew Fletcher, Ananya Choudhury, Noo...
Publish Year: 2011

Microvessel density as a prognostic marker in bladder ...

<https://www.academia.edu/13867578/Microvessel...>

Expression of Maspin in Non-Muscle Invasive Bladder Carcinoma: Correlation with Tumor Angiogenesis and Prognosis By Marieta Toma Proliferating cell nuclear antigen (PCNA) overexpression and microvessel density predict survival in the urinary bladder carcinoma

PEOPLE ALSO ASK

Can a transitional cell cancer spread to the bladder? ▾

Can a low grade bladder cancer become invasive? ▾

Which is the rarest type of bladder cancer? ▾

What is the survival rate for bladder cancer? ▾

Feedback

Transitional Cell Cancer of the Renal Pelvis and Ureter ...

<https://www.cancer.gov/types/kidney/patient/transitional-cell-treatment-pdq>

Transitional cell cancer of the renal pelvis and ureter treatment is primarily surgery. In the case that the cancer has spread or come back, chemotherapy is sometimes used. Learn more about the treatment for these cancers in this expert-reviewed summary.

Bladder transitional cell carcinoma: correlation of ...

国内版

国际版

Research on the prognosis of different types of microvessels in bla



ALL

IMAGES

VIDEOS

40,400 Results

Any time ▾

Urotensin II receptor determines prognosis of bladder ...

<https://pubmed.ncbi.nlm.nih.gov/24893613>

Background: Non Muscle Invasive Bladder Transitional Cancer (NMIBC) and Muscle Invasive Bladder Transitional Cancer (MIBC)/invasive have different gene profile and clinical course. NMIBC prognosis is not completely predictable, since the relapse rate is higher than 20%, even in the form of MIBC.

Expression of brain-specific angiogenesis inhibitor-1 and ...

<https://pubmed.ncbi.nlm.nih.gov/26129954>

The aim of the present study was to investigate the expression levels of brain-specific angiogenesis inhibitor-1 (BAI-1) in bladder transitional cell carcinoma (BTCC) at different stages and the mechanism by which it inhibits tumor endothelial cell proliferation. Normal bladder ...

Cited by: 1

Author: Dawei Tian, Hailong Hu, Yan Sun, Yang T...

Publish Year: 2015

PEOPLE ALSO ASK

Which is easier to treat bladder cancer or transitional cell carcinoma? ▾

What is the prognosis for transitional cell carcinoma? ▾

What does non muscle invasive bladder cancer look like? ▾

Which is the rarest type of bladder cancer? ▾

Feedback

Transitional Cell Cancer of the Renal Pelvis and Ureter ...

<https://www.cancer.gov/types/kidney/patient/transitional-cell-treatment-pdq> ▾

Transitional cell cancer of the renal pelvis and ureter treatment is primarily surgery. In the case that the cancer has spread or come back, chemotherapy is sometimes used. Learn more about the treatment for these cancers in this expert-reviewed summary.

Pathological characteristics and prognostic indicators of ...

<https://www.ncbi.nlm.nih.gov/pubmed/29761225>