5,620 Results Any time

Bell's palsy following a single dose of mRNA SARS-CoV-2 ...

https://europepmc.org/article/PMC/PMC8143982 -

May 25, 2021 · In our young and healthy patient, a previous facial palsy during pregnancy and the presence of VZV-IgG antibodies could be associated with an increased predisposition to facial nerve...

Author: C Martin-Villares, A Vazquez-Feito, M J ... Publish Year: 2021

Bell's Palsy after second dose of Pfizer COVID-19 ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7874945

Feb 10, 2021 · **Bell's Palsy**, an idiopathic Cranial Nerve 7 Palsy, occurs in 12–25 per 100,000 people in the general population. The association between vaccine administration and onset of **Bell's Palsy** symptom...

Cited by: 5 Author: Michael Repajic, Xue Lei Lai, Prissilla Xu, A...

Publish Year: 2021

Syncope and Bell's palsy: Distinguishing correlation from ...

https://sciencebasedmedicine.org/syncope-and-bells... •

 $Dec~21,~2020 \cdot Two~of~the~{\it cases~of~Bell's~palsy}~among~Moderna's~vaccine~group~have~since~"resolved"~while~one~was~still~ongoing~at~the~time~of~the~report,~the~FDA~staff~said.~The~{\it vaccinated~participants...}$

Pfizer vaccine side effects may include Bell's palsy ...

https://pulse.express.co.uk/life-style/health/... •

May 24, 2021 · The case study patient had no history of recurrent Bell's palsy prior to vaccination. The study noted: "In both the Pfizer-BioNTech COVID-19 Vaccine and Moderna COVID-19 Vaccine ...

Bell's Palsy after second dose of Pfizer COVID-19 ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7874945

Feb 10, 2021 · To report a **patient with history of recurrent Bell's Palsy** who developed **Bell's Palsy** 36 h after the administration of the second dose of the Pfizer-BioNTech **COVID-19 vaccine**. **Case** The patient is a 57-year-old female with past medical **history** of 3 episodes of Bell's Palsy.

Cited by: 8 Author: Michael Repajic, Xue Lei Lai, Prissilla Xu, ...

Publish Year: 2021

Bell's Palsy after second dose of Pfizer COVID-19 ...

https://pubmed.ncbi.nlm.nih.gov/33594349

Objective: To **report** a **patient with history of recurrent Bell**'s **Palsy** who developed **Bell**'s **Palsy** 36 h **after** the administration of the second dose of the Pfizer-BioNTech COVID-19 vaccine. **Case**: The **patient** is a 57-year-old female with past medical **history** of 3 episodes of **Bell**'s **Palsy**. She responded to prednisone treatment and returned to her baseline **after** each occurrence.

Cited by: 8 Author: Michael Repajic, Xue Lei Lai, Prissilla Xu, ...

Publish Year: 2021

Bell's Palsy after second dose of Pfizer COVID-19 ...

https://europepmc.org/article/MED/33594349 •


Feb 10, 2021 · To report a **patient with history of recurrent Bell's Palsy** who developed **Bell's Palsy** 36 h after the administration of the second dose of the Pfizer-BioNTech **COVID-19 vaccine**. **Case** The patient is a 57-year-old female with past medical **history** of 3 episodes of Bell's Palsy.

Cited by: 8 Author: Michael Repajic, Xue Lei Lai, Prissilla Xu, ...

Publish Year: 2021

Bell's palsy following a single dose of mRNA SARS-CoV-2 ...

https://europepmc.org/article/PMC/PMC8143982 -





Bell's palsy after inactivated COVID-19 vaccination in a patient with







ALL

IMAGES

VIDEOS

9.840 Results

Any time 🕶

Bell's Palsy after second dose of Pfizer COVID-19 ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7874945

Feb 10, 2021 · To report a patient with history of recurrent Bell's Palsy who developed Bell's Palsy 36 h after the administration of the second dose of the Pfizer-BioNTech COVID-19 vaccine. Case The patient is a 57-year-old female with past medical history of 3 episodes of Bell's Palsy.

Cited by: 9

Author: Michael Repajic, Xue Lei Lai, Prissilla Xu,...

Publish Year: 2021

Bell's Palsy after second dose of Pfizer COVID-19 ...

https://pubmed.ncbi.nlm.nih.gov/33594349

Objective: To report a patient with history of recurrent Bell's Palsy who developed Bell's Palsy 36 h after the administration of the second dose of the Pfizer-BioNTech COVID-19 vaccine. Case: The patient is a 57-year-old female with past medical history of 3 episodes of Bell's Palsy. She responded to prednisone treatment and returned to her baseline after each occurrence.

Cited by: 9

Author: Michael Repajic, Xue Lei Lai, Prissilla Xu,...

Publish Year: 2021

Bell's Palsy after second dose of Pfizer COVID-19 ...

https://europepmc.org/article/MED/33594349 -

Feb 10, 2021 - To report a patient with history of recurrent Bell's Palsy who developed Bell's Palsy 36 h after the administration of the second dose of the Pfizer-BioNTech COVID-19 vaccine. Case The patient is a 57-year-old female with past medical history of 3 episodes of Bell's Palsy.

Cited by: 9

Author: Michael Repajic, Xue Lei Lai, Prissilla Xu,...

Publish Year: 2021

Bell's Palsy after second dose of Pfizer COVID-19 ...

https://www.sciencedirect.com/science/article/pii/S266635462100020X

May 01, 2021 · In the Pfizer-BioNTech COVID-19 Vaccine trials, Bell's Palsy was reported by 4 vaccine participants. From Dose 1 through 1 month after Dose 2, there were 3 reports of Bell's Palsy in the vaccine group and none in the placebo group.

Cited by: 9

Author: Michael Repajic, Xue Lei Lai, Prissilla Xu,...

Publish Year: 2021