

It is Time to Give Up Traditional Methods For the Management of C



Sign in

ALL

IMAGES

VIDEOS



Add the Give with Bing extension >

136,000 Results

Any time ▾

[Gastrointestinal Stromal Tumors Treatment \(Adult\) \(PDQ ...](#)

<https://www.cancer.gov/types/soft-tissue-sarcoma/patient/gist-treatment-pdq> ▾

Gastrointestinal stromal tumor is a disease in which abnormal cells form in the tissues of the **gastrointestinal** tract. The **gastrointestinal** (GI) tract is part of the body's digestive system. It helps to...

[\[PDF\] Systematic review: management of localised low-grade ...](#)

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/apt.15765>

Gastroenteropancreatic **neuroendocrine tumours** (GEP-NETs), previously known as carcinoid **tumours**, arise from the diffuse neuroendocrine system within the **gastrointestinal** tract and...

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

PEOPLE ALSO ASK

What are the treatments for gastrointestinal carcinoid tumors? ▾

Match Overview

1 **Crossref** 65 words
Neuroendocrine Tumours, 2015.

1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 64579

Manuscript Type: REVIEW

**It is Time to Give Up Traditional Methods For the Management of Gastrointestinal
Neuroendocrine Tumours**

Ahmet Yozgat, Murat Kekilli, MUSTAFA ALTAY

Abstract

Neuroendocrine tumors (NETs) are a rare and heterogeneous disease group and constitute 0.5% of all malignancies. The annual incidence of NETs is increasing

Time to give up traditional methods for the management of gastrc



Sign in

ALL

IMAGES

VIDEOS

28,800 Results

Any time ▼

[Guidelines for the management of gastroenteropancreatic ...](#)

<https://gut.bmj.com/content/61/1/6> ▼

Jan 01, 2012 · However, another analysis of the SEER dataset from the USA suggests that the rate of increase in the incidence of NETs has been from 1.09 to 5.25 per 100 000 persons per year over the same **time** period.¹⁴ The incidence of **tumours** in the...

Cited by: 786**Author:** John K Ramage, A Ahmed, J Ardi...**Publish Year:** 2005**Estimated Reading Time:** 8 mins

See more

[Systematic review: management of localised low-grade ...](#)

<https://onlinelibrary.wiley.com/doi/10.1111/apt.15765>

Neuroendocrine tumours (NETs) of the stomach and duodenum are rare, but are increasing in incidence. Optimal **management** of localised, low-grade gastric and duodenal NETs remains