



Add the Give with Bing extension >

1,220 Results

Any time *

(PDF) Osimertinib-Associated Toxic Epidermal Necrolysis in ...

https://www.researchgate.net/publication/343594638...

Toxic epidermal necrolysis (TEN) and Stevens-Johnson syndrome (SJS) are life-threatening dermatologic adverse events in the same category, caused by a delayed-type drug hypersensi

Toxic epidermal necrolysis related to AP (pemetrexed plus ...

https://www.semanticscholar.org/paper/Toxic...

AP regimen (pemetrexed plus cisplatin) has been the preferred first-line chemotherapy for metastatic non-squamous non-small cell lung cancer (NSCLC). Gefitinib, a small-molecule epidermal growth...

Understanding, recognizing, and managing toxicities of ...

https://acsjournals.onlinelibrary.wiley.com/doi/full/10.3322/caac.21184

May resume therapy once prednisone dose is ≤7.5 mg/day or its equivalent. If symptoms worsen or if presenting with severe reaction (eg. Stevens Johnson syndrome, toxic epidermal necrolysis),...

Cited by: 304 Author: Grace K. Dv. Alex A. Adjei

Publish Year: 2013

Search Tools

Turn off Hover Translation (关闭取词)

激活 Windows 转到"设置"以激活 Windows。

Treatments for EGFR-mutant non-small cell lung cancer ... https://www.sciencedirect.com/science/article/pii/S0163725817300153

13-Aug-2021 11:55AM

16%

Name of Journal: World Journal of Clinical Cases

Manuscript NO: 67848

Manuscript Type: CASE REPORT

Successful treatment after toxic epidermal necrolysis induced by AZD-9291 in a patient with non-small cell lung cancer: A case report

Li W et al. Toxic epidermal necrolysis AZD-9291 non-small cell lung cancer

Wen Li, Xiang He, Hui Liu, Hui-Min Zhang





Successful treatment after toxic epidermal necrolysis induced by A.





Q

ALL

IMAGES

VIDEOS

5.640 Results

Any time ▼

A case report of toxic epidermal necrolysis associated ...

https://www.dovepress.com/a-case-report-of-toxic... -

Jul 11, 2018 · A case report of toxic epidermal necrolysis associated with AZD-9291 Jie Wang, XianYe Cheng, Yan Lu, BingRong Zhou Department of Dermatology, The First Affiliated Hospital of Nanjing Medical University, Nanjing, Jiangsu, The People's Republic of China Abstract: Epidermal growth factor receptor-tyrosine kinase inhibitors (EGFR-TKIs) are a strain of small molecule inhibitors ...

Cited by: 7 Author: Jie Wang, XianYe Cheng, Yan Lu, BingRo...

Publish Year: 2018

Osimertinib-Associated Toxic Epidermal Necrolysis in a ...

https://www.mdpi.com/1648-9144/56/8/403/htm -

Toxic epidermal necrolysis (TEN) and Stevens-Johnson syndrome (SJS) are life-threatening dermatologic adverse events in the same category, caused by a delayed-type drug hypersensitivity reaction. Although skin toxicity is common during treatment with epidermal growth factor receptor tyrosine kinase inhibitors (EGFR-TKIs), osimertinib-associated TEN is quite rare—thus far, only one report....

[PDF] 7 Case Report Pembrolizumab-induced autoimmune ...

https://tcr.amegroups.com/article/download/53734/pdf

in lung cancer treatment and other malignancies (1). Case Report Pembrolizumab-induced autoimmune Stevens-Johnson syndrome/toxic epidermal necrolysis with myositis and myocarditis in a patient with esophagogastric junction carcinoma: a case report Jiashun Cao1#^A, Qiu Li2#, Xiuyi Zhi1, Fan Yang 1, Weipeng Zhu, Ting Zhou, Xianming Hou1...

Author: Jiashun Cao, Qiu Li, Xiuyi Zhi, Fan Yan... Publish Year: 2021

Sparrho | L718Q mutation as new mechanism of acquired ...