

6,170 Results

#### Clinical Practice and Cases in Emergency Medicine

https://escholarship.org/uc/uciem\_cpcem/3/2 -

De Garengeot hernias, defined as a femoral hernia containing the appendix, are rare. It is even uncommon to have an incarcerated de Garengeot hernia with associated acute appendicitis. We report a case of a 76-year-old female presenting to the emergency department for a right lower quadrant abdominal mass for four days.

#### CPC-EM: Volume 3 Issue 2 Archives - The Western Journal of ...

https://westjem.com/cpc-em-volume-3-issue-2 •

De Garengeot hernias, defined as a femoral hernia containing the appendix, are rare. It is even uncommon to have an incarcerated de Garengeot hernia with associated acute appendicitis. We report a case of a 76-year-old female presenting to the emergency department for a right lower quadrant abdominal mass for four days.

### (PDF) Acute Pyogenic Inguinal Abscess from Complex Soft ...

https://www.researchgate.net/publication/262268004...

hip arthroplasty (THA) because of avascular necrosis of the ... carcinoma in inguinal hernia: Case report. ... we present only the fourth published case of prospective CT diagnosis of de Garengeot ... Estimated Reading Time: 6 mins


## Maydl hernia | Radiology Reference Article | Radiopaedia.org

https://radiopaedia.org/articles/maydl-hernia-1 •

Maydl hernias (alternative plural: herniae) are defined as the presence of two small bowel loops within a single hernial sac, that is, there are two efferent and two afferent loops of bowel, forming a "W" shape. Hence sometimes known as a W hernia or a hernia-in-W.. This type of hernia is more prone to strangulation and necrosis. The intervening intra-abdominal loop is also at risk of a closed ...

### Neonatal appendicitis: Ischemic infarction in incarcerated ...

https://www.sciencedirect.com/science/article/pii/S0022346878800165



De Garengeot hernia with avascular necrosis of the appendix: A cas







ALL

IMAGES

VIDEOS

6,130 Results

Any time ▼

## Littré meets de garengeot: meckel's diverticulum and ...

https://www.ncbi.nlm.nih.gov/sites/ppmc/articles/PMC4188338

Littre's and de Garengeot hernias are rare operative findings, the former describing the presence of a Meckel's diverticulum in a hernia sac and the latter describing the presence of the vermiform appendix in a femoral hernia. The finding ...

## [PDF] Hérnia de garengeot com apendicite secundária à ...

https://www.semanticscholar.org/paper/Hérnia-de...

De Garengeot hernia is defined by the presence of a femoral hernia with incarceration of the appendix. Appendix endometriosis is an uncommon association, whereby diagnosis is almost always obtained through the anatomopathological analysis of the surgical piece. We report the case of a 38 year old female patient that presented with abdominal pain, hyporexia, nausea and subfebrile spikes upon

## [PDF] De Garengeot's Hernia: A rare presentation of an ...

https://www.semanticscholar.org/paper/De-Garengeot...

Introduction: De Garengeot's hernia; the presence of a vermiform appendix in the femoral hernia sac, is a rare occurrence. Due to the paucity of cases and no large case series yet published, the incidence of De Garengeot's hernia is reported between 0.5–5%. Femoral hernias account for less than 5% of all groin hernias and are three times more common amongst females and amongst the elderly.

## [PDF] Femoral hernia with vermiform appendix herniation: a ... https://pdfs.semanticscholar.org/f644/d5889cc10aadba75916879b024d0ff40bd83.pdf

We report about a case of a femoral hernia with vermiform appendix herniation presenting without abdominal pain and bowel symptoms. Femoral appendix hernia was first described by Rene Jacques de Garengeot in 1731 [de Garengeot hernia (GH)] and is a rare clinical finding [3]. This condition has been reported in literature, primarily in the form ...

# Inflamed appendix in a femoral hernial sac: de Garengeot's ... https://read.gxmd.com/read/19225856 •

Croissant de Garengeot's hernia is defined as the presence of an appendix in the femoral hernial sac. It is rare and occurs mostly in females. We report this hernia in a male patient along with the surgical management and review of literature.