60743_Auto_EditedC.docx

Quotes Included Bibliography Included

7% SIMILAR

Name of Journal: World Journal of Clinical Cases

Manuscript NO: 60743

Manuscript Type: CASE REPORT

Madelung disease: A case report

Chen KK et al. Clinical case report

Ke-Ke Chen, Lian-Song Ni, Wei-Hui Yu

Abstract

BACKGROUND

Madelung disease (MD) is a rare disorder of fat metabolism, resulting in diffuse, symmetrical and painless deposition of adipose tissue in subcutaneous superficial fascial space and/or deep fascia space of the head, neck and shoulders, etc.

Match Overview Be litt Crossref Posted Content 23 words 1% Shang-Ling Wu, Yan-Bin Ye, Long-Yun Peng, Yu-Ming Chen et al. "Greater Adherence to Dietary Guidelines were Associ Crossref 22 words 1% Emilie Capel, Camille Vatier, Pascale Cervera, Tanya Stojko vic et al. "MFN2 -associated lipomatosis, clinical spectrum ... Internet 21 words 1% crawled on 15-Sep-2020 www.frontiersin.org Crossref 20 words 1% Mark Oette, Marvin J. Stone, Hendrik P. N. Scholl, Peter C ... arbel Issa et al. "Chapter 6893 Macular Dystrophy with Fleck Crossref 19 words 1% Shao-Chen Wan, Man-Hsu Huang, Cherng-Kang Perng, V. n-Chieh Liao "Madelung Disease", Annals of Plastic Surger Internet 10 words 1% crawled on 12-Jan-2021 www.wjgnet.com Internet 9 words 1% crawled on 18-Oct-2020 br.123dok.com

It was first described in the late 19th century by Otto Wilhelm Madelung, a German physician who published a **report of 30 consecutive cases of deep fatty infiltration around the neck**.(1) Since then, reports of **approximately 200 cases have been published**, most **occurring in European countries that border the Mediterranean Sea**.(2) The first case in China was reported in 1992.(3)

Madelung's disease: a case report. - Free Online Library

www.thefreelibrary.com/Madelung%27s+disease%3a+a+case+report.-a0157438...

Was this helpful?

===



[PDF] Madelung's disease: a case report and literature review

https://www.scielo.br/pdf/rb/v45n2/en_v45n2a15.pdf

Madelung's disease is characterized by the presence of symmetric masses of adipose tissue on the neck, shoulders, arms and the upper trunk. Computed tomography demonstrates characteristic imaging findings, and it is considered to be the method of choice for diagnosis, pre-operative staging, and postoperative follow-up. The authors report the case

Madelung's disease and pulmonary aspergillosis: a case ...

https://cardiothoracicsurgery.biomedcentral.com/... ▼

May 25, 2020 · Background. Multiple symmetric lipomatosis (MSL), also called **Madelung**'s **disease** (MD), is a rare **disorder** of fat metabolism, which is characterized by progressive, symmetric deposition of non-enveloped adipose tissue between superficial and deep fascia in typical locations [1]. Pulmonary aspergillosis (PA) is caused by a variety of Aspergilli which is a king of opportunistic pathogen.

Author: Weijiang Ma, Xilong Zhao, Xu Li, Chenxi ... Publish Year: 2020







b Chat with Bing

Madelung disease (MD), a rarely reported disease, also known as benign symmetric lipomatosis, a disorder resulting from alcoholic abuse. It's largely under-recognized and under-reported, possibly because of unawareness of the condition by physicians.

Madelung disease: A case report : Medicine

MT journals.lww.com/md-journal/Fulltext/2019/01180/Madelung_disease__A_case...

Was this helpful?

Madelung disease: A case report : Medicine

https://journals.lww.com/md-journal/Fulltext/2019/...

Madelung disease (MD), a rarely reported disease, also known as benign symmetric lipomatosis, a disorder resulting from alcoholic abuse. It's largely under-recognized and under-reported, possibly because of unawareness of the condition by physicians.

[PDF] Madelung's disease: a case report and literature review

https://www.scielo.br/pdf/rb/v45n2/en_v45n2a15.pdf

Madelung's disease is characterized by the presence of symmetric masses of adipose tissue on the neck, shoulders, arms and the upper trunk. Computed tomography demonstrates characteristic imaging findings, and it is considered to be the method of choice for diagnosis, pre-operative staging, and postoperative follow-up. The authors report the case

(PDF) Madelung's disease: A case report and literature review

https://www.researchgate.net/publication/262471145...

Madelung's disease is characterized by the presence of symmetric masses of adipose tissue on the neck, shoulders, arms and the upper trunk. Computed tomography demonstrates characteristic imaging...

Madelung's disease and pulmonary aspergillosis: a case ...

https://cardiothoracicsurgery.biomedcentral.com/... •

May 25, 2020 · Background. Multiple symmetric lipomatosis (MSL), also called Madelung's disease (MD), is a rare disorder of fat metabolism, which is characterized by progressive, symmetric deposition of nonenveloped adipose tissue between superficial and deep fascia in typical locations [1]. Pulmonary aspergillosis (PA) is caused by a variety of Aspergilli which is a king of opportunistic pathogen. Author: Weijiang Ma, Xilong Zhao, Xu Li, Chenxi ... Publish Year: 2020

Madelung's disease: a case report. - Free Online Library

https://www.thefreelibrary.com/Madelung's+disease... •

7 rows · Sep 01, 1994 · It was first described in the late 19th century by Otto Wilhelm Madelung, a German physician who ...

Author:	Norem-Coker, Julia E.; Bryan,	
Publication:	Journal of Family Practice	
Date:	Sep 1, 1994	
Words:	1635	

See all 7 rows on www.thefreelibrary.com

Madelung's Disease: Case Report and Discussion of ...

https://www.ncbi.nlm.nih.gov/pubmed/?term=11192032

Madelung's disease was first described in 1846. Since then, approximately 200 patients have been reported in the literature. Its three main characteristics-typical location of the lesions, symmetry, and the diffusive nature of the fat-are more often found in men of Mediterranean descent. A clear ass

Cited by: 31 Author: Ciro Adamo, Giuseppina Vescio, Massimili... Publish Year: 2001

[PDF] Madelung's disease: a case report and literature review*

https://www.scielo.br/pdf/rb/v43n4/en_v43n4a14.pdf

The authors report the case of a patient with Madelung's disease, which is clinically described as the presence of multiple and symmetric non-encapsulated masses of fatty tissue, usually involving the neck and the upper region of the trunk.

Related searches for Madelung disease: A case report

madelung disease pictures madelung disease treatment madelung s madelung disease radiology

madelung's disease inheritance

madelung's disease symptoms

madelung neck

madelung's disease mayo clinic

1 2 3 4 5

Benign symmetric lipomatosis

Skin Condition

Benign symmetric lipomatosis is a skin condition characterized by extensive symmetric fat deposits in the head, neck, and shoulder girdle area. The German surgeon Otto Wilhelm Madelung was the first to give a detailed description of the disorder. This condition is very rare, with an estimated incidence rate of 1 in 25,000, and affects males up to 30 times more frequently than females.

W Wikipedia


Data from: Wikipedia Suggest an edit

Search Tools

Turn off Hover Translation (关闭取词)

Help

Advertise



Feedback

Madelung disease: A case report : Medicine

https://journals.lww.com/md-journal/Fulltext/2019/...

Madelung disease (MD), a rarely reported disease, also known as benign symmetric lipomatosis, a disorder resulting from alcoholic abuse. It's largely under-recognized and under-reported,...

[PDF] Madelung's disease: a case report and literature review*

https://www.scielo.br/pdf/rb/v43n4/en_v43n4a14.pdf

by Otto W. **Madelung** in 1888. In 1898, Launois and Bensaude concluded the de-scription of the syndrome, naming it "mul-tiple symmetrical adenolipomatosis". About 200 **cases** of this **disease**...

Madelung's disease and pulmonary aspergillosis: a case ...

https://cardiothoracicsurgery.biomedcentral.com/... •

May 25, 2020 · Background. Multiple symmetric lipomatosis (MSL), also called **Madelung**'s **disease** (MD), is a rare **disorder** of fat metabolism, which is characterized by progressive,...