

Cervicogenic Headache | Request PDF

https://www.researchgate.net/publication/43340272_Cervicogenic_Headache

Therefore, the Chinese Association for the Study of Pain organized a meeting of pain management experts and created an expert consensus on the diagnosis and treatment of cervicogenic headache

Cervicogenic headache: A review of diagnostic and ...

<https://www.researchgate.net/publication/7814390...>

The Chinese Association for the Study of Pain (CASP): Expert Consensus on the Cervicogenic Headache ... a multidisciplinary expert panel. The guideline development and revision include an ...

ACR Appropriateness Criteria ® Cervical Neck Pain or ...

<https://pubmed.ncbi.nlm.nih.gov/31054759>

Nontraumatic neck pain is a leading cause of disability, with nearly 50% of individuals experiencing ongoing or recurrent symptoms. Radiographs are appropriate as initial imaging for cervical or neck pain in the absence of "red flag" symptoms or if there are unchanging chronic symptoms; however, spondylotic changes are commonly identified and may result in both false-positive and false ...

Cited by: 4

Author: Expert Panel on Neurological Imaging, M...

Publish Year: 2019

Neck Pain: Revision 2017: Clinical Practice Guidelines ...

<https://www.jospt.org/doi/full/10.2519/jospt.2017.0302>

Apr 21, 2012 · Neck pain with headaches (cervicogenic headache) Neck pain with radiating pain (radicular) ... Summary of guideline recommendations available on www.orthopt ... In this large study, neck pain ranked 21st overall in global cause of disability-adjusted life years 144 and fourth overall in years lived with disability. 230 The 2013 data indicated a ...

Cited by: 100

Author: Peter R Blanpied, Anita R Gross, James ...

Publish Year: 2017

Clinical practice guidelines for treating headache with ...

<https://www.sciencedirect.com/science/article/pii/S0254627218306241>

Jun 01, 2018 · The ICC (95% CI) of the NICE headache guideline 33 (0.59, 0.23–0.81) — one of the two recommended guidelines — was the lowest of the eligible guidelines. The four appraisers had

NON-PHARMACOLOGICAL MANAGEMENT OF PERSISTENT ...
<https://chiro.org/Headache/Non-pharmacological...> ▾

OBJECTIVES: To develop an evidence-based guideline for the non-pharmacological management of persistent headaches associated with neck pain (i.e., tension-type or cervicogenic). METHODS: Thir...

Neck Pain: Revision 2017: Clinical Practice Guidelines ...
<https://www.jospt.org/doi/full/10.2519/jospt.2017.0302>

Apr 21, 2012 · Neck pain with headaches (cervicogenic headache) Neck pain with radiating pain (radicular) With recognition that these categories will not be exclusive or exhaustive, the assignation of +

Cited by: 221

Author: Peter R. Blanpied, Anita R. Gross, Jame...

Publish Year: 2017

ACR Appropriateness Criteria ® Cervical Neck Pain or ...
<https://pubmed.ncbi.nlm.nih.gov/31054759>

Nontraumatic neck pain is a leading cause of disability, with nearly 50% of individuals experiencing ongoing or recurrent symptoms. Radiographs are appropriate as initial imaging for cervical or neck pain +

Cited by: 4

Author: Expert Panel on Neurological Imaging, M...

Publish Year: 2019

Cervicogenic headache: an assessment of the evidence on ...
<https://www.researchgate.net/publication/26805893...>

Cervicogenic headache is characterised by pain referred to the head from the cervical spine.

Although the International Headache Society recognises this type of headache as a distinct... +

[PDF] Cervical Neck Pain or Cervical Radiculopathy
<https://acsearch.acr.org/docs/69426/Narrative>

the ©ACR Appropriateness Criteria topic on "Headache" [15]. The presence of clinical signs or symptoms suggesting meningitis, neck soft-tissue infection, or upper respiratory infection should be... +

Prevalence of cervicogenic headache: Vågå study of ...
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1600-0404.2007.00962.x>

Jan 31, 2008 · The Cervicogenic Headache International Study Group criteria include: (I) unilaterality of head pain, (II) reduction, range of movement, neck, (III/IV) ipsilateral shoulder/arm discomfort, (V/VI)... +

Cervicogenic headache (CEH) has been recognized as a unique category of headache

16

1	Crossed 130 words Kim Klossner, Joshua Pal, Zahid M. Bawa. "HEADACHES OTHER THAN MIGRAINE", <i>Etiology DV</i> , 2009	3%
2	Internet 110 words created on 12-May-2020 www.springer.com	3%
3	Internet 104 words created on 17-Jun-2020 onlinefirst.wiley.com	3%
4	Internet 90 words created on 20-May-2020 journal.nck.ckm.nih.gov	3%
5	Crossed 72 words "Fundamentals of Pain Medicine", Springer Science and Business Media LLC, 2019	2%
6	Crossed 55 words D BICKERD. "Neuroscience Disorders", <i>Key in Practical Management issues of Pain</i> , 2004	2%
7	Internet 27 words created on 24-Oct-2020 headachejournal.onlinefirst.wiley.com	1%
8	Crossed 21 words Xiaoping Pang, Chuyun Liu, Baoguo Peng. "Anterior Cranial Surgery for the Treatment of Cerebralgia"	1%
9	Crossed 11 words JAGADEESH. "HEADACHES OTHER THAN MIGRAINE", <i>Current Therapy in Pain</i> , 2009	<1%
10	Internet 11 words created on 19-Jun-2020	<1%

国内版 国际版

Expert panel's guideline on cervicogenic headache: The Chinese Ass



ALL

IMAGES

VIDEOS

699,000 Results

Any time ▼

Cervicogenic Headache: Diagnostic Criteria

<https://www.researchgate.net/publication/228003303...>

The Cervicogenic Headache International Study Group (CHISG) classifies CGHA as side-locked head pain worsened by neck movement or sustained improper positioning, restricted cervical range of ...

Neck Pain: Revision 2017: Clinical Practice Guidelines ...

<https://www.jospt.org/doi/full/10.2519/jospt.2017.0302>

Apr 21, 2012 · Neck pain with headaches (cervicogenic headache) Neck pain with radiating pain (radicular) With recognition that these categories will not be exclusive or exhaustive, the assignment of an individual patient into the category that "best fits" the patient's current clinical picture relies on clinical reasoning and judgment of the clinician.

Cited by: 221

Author: Peter R. Blanpied, Anita R. Gross, Jame...

Publish Year: 2017

(PDF) Dose Response for Chiropractic Care of Chronic ...

https://www.academia.edu/14943240/Dose_Response... ▼

DOSE RESPONSE FOR CHIROPRACTIC CARE OF CHRONIC CERVICOGENIC HEADACHE AND ASSOCIATED NECK PAIN: A RANDOMIZED PILOT STUDY Mitchell Haas, DC,^a Elyse Group, PhD,^a Mikel Aickin, PhD,^b Alisa Fairweather, MPH,^a Bonnie Ganger,^a Michael Attwood,^c Cathy Cummins, DC,^d and Laura Baffes, DC^d ABSTRACT Objective: To acquire information for designing a large clinical trial ...

ACR Appropriateness Criteria ® Cervical Neck Pain or ...

<https://pubmed.ncbi.nlm.nih.gov/31054759>

Nontraumatic neck pain is a leading cause of disability, with nearly 50% of individuals experiencing ongoing or recurrent symptoms. Radiographs are appropriate as initial imaging for cervical or neck pain in the absence of "red flag" symptoms or if there are unchanging chronic symptoms; however, spondylotic changes are commonly identified and may result in both false-positive and false ...

Cited by: 4

Author: Expert Panel on Neurological Imaging, M...

Publish Year: 2019

Prevalence of cervicogenic headache: Vågå study of ...

<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1600-0404.2007.00062.x>