

学术搜索

找到约 1,730 条结果 (用时0.13秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯**Transarterial therapy for hepatocellular carcinoma: which technique is more effective? A systematic review of cohort and randomized studies**

L Marelli, R Stigliano, C Triantos, M Senzolo... - Cardiovascular and ... , 2007 - Springer

... CP, Wong WK, Chan MK, Lo HY, Lam WM (2000) A randomized clinical trial comparing autologous blood ... trial of targeted chemotherapy with lipiodol and 5-epidoxorubicin compared with symptomatic ... DC, Yu JC, Liu YC, Chang TM, Shen KL (2004) Comparison of transcatheter ...

被引用次数: 538 相关文章 所有 17 个版本 引用 保存

vipvrach.ru 中的 [PDF]

Transarterial chemoembolization for unresectable hepatocellular carcinoma: meta-analysis of randomized controlled trials 1

C Cammà, F Schepis, A Orlando, M Albanese... - Radiology, 2002 - pubs.rsna.org

... study as a distinct analytic unit, it was not possible for the meta-regression analysis to directly compare the benefit of ... Future RCTs in which TACE is compared with no treatment by using quality-assurance measures to document adherence to ... the odds ratio for each comparison. ...

被引用次数: 642 相关文章 所有 7 个版本 引用 保存

rsna.org 中的 [HTML]

Systematic review of randomized trials for unresectable hepatocellular carcinoma: chemoembolization improves survival

JM Llovet, J Bruix - Hepatology, 2003 - Wiley Online Library

... Arterial embolization improved 2-year survival compared with control (odds ratio [OR ... has been questionable until now,3,4 we only included studies comparing treatment versus ... In the case of trials assessing percutaneous treatments or embolization, comparison with suboptimal ...

被引用次数: 2058 相关文章 所有 8 个版本 引用 保存

wiley.com 中的 [PDF]

[HTML] Systematic review: evidence - based management of hepatocellular carcinoma—an updated analysis of randomized controlled trials

PM Lopez, A Villanueva... - Alimentary pharmacology & ... , 2006 - Wiley Online Library

... in the type of tumours detected and the medical interventions potentially effective for them. ... results obtained in the setting of cohort studies are clearly better compared with the ... Characteristics: we included studies comparing two or more active antitumoral treatments, treatment vs. ...

被引用次数: 276 相关文章 所有 6 个版本 引用 保存

wiley.com 中的 [HTML]

Systematic review and meta - analysis of survival and disease recurrence after radiofrequency ablation for hepatocellular carcinoma

L Tiong, GJ Maddern - British Journal of Surgery, 2011 - Wiley Online Library

... with HCC who were treated with RFA, either in comparison or in ... Table 6. Recurrence rates in randomized trials comparing radiofrequency ablation with radiofrequency ablation plus

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19616

Manuscript Type: ORIGINAL ARTICLE

Meta-Analysis

Radiofrequency ablation with or without transarterial chemoembolization for hepatocellular carcinoma: A systematic review and meta-analysis

Hu MZ *et al.* RFA with or without TACE for HCC

Ming-Zheng Hu, Shao-Fang Li

Ming-Zheng Hu, Shao-Fang Li, Institute of Hepatopancreatobiliary Surgery, Yichang Central People's Hospital, China Three Gorges University, Yichang 443000, Hubei Province, China

Shao-Fang Li Department of Gastroenterology, Zhijiang People's Hospital

Match Overview

1	Internet 120 words crawled on 01-Nov-2015 www.wjgnet.com	2%
2	CrossCheck 23 words Jia-Yi Dong. "Dietary glycaemic index and glycaemic load in relation to the risk of type 2 diabetes: a meta-analysis of ..."	<1%
3	Internet 21 words crawled on 11-May-2013 www.ncbi.nlm.nih.gov	<1%

学术搜索

找到约 2,390 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Systematic review and meta - analysis of survival and disease recurrence after radiofrequency ablation for hepatocellular carcinomaL Tiong, GJ Madder - *British Journal of Surgery*, 2011 - Wiley Online Library

... treatable with RFA in the past, whereas physicians can now ablate tumours of ... quarter, 2010) using the search terms in Table1 without language restriction ... 6. Recurrence rates in randomized trials comparing radiofrequency ablation with radiofrequency ablation plus transarterial ...

被引用次数: 158 相关文章 所有 6 个版本 引用 保存

Transarterial therapy for hepatocellular carcinoma: which technique is more effective? A systematic review of cohort and randomized studiesL Marelli, R Stigliano, C Triantos, M Senzolo... - *Cardiovascular and ...*, 2007 - Springer

... There is no evidence for benefit with lipiodol. ... of transarterial chemoembolization in patients with inoperable hepatocellular carcinoma eligible for radiofrequency ablation. ... carcinoma undergoing transcatheter arterial chemoembolization with or without prophylactic antibiotic ...

被引用次数: 581 相关文章 所有 19 个版本 引用 保存

The current role of radiofrequency ablation in the management of hepatocellular carcinoma: a systematic reviewWY Lau, ECH Lai - *Annals of surgery*, 2009 - journals.lww.com

... and PubMed databases for articles from January 1997 to April 2008 using the keywords radiofrequency ablation, HCC, and ablation of HCC. ... PEI regimens and with high-dose PEI regimens, and showed RFA required fewer treatment sessions to completely ablate tumors. ...

被引用次数: 270 相关文章 所有 6 个版本 引用 保存

Systematic review of randomized trials for unresectable hepatocellular carcinoma: chemoembolization improves survivalJM Llovet, J Bruix - *Hepatology*, 2003 - Wiley Online Library

... Sensitivity analyses were performed to assess the type of embolization with or without chemo-therapy, the quality profile, the effect in studies including a control group of conservative management, discarding suboptimal ... Treatment Arms (No. ... Radiofrequency ablation (36) ...

被引用次数: 2139 相关文章 所有 8 个版本 引用 保存

Systematic review: evidence - based management of hepatocellular carcinoma—an updated

vipvrach.ru 中的 [PDF]

wiley.com 中的 [PDF]

wiley.com 中的 [HTML]

[网页](#) [图片](#) [视频](#) [新闻](#) [购物](#) [更多](#) [搜索工具](#)

找到约 34,500 条结果 (用时 0.65 秒)

Google 学术 : Radiofrequency ablation with or without transarterial chemoembolization for hepatocellular carcinoma: A systematic review and meta-analysis

... radiofrequency ablation for hepatocellular carcinoma - Tiong - 被引用次数 : 159

Transarterial therapy for hepatocellular carcinoma: ... - Marelli - 被引用次数 : 584

... of hepatocellular carcinoma: a systematic review - Lau - 被引用次数 : 270

Transarterial Chemoembolization in Combination with Local ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... [翻译此页](#)

作者 : M Liao - 2013 - 被引用次数 : 28 - 相关文章

2013年7月3日 - Meta-analysis of RCTs showed that the combination of TACE and PEI ((RR) 1 - year=1.10, ... with Local Therapies for Hepatocellular Carcinoma: A Meta-Analysis ... carcinoma (HCC) when combined with radiofrequency ablation (RFA), ... Items for Systematic Reviews and Meta-Analyses) statement[5].

Meta-analysis of radiofrequency ablation in combination ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) [翻译此页](#)

作者 : JY Ni - 2013 - 被引用次数 : 45 - 相关文章

2013年6月28日 - Meta-analysis of radiofrequency ablation in combination with transarterial chemoembolization for hepatocellular carcinoma ... Hepatocellular carcinoma (HCC) is one of the most common malignancies. ... Abstracts, letters, reviews without original data, expert opinions, editorials, case reports and studies ...

Transarterial Chemoembolization in Combination with Local ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) [翻译此页](#)

作者 : M Liao - 2013 - 被引用次数 : 28 - 相关文章