

Name of Journal: World Journal of Meta-Analysis

ESPS Manuscript NO: 23547

Manuscript Type: Meta-Analysis

<sup>2</sup> CT fluoroscopy guided percutaneous lung biopsy for ground-glass opacity pulmonary lesions: A meta-analysis

Gao-Wu Yan, Gao-Wen Yan, Qin-Quan Sun, Xiang-Ke Niu, Bing Li, Anup Bhetuwal, Xiao-Xue Xu, Yong Du, Han-Feng Yang

Abstract

AIM: To obtain the <sup>12</sup> diagnostic performance of percutaneous transthoracic

### Match Overview

1	CrossCheck 54 words Hou, D. "CT fluoroscopy-guided cutting needle biopsy for focal pure ground-glass opacity lung lesions. Diagnostic yi	1%
2	Internet 38 words created on 25-Nov-2008 www.ejonline.org	1%
3	Internet 28 words created on 21-Jan-2010 dns2.asia.edu.tw	1%
4	CrossCheck 21 words Xu, X.-D., B. Li, H.-F. Yang, Y. Du, Y. Li, W.-X. Wang, H.-J. Zheng, and Q.-Y. Gong. "Can diffusion-weighted imaging b	1%
5	CrossCheck 20 words Liao, Qilin, Peiyu Han, Yue Huang, Zhikang Wu, Gang Chen, Shanshan Li, Jideng Ye, and Xianbo Yu. "Potential Ri	1%
6	CrossCheck 16 words Q. Zhou. "Diagnostic value of N-terminal pro-brain natriu...tic peptide for pleural effusion due to heart failure: a meta-	<1%
7	CrossCheck 16 words Zhang, Chenpeng, Jianjun Liu, Jinku Tong, Xiaoguang Sun, Shaoli Song, and Gang Huang. "18F-FDG-PET evaluation	<1%
8	CrossCheck 15 words Li, Dandan, Bo Wang, Qianjing Hu, Yongchun Shen, Dan Xu, Tao Wang, and Fuqiang Wen. "Diagnostic accuracy	<1%



Diagnostic accuracy of percutaneous lung biopsy under CT fluoroscopy gui



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 13,000 条结果 (用时 0.78 秒)

### PubMed Result

[www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...](http://www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...) - 翻译此页

Diagnostic accuracy of CT fluoroscopy-guided needle aspiration biopsy of ground-glass opacity pulmonary lesions. ... needle for tissue-core biopsy of lung nodules under CT fluoroscopic guidance. ... Meta-analysis of CT-guided transthoracic needle biopsy for the evaluation of the ground-glass opacity pulmonary lesions.

### Meta-analysis of CT-guided transthoracic needle biopsy for ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - 翻译此页

2014年8月28日 - This meta-analysis is to determine the overall diagnostic yield of CT-guided transthoracic needle biopsy (TNB) of ground-glass opacity (GGO) lesions. .... Quality assessment of diagnostic accuracy studies criteria for included studies: .... of percutaneous core needle lung biopsy under multi-CT fluoroscopic ...

### Diagnostic performance of percutaneous lung biopsy using ...

[www.researchgate.net/.../235405781\\_Diagnostic\\_performance\\_...](http://www.researchgate.net/.../235405781_Diagnostic_performance_...) - 翻译此页

Diagnostic performance of percutaneous lung biopsy using automated biopsy needles under CT-fluoroscopic guidance for ground-glass opacity lesions on ... guidance for a GGO lesion provides a high degree of diagnostic accuracy but is less ... Article: Meta-analysis of CT-Guided Transthoracic Needle Biopsy for the ...

### Percutaneous computed tomography-guided lung biopsy of ...

[www.cancerjournal.net/article.asp?issn=0973...11;...](http://www.cancerjournal.net/article.asp?issn=0973...11;...) - 翻译此页

5 天前 - Keywords: Computed tomography, ground-glass opacity, needle biopsy ... Percutaneous biopsy of pulmonary nodules has been established as a safe diagnostic ... It is known that percutaneous CT-guided core biopsy is an accurate diagnostic ... tomography in small lung adenocarcinoma: A meta-analysis.

### Meta-analysis of CT-guided transthoracic needle biopsy for ...

[www.pubfacts.com/.../Meta-analysis-of-CT-guided-transthoraci...](http://www.pubfacts.com/.../Meta-analysis-of-CT-guided-transthoraci...) ▾ 翻译此页

This meta-analysis is to determine the overall diagnostic yield of CT-guided ... needle biopsy for the evaluation of the ground-glass opacity pulmonary lesions. ... Percutaneous computed tomography-guided coaxial core biopsy for small pulmonary ... lung biopsy under multi-CT fluoroscopic guidance for ground-glass opacity

[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 7,590 条结果 (用时 0.75 秒)

## Google 学术: CT fluoroscopy guided percutaneous lung biopsy for ground-glass opacity pulmonary lesions: A meta-analysis

... of CT-guided percutaneous needle aspiration biopsy ... - Li - 被引用次数: 407

... lung cancer: systematic review and meta-analysis - Steinfert - 被引用次数: 145

... images for ground glass opacity pulmonary lesions - Izumo - 被引用次数: 22

## Meta-analysis of CT-guided transthoracic needle biopsy for ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

2014年8月28日 - Owing to the prevalence of lung cancer screening with low-dose CT, an increase in ... CT-guided core biopsy in 76-year-old male with ground-glass opacity (GGO) ..... accuracy of CT-guided percutaneous biopsies of pulmonary lesions. ... fluoroscopic guidance for ground-glass opacity pulmonary lesions.

## PubMed Result

[www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...](http://www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...) - [翻译此页](#)

... performance of percutaneous core needle lung biopsy under multi-CT fluoroscopic guidance for ground-glass opacity pulmonary lesions. .... Meta-analysis of CT-guided transthoracic needle biopsy for the evaluation of the ground-glass ...

## PubMed Result

[www.ncbi.nlm.nih.gov/pubmed?cmd=Link...pubmed...](http://www.ncbi.nlm.nih.gov/pubmed?cmd=Link...pubmed...) - [翻译此页](#)

... Wei-Min M, Zhi-Qiang H. Percutaneous computed tomography-guided lung biopsy of ... of CT fluoroscopy-guided needle aspiration biopsy of ground-glass opacity ... core biopsy of pulmonary nodules smaller than 1 cm: analysis of outcomes of ... Meta-analysis of CT-guided transthoracic needle biopsy for the evaluation of ...



[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 7,470 条结果 (用时 0.59 秒)

## Google 学术: CT fluoroscopy guided percutaneous lung biopsy for ground-glass opacity pulmonary lesions: A meta-analysis

... of CT-guided percutaneous needle aspiration biopsy ... - Li - 被引用次数: 407

... lung cancer: systematic review and meta-analysis - Steinfert - 被引用次数: 145

... [images for ground glass opacity pulmonary lesions](#) - Izumo - 被引用次数: 22

## Meta-analysis of CT-guided transthoracic needle biopsy for ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

2014年8月28日 - Owing to the prevalence of lung cancer screening with low-dose CT, an increase in ... CT-guided core biopsy in 76-year-old male with ground-glass opacity (GGO) ..... accuracy of CT-guided percutaneous biopsies of pulmonary lesions. ... fluoroscopic guidance for ground-glass opacity pulmonary lesions.

## PubMed Result

[www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...](http://www.ncbi.nlm.nih.gov/pubmed?cmd=Link&dbFrom...) - [翻译此页](#)

... performance of percutaneous core needle lung biopsy under multi-CT fluoroscopic guidance for ground-glass opacity pulmonary lesions. ... Meta-analysis of CT-guided transthoracic needle biopsy for the evaluation of the ground-glass ...

## PubMed Result

[www.ncbi.nlm.nih.gov/pubmed?cmd=Link...pubmed...](http://www.ncbi.nlm.nih.gov/pubmed?cmd=Link...pubmed...) - [翻译此页](#)

... Wei-Min M, Zhi-Qiang H. Percutaneous computed tomography-guided lung biopsy of ... of CT fluoroscopy-guided needle aspiration biopsy of ground-glass opacity ... core biopsy of pulmonary nodules smaller than 1 cm: analysis of outcomes of ... Meta-analysis of CT-guided transthoracic needle biopsy for the evaluation of ...