

Name of Journal: *World Journal of Meta-Analysis*

ESPS Manuscript NO: 26306

Manuscript Type: Systematic Reviews

Isolated hepatic perfusion for unresectable hepatic malignancies: A systematic review and meta-Analysis

Tian Meng, Guan-Qiao Li, Meng-Hua Dai

Match Overview

- | | | |
|---|--|-----|
| 1 | CrossCheck 59 words Chan, Daniel L., Nayef A. Alzahrani, David L. Morris, and Terence C. Chua. "Systematic review and meta-analysis | 1% |
| 2 | CrossCheck 28 words Yamamoto, Maki, and Jonathan S. Zager. "Isolated hepatic perfusion for metastatic melanoma : Hepatic Perfus ... | 1% |
| 3 | CrossCheck 24 words Ge, Yi-Rui, Nong Tian, Yan Lu, Yong Wu, Qin-Rui Hu, and Zheng-Ping Huang. "Occupational Cooking and Risk ... | 1% |
| 4 | CrossCheck 16 words Su-Pin Choo. "Hepatic artery infusion in the treatment of colorectal cancer metastases", <i>Current Colorectal Canc</i> | <1% |
| 5 | CrossCheck 16 words Olofsson, R., C. Cahlin, C. All-Ericsson, F. Hashimi, J. Mattsson, M. Rizell, and P. Lindnér. "Isolated Hepatic Perf | <1% |
| 6 | CrossCheck 12 words Magge, Deepa, Haroon A. Choudry, Herbert J. Zeh, Diana E. Cunningham, Jennifer Steel, Matthew P. Holtzman, | <1% |



学术搜索

找到约 1,890 条结果 (用时0.08秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

Local recurrence after hepatic radiofrequency coagulation: multivariate meta-analysis and review of contributing factors

S Mulier, Y Ni, J Jamart, T Ruers, G Marchal... - Annals of ..., 2005 - journals.lww.com

Advertisement. Close Window. Close Window. Enter your Email address: Wolters Kluwer Health may email you for journal alerts and information, but is committed to maintaining your privacy and will not share your personal information without your express consent. ...

被引用次数: 554 相关文章 所有 20 个版本 引用

Isolated hepatic perfusion for unresectable hepatic metastases from colorectal cancer

DL Bartlett, SK Libutti, WD Figg, DL Fraker... - Surgery, 2001 - Elsevier

... 20 Although isolated hepatic perfusion (IHP) was first used clinically almost 40 years ago, 21 in ... its safety and efficacy, we have previously demonstrated that complete vascular isolation of the ... for this research protocol were considered to have life-limiting hepatic replacement by ...

被引用次数: 121 相关文章 所有 8 个版本 引用

Percutaneous local ablative therapy for hepatocellular carcinoma: a review and look into the future

WY Lau, TWT Leung, CH Simon, SKW Ho - Annals of surgery, 2003 - journals.lww.com

... for patients with small HCC (<5 cm) confined to the liver that is unresectable due to ... ablative therapy, it does not cause significant damage to the surrounding uninvolved hepatic parenchyma. There are also advantages for treating HCC rather than liver metastasis with ethanol. ...

被引用次数: 360 相关文章 所有 8 个版本 引用

Current status of isolated hepatic perfusion with or without tumor necrosis factor for the treatment of unresectable cancers confined to liver

HR Alexander, DL Bartlett, SK Libutti - The oncologist, 2000 - AlphaMed Press

... Hepatic cryosurgery. Surg Clin North Am 1989;69:433-440. ... High-dose recombinant tumor necrosis factor alpha in combination with interferon gamma and melphalan in isolation perfusion of the

☐ 包括专利

☐ 包含引用

Articles

Case law

My library

Any time

Since 2016

Since 2015

Since 2012

Custom range...

Sort by relevance

Sort by date

☒ include patents☒ include citations☐ Create alert**Local recurrence after hepatic radiofrequency coagulation: multivariate meta-analysis and review of contributing factors**S Mulier, Y Ni, J Jamart, T Ruers, G Marchal... - *Annals of ...*, 2005 - journals.lww.com

Advertisement. Close Window. Close Window. Enter your Email address: Wolters Kluwer Health may email you for journal alerts and information, but is committed to maintaining your privacy and will not share your personal information without your express consent. ...

Cited by 545 Related articles All 20 versions Cite Save

[PDF] from surgery-michel.com

Isolated hepatic perfusion for unresectable hepatic metastases from colorectal cancerDL Bartlett, SK Libutti, WD Figg, DL Fraker... - *Surgery*, 2001 - Elsevier

... 20 Although **isolated hepatic perfusion** (IHP) was first used clinically almost 40 years ago, 21 in ... its safety and efficacy, we have previously demonstrated that complete vascular **isolation** of the ... for this research protocol were considered to have life-limiting **hepatic** replacement by ...

Cited by 121 Related articles All 8 versions Cite Save

Percutaneous local ablative therapy for hepatocellular carcinoma: a review and look into the futureWY Lau, TWT Leung, CH Simon, SKW Ho - *Annals of surgery*, 2003 - journals.lww.com

... for patients with small HCC (<5 cm) confined to the **liver** that is **unresectable** due to ... ablative therapy, it does not cause significant damage to the surrounding uninvolved **hepatic** parenchyma. There are also advantages for treating HCC rather than **liver** metastasis with ethanol. ...

Cited by 359 Related articles All 8 versions Cite Save

[PDF] from researchgate.net

Current status of isolated hepatic perfusion with or without tumor necrosis factor for the treatment of unresectable cancers confined to liverHR Alexander, DL Bartlett, SK Libutti - *The oncologist*, 2000 - AlphaMed Press

... **Hepatic** cryosurgery. *Surg Clin North Am* 1989;69:433-440. ... High-dose recombinant **tumor** necrosis factor alpha in combination with interferon gamma and melphalan in **isolation perfusion** of the limbs for melanoma and sarcoma. ... **Isolated limb perfusion** for **malignant** melanoma. ...

Cited by 53 Related articles All 7 versions Cite Save

[HTML] from alphamedpress.org

An update on hepatic arterial infusion chemotherapy for colorectal cancerAD Cohen, NE Kemeny - *The Oncologist*, 2003 - AlphaMed Press

[HTML] from alphamedpress.org

全部

图片

新闻

视频

更多 ▾

搜索工具

找到约 43,300 条结果 (用时 0.57 秒)

Google 学术: Isolated hepatic perfusion for unresectable hepatic malignancies: A systematic review and meta-analysis

... meta-analysis and review of contributing factors - Mulier - 被引用次数: 554

Isolated hepatic perfusion for unresectable hepatic ... - Bartlett - 被引用次数: 121

... ablative therapy for hepatocellular carcinoma: a review ... - Lau - 被引用次数: 360

Isolated hepatic perfusion for patients with liver metastases - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: SK Reddy - 2014 - 被引用次数: 6 - 相关文章

Keywords: colorectal cancer liver metastases, isolated hepatic perfusion, ... In these cases, systemic chemotherapy is often the only pursued treatment alternative. ... Recent meta-analyses on transarterial chemoembolization show partial response ... safety and efficacy of IHP for unresectable liver malignancies [Lebhati et al.

Isolated Hypoxic Hepatic Perfusion with Retrograde Outflow in ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: C Verhoef - 2008 - 被引用次数: 19 - 相关文章

2008年2月1日 - Isolated hepatic perfusion with high-dose chemotherapy is a treatment ... Local and systemic melphalan concentrations were determined. ... 50–60% of colorectal cancer patients will develop liver metastases ... of survival was demonstrated by HAI in a meta-analysis.7–9 Please review our privacy policy.

Surgical Oncology - 第 609 页 - Google 图书结果

<https://books.google.com.hk/books?isbn=9350250519> - 翻译此页

David L Bartlett, Pragatheeshwar Thirunavukarasu, Matthew D Neal. - 2011 - Medical