



All

Images

Videos

翻译成中文

关闭取词

10,800 Results

Any time ▾

Hepatitis B Reactivation in Patients With Previous ...

ascopubs.org/doi/10.1200/JCO.2014.56.7081

Abstract. The cumulative rates of **HBV reactivation** at 6 months, 1 year, and 2 years were 22.6%, 29.3%, and 41.5%, respectively (Fig 2 A). Nineteen patients (30.2%) developed **HBV reactivation** (Table 2) at a median of 23 weeks (range, 4 to 100 weeks) after commencement of rituximab-containing regimens.

Cited by: 162

Author: Wai-Kay Seto, Thomas S.Y. Chan, Yu-Ya...

Publish Year: 2014

Hepatitis B reactivation in the setting of chemotherapy ...

www.ncbi.nlm.nih.gov > ... > [World J Hepatol](http://WorldJHepatol) > v.7(7); 2015 May 8

May 08, 2015 · In HBsAg negative, anti-HBc positive patients: Sero-reversion (or reverse seroconversion) is the redevelopment hepatitis B surface antigenemia, HBV DNA viremia with or without hepatitis as a result of reactivation of "occult" infection triggered by chemotherapy or immunosuppression[17].

Cited by: 18

Author: Venessa Pattullo

Publish Year: 2015

Risk of hepatitis B reactivation in hepatitis B surface ...

<https://onlinelibrary.wiley.com/doi/10.1111/tid.13009>

Hepatitis B virus reactivation is possible in patients with chronic or past HBV infection and can be mild and asymptomatic or severe, leading to liver failure or hepatocellular carcinoma. 5 Possible sources of HBV detection in hepatitis B surface antigen (HBsAg)-negative patients are reactivation of previous HBV infection, 6 transmission from occult HBV donors, or transmission after KT through sexual contact or ...

Author: Sara Querido, André Weigert, Teresa ...

Publish Year: 2019

Reactivation of hepatitis B associated with ...

<https://www.sciencedirect.com/science/article/pii/S2387020618305448>

Although the risk of reactivation of hepatitis B in patients treated with immunosuppressants has

10

Name of Journal: *World Journal of Meta-Analysis*

Manuscript NO: 47232

Manuscript Type: REVIEW

Hepatitis B reactivation in patients with Hepatitis B core antibody positive and surface antigen negative on immunosuppressants

Wu CC ¹ *et al.* Hepatitis B reactivation in patients with previous hepatitis B exposure on immunosuppressants

Clement Chun-Ho Wu, Rajneesh Kumar

Abstract

Hepatitis B viral (HBV) reactivation in the immunosuppressed is a significant

Match Overview

1	Internet 68 words crawled on 11-Jul-2018 www.annalsgastro.gr	2%
2	Crossref 40 words Rohit Loomba, T. Jake Liang. "Hepatitis B Reactivation Associated With Immune Suppressive and Biological M ..."	1%
3	Internet 28 words crawled on 11-Apr-2019 aasldpubs.onlinelibrary.wiley.com	1%
4	Crossref 24 words Wei Ping Liu, Xiu Bin Xiao, Mei Xue, Gui Qiang Wang, Xia o Pei Wang, Yuqin Song, Jun Zhu. "Prophylactic use of e"	1%
5	Internet 18 words crawled on 24-Mar-2019 onlinelibrary.wiley.com	1%
6	Internet 16 words crawled on 08-Oct-2015 www.gastro.org	<1%
7	Crossref 14 words Yu Xuan Koo. "Risk of hepatitis B virus (HBV) reactivation in hepatitis B surface antigen negative/hepatitis B core a"	<1%
8	Crossref 14 words Chun-Jen Liu. "Hepatitis B virus reactivation in patients r eceiving cancer chemotherapy; natural history, pathoge ..."	<1%
9	Internet 14 words crawled on 24-Jan-2019 www.clinmed.rcpjournal.org	<1%
10	Internet 14 words crawled on 17-Aug-2015 www.wjgnet.com	<1%
11	Internet 13 words crawled on 09-Oct-2017 wp.vcu.edu	<1%



All

Images

Videos

翻译成中文

关闭取词

29,800 Results

Any time ▾

Hepatitis B Virus Reactivation in a Surface Antigen ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2699087>

However, its use has been implicated in HBV reactivation that's related with the immunosuppressive effects of rituximab. Although the majority of reactivations occur in hepatitis B carriers, a few cases of reactivation have been reported in HBsAg negative patients.

Cited by: 15

Author: Eui Bae Kim, Dae Sik Kim, Seh Jong P...

Publish Year: 2008

Role of surface antibody in hepatitis B reactivation in ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/abs/10.1002/hep.29082>

Jan 27, 2017 - Because of conflicting studies about whether the antibody to hepatitis B surface antigen (anti-HBs) protects against reactivation in patients with resolved infection (hepatitis B surface antigen negative) receiving chemotherapy for hematological malignancies, we conducted a meta-analysis to determine if anti-HBs reduces HBV reactivation risk.

Cited by: 26

Author: Sonali Paul, Aaron Dickstein, Akriti Sax...

Publish Year: 2017

Management of hepatitis B reactivation in patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3437537>

In patients with negative HBV surface antigen (HBsAg) and positive antibody to HBV core antigen (anti-HBc), HBV reactivation, termed de novo hepatitis, is defined as HBsAg reappearance with threefold elevated ALT on two consecutive tests 5 days apart and accompanied by an increase in HBV DNA to more than 10⁵ copies/ml [Hui et al. 2006].

Cited by: 13

Author: Yi-Wen Huang, Raymond T. Chung

Publish Year: 2012

Risk of hepatitis B reactivation in hepatitis B surface ...

<https://onlinelibrary.wiley.com/doi/10.1111/tid.13009>

Patients unveiling serologic evidence of past HBV infection (HBsAg negative, hepatitis B core antibody [anti-HBc] positive) are at risk for HBV reactivation after immunosuppressive therapies.

Author: Sara Querido, André Weigert, Teres...

Publish Year: 2019

[PDF] Hepatitis B reactivation in patients with multiple ...

[annalsofhepatology.com/revista/numeros/2014/HP144-17b-Hepatitis B \(F_110614M\)_PROTEGIDO...](https://annalsofhepatology.com/revista/numeros/2014/HP144-17b-Hepatitis-B-(F_110614M)_PROTEGIDO...)

Hepatitis B virus (HBV) reactivation is a well-established complication of severe immunosuppression in patients with hematologic malignancy and positive hepatitis B surface antigen (HBsAg).

Published

in: Annals of Hepatology - 2014

Authors: