

全部

新闻

图片

购物

地图

更多

设置

工具

找到约 21,100 条结果 (用时 0.58 秒)

Abstracts 2011 - ECCO IBD

<https://www.ecco-ibd.eu/publications/congress-abstract.../abstracts-2011.html> ▾ 翻译此页

The **first** experience in marked mesenchymal stromal cell in Crohn's disease · P079 ... Risk factors and impact of **Clostridium difficile infection** in acute severe colitis ... **in children** with Crohn's disease: Results **from the** Belgian **Pediatric** Crohn's agents in **patients** with inflammatory bowel disease: A **report** of 19 **cases** · P221 ...

Management of acute diarrhea in children: Lessons learned | Request ...

https://www.researchgate.net/.../14782736_Management_of_acute_diarrhea_... - 翻译此页

Reported attack rates in developing countries range from 1 to **12** episodes ... Management of acute diarrhea **in children: Lessons learned** ... in The **Pediatric Infectious** Disease Journal **12**(1):5-9 · February 1993 with 19 Reads ... Guidelines for **case** management call for **patient** assessment. ... Birger C Forsberg; Jill W. Åhs.

ACG 2016 - eventScribe

<https://www.eventscribe.com/2016/ACG/aaSearchByPosterSpeakerABC.asp?...> ▾ 翻译此页

We encourage you to plan ahead and get to your sessions **early**. Joel(P337) A **Case Report** of Herpes Esophagitis in an **Immunocompetent Patient** with Fecal Microbiota Transplantation **in Children** with **Recurrent C. difficile Infections** El Douaihy, Youssef(P272) A Tale of a 4-year-old Biliary Stent: **Lessons** to **Learn** ...

Norovirus - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4284304/> ▾ 翻译此页

作者: E Robilotti - 2015 - 被引用次数: 211 - 相关文章

Twelve allogeneic HSCT recipients with norovirus infection had onset of ... Four **patients** also had **Clostridium difficile infection**, but diarrhea persisted after treatment. ... In the 4 **pediatric cases reported**, the serum transaminase levels peaked a **Lessons learned** from a review of the **first** outbreak were used to develop ...

Diagnosis and Treatment of Gastrointestinal Disorders in Patients With ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3800204/> ▾ 翻译此页

作者: S AGARWAL - 2013 - 被引用次数: 134 - 相关文章

2018年2月12日 Other GI manifestations reported in **patients** with IgA deficiency include ... Cases with

Match Overview

1	Internet 16 words crawled on 09-May-2019 link.springer.com	1%
2	Crossref 14 words Pant, Chaitanya, Abhishek Deshpande, Muhammad A. Altaf , Anil Minocha, and Thomas J. Sferri. "Clostridium difficil...	1%
3	Crossref 14 words David J Nusbaum, Fengzhu Sun, Jie Ren, Zifan Zhu et al. " Gut microbial and metabolomic profiles after fecal micro...	1%
4	Internet 13 words crawled on 03-Aug-2015 digitalcommons.butler.edu	1%

Name of Journal: *World Journal of Meta-Analysis*

Manuscript NO: 48415

Manuscript Type: SYSTEMATIC REVIEW

**Pediatric recurrent *Clostridium difficile* infections in immunocompetent children:
Lessons learned from case reports of the first twelve consecutive patients**

Chu A *et al.* Recurrent *clostridium difficile* in children

Angela Chu, Sonia Michail

Abstract

BACKGROUND

Recurrent *Clostridium difficile* infection (CDI) in children can be difficult to manage and

国内版

国际版

Pediatric recurrent Clostridium difficile infections in immunocompetent children: L



All

Images

Videos

翻译成中文

关闭取词

13,300 Results

Any time ▼

Clinical Infectious Diseases - Journals - NCBI

<https://www.ncbi.nlm.nih.gov/labs/journals/clin-infect-dis> ▼

We retrospectively studied **vancomycin taper and pulse treatment** on 100 consecutive, **evaluable patients with recurrent Clostridium difficile infection**. Following taper to once-daily vancomycin dosing, 22 of 36 patients (61%) who received every-other ...

2015 National Teaching Institute Evidence-Based Solutions ...

ccn.aacnjournals.org/content/35/2/e18.full

By averaging the new case rates before and after the intervention, it was found that rates of **Clostridium difficile infection** had decreased 33%, **methicillin-resistant Staphylococcus aureus infection** had decreased 36%, and rates of **infection with vancomycin-resistant enterococci** had decreased 38% in the past 9 months.

(PDF) Fecal Microbiota Transplantation for Recurrent ...

https://www.researchgate.net/publication/329580313_Fecal_Microbiota_Transplantation...

Fecal Microbiota Transplantation for Recurrent Clostridium difficile Infection and Other Conditions in Children: A Joint Position Paper From the North American Society for Pediatric ...

2019 update of the WSES guidelines for management of ...

<https://link.springer.com/article/10.1186/s13017-019-0228-3> ▼

In another retrospective study of 507 patients , 13 of 119 patients (10.9%) with a previous appendectomy required **colectomy** compared to 20 of 388 patients (5.2%) with an intact appendix developing **fulminant infection** and requiring **colectomy and increased disease** severity, indicated by **increased rates** of colectomy, occurred in the group with a history of appendectomy ($p = 0.03$).

Author: Massimo Sartelli, Stefano Di Bella, Ly... **Publish Year:** 2019

The Burden and Impact of Antibiotic Prescribing in ...

<https://www.sciencedirect.com/science/article/pii/S1538544218301044>

Introduction. Concern for **infection** is one of the top three reasons that **children** and adolescents are seen by a physician in clinic, accounting for 37 million, or about 20%, of all clinic visits. 1 Young **children** have higher rates of antibiotic prescription than any other cohort of the population. 2 The discovery of antibiotics was one of the most impactful medical advances for the health of ...

Cited by: 1

Author: Alexandra B. Yonts, Matthew P. Kronman...

Publish Year: 2018