



Noninvasive imaging assessment of non-alcoholic fatty liver disease: Foc



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 88,100 条结果 (用时 0.65 秒)

Google 学术: Noninvasive imaging assessment of non-alcoholic fatty liver disease: Focus on liver scintigraphy

Non-invasive assessment and quantification of liver ... - Schwenzer - 被引用次数: 292

... disease in patients with nonalcoholic fatty liver disease - Targher - 被引用次数: 619

Nonalcoholic fatty liver disease - Angulo - 被引用次数: 3922

Could quantitative liver function tests gain wide acceptance ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: G Tarantino - 2009 - 被引用次数: 14 - 相关文章

2009年7月28日 - Keywords: Chronic diseases, Fatty liver, Hepatitis, viral, Liver ... with liver cirrhosis, chronic viral hepatitis and non-alcoholic liver disease ... Nuclear imaging plays a determinant role in assessing liver function, although it is expensive. Liver scintigraphy (SPECT) might be a promising noninvasive tool in ...

Non-invasive assessment and quantification of liver ...

www.elsevier.es/es-revista-articulo-non-invasive-assessment-a... - 翻译此页

Non-invasive assessment and quantification of liver steatosis by ultrasound, computed ... with fatty liver are alcoholic liver disease (ALD) and non-alcoholic fatty liver This article will focus on different imaging modalities (ultrasound, computed ... ultrasound and scintigraphy in the diagnosis of alcoholic liver disease.

[PDF] Noninvasive assessment of liver steatosis using ultrasoun...

medultrason.ro/assets/Magazines/Medultrason.../08-Lupsor.pdf ▾ 翻译此页

作者: M Lupşor-Platon - 相关文章

Ultrasonography (US) is one of the noninvasive imaging techniques used in the diagnosis of steatosis. We will ... in those who are not consumers (nonalcoholic fatty liver disease



assessment of non-alcoholic fatty liver disease: Focus on liver scintigraphy



网页 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 88,200 条结果 (用时 0.79 秒)

Google 学术 : Noninvasive imaging assessment of non-alcoholic fatty liver disease: Focus on liver scintigraphy

Non-invasive assessment and quantification of liver ... - Schwenzer - 被引用次数 : 292
... disease in patients with nonalcoholic fatty liver disease - Targher - 被引用次数 : 621
Nonalcoholic fatty liver disease - Angulo - 被引用次数 : 3926

Could quantitative liver function tests gain wide acceptance ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : G Tarantino - 2009 - 被引用次数 : 14 - 相关文章

2009年7月28日 - Keywords: Chronic diseases, Fatty liver, Hepatitis, viral, Liver ... with liver cirrhosis, chronic viral hepatitis and non-alcoholic liver disease ... Nuclear imaging plays a determinant role in assessing liver function, although it is expensive. Liver scintigraphy (SPECT) might be a promising noninvasive tool in ...

[PDF] Hepatobiliary function assessed by 99m Tc-mebrofenin ...

www.researchgate.net/...assessed...cholescintigraphy...steatosis... ▾ 翻译此页

作者 : RL Veteläinen - 2006 - 被引用次数 : 19 - 相关文章

non-invasive assessment of hepatobiliary function by 99mTc-mebrofenin ...
scintigraphy – Steatosis – Liver function – Inflammation. Eur J Nucl Med Mol Imaging ...

Non-invasive assessment and quantification of liver ...

www.elsevier.es/es-revista---articulo-non-invasive-assessment-a... - 翻译此页

Non-invasive assessment and quantification of liver steatosis by ultrasound, computed ... with fatty liver are alcoholic liver disease (ALD) and non-alcoholic fatty liver This article will focus on different imaging modalities (ultrasound, computed ultrasound and scintigraphy in the diagnosis of alcoholic liver disease.