

## Match Overview

[x] [y]

1	Crystal/Chaplin (10 words) Lent, Daniel, Fleming, Campbell, Frank, Campbell, Leland and Daniel Fleming, International Law, International Law, International Law	2%
2	Publications (10 words) Publications, Publications, Publications, Publications, Publications, Publications, Publications, Publications, Publications, Publications	1%
3	Crystal/Chaplin (10 words) Publications, Publications, Publications, Publications, Publications, Publications, Publications, Publications, Publications, Publications	1%

Name of journal: World Journal of Gastroenterology

ESPN Manuscript NO: 14910

Column: CASE REPORT

**Aplastic anemia and severe pancytopenia during treatment with peg-interferon, ribavirin and telaprevir for chronic hepatitis C**

Sabela Lave, Jose L. Calleja, Ana Campillo, Jose A. Carrion, Teresa Broquetas, Christine Poveda, Juan de la Revilla, Zoe Martin, Maria-Carolina Londero, Jose M. Sanchez-Tapias, Alvaro Urbano, Xavier Forts

### Abstract

Telaprevir and Boceprevir are the first direct acting antivirals approved for chronic hepatitis C in combination with peginterferon alpha and ribavirin. Pancytopenia due to myelotoxicity caused by these drugs may occur but severe



Aplastic anemia and severe pancytopenia during treatment with peginterferon, ▾



学术搜索

获得 10 条结果 (用时0.05秒)

我的著作引用情况

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[\[HTML\] Anemia during treatment with peginterferon Alfa - 2b/ribavirin and boceprevir: Analysis from the serine protease inhibitor therapy 2 \(SPRINT - 2\) trial](#)[wiley.com 中的 \[HTML\]](#)[MS Sulkowski, F Poordad, MP Manns... - ..., 2013 - Wiley Online Library](#)

... The SVR rate was similar (70%-74%) for **anemic** patients regardless of the approach used to ...  
One case of pure red blood cell **aplasia** (PRCA) occurred in a 56-year-old Caucasian ... BOC/PR  
and received high-dose EPO (40,000 units TIW) for **treatment-emergent anemia** (Hb nadir ...

被引用次数: 62 相关文章 所有 6 个版本 引用 保存

[Critical review of the use of erythropoietin in the treatment of anaemia during therapy for chronic hepatitis C](#)[researchgate.net 中的 \[PDF\]](#)[..., B Helbling, M Heim, A Geier, C Hirschi... - ... of viral hepatitis, 2012 - Wiley Online Library](#)

... Hb concentration or volume of packed red cells in the blood' (<http://www.anemia.org/professionals> ...  
addition of **telaprevir** increased the rate of **anaemia** from 17% to 27% (4% **severe**), while  
**boceprevir**, in ... **Anaemia** as a possible predictive marker of SVR, however, was not analysed ...

被引用次数: 11 相关文章 所有 8 个版本 引用 保存

[Hematologic manifestations of liver disease](#)[PW Marks - Seminars in hematology, 2013 - Elsevier](#)

... Although this **hepatitis** associated with subsequent **severe aplastic anemia** most commonly occurs  
in young ... It is most commonly observed in conjunction with other cytopenias (**anemia**,  
thrombocytopenia, or **pancytopenia**) and may be attributable to **severe** portal hypertension ...

被引用次数: 4 相关文章 所有 5 个版本 引用 保存

[DGI-063 Study of the Use and Effectiveness of Daptomycin in a Tertiary Hospital](#)[MB Molina, IR Pedrosa, JN Casariego... - European Journal of ..., 2013 - ejhp.bmj.com](#)

... **peginterferon** alfa and **ribavirin**) has increased the number, type and **severity** of adverse ... Underlying  
diseases: **aplastic anaemia** (3), lymphocytic leukaemia (4), myeloblastic leu- kaemia (1), Hodgkin's ...  
antibiotic **treatment** (32%) or due to side effects (39% **anaemia** with linezolid ...

引用 保存

[Tina H. Park, MD](#)[SP Daily Essentials: The 5 Minute Consult Clinical Companion to ... 2013 - books.google.com](#)



[网页](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 12,200 条结果 (用时 1.06 秒)

显示的是以下查询字词的结果：[Aplastic anemia and severe pancytopenia during treatment with peginterferon, ribavirin and telaprevir for chronic hepatitis C](#)

仍然搜索：[Aplastic anemia and severe pancytopenia during treatment with peg-interferon, ribavirin and telaprevir for chronic hepatitis C](#)

Google 学术：[Aplastic anemia and severe pancytopenia during treatment with peginterferon, ribavirin and telaprevir for chronic hepatitis C](#)

... [during treatment with peginterferon Alfa-2b/ribavirin](#) ... - [Sulkowski](#) - 被引用次数：  
62

... [in the treatment of anaemia during therapy for chronic](#) ... - [Stickel](#) - 被引用次数：11  
[Hematologic manifestations of liver disease](#) - [Marks](#) - 被引用次数：5

[A SPECIAL MEETING REVIEW EDITION: Advances in the ...](#)

[www.ncbi.nlm.nih.gov](#) > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

[Sofosbuvir Plus Ribavirin Demonstrates Significant Efficacy in Multiple HCV](#)

[Genotype ... 100% SVR24 Rate in Genotype 1 Patients Who Fail Telaprevir or](#)

[Boceprevir ..... peginterferon/ribavirin for treatment of chronic HCV genotype-1](#)

[infection in .... Aplastic anemia and pancytopenia developed in 1 patient in the 4-drug](#)  
[arm.](#)

[Ribavirin - FDA prescribing information, side effects and uses](#)

[www.drugs.com](#) > [Professionals](#) > [FDA PI](#) ▾ [翻译此页](#)

[Ribavirin](#) monotherapy is not effective for the [treatment](#) of [chronic hepatitis C virus](#) .....  
[in](#) initiating [treatment](#) [in](#) any patient with baseline risk of [severe](#) anemia (e.g., ... be  
discontinued for [pancytopenia](#), and pegylated [interferon/Ribavirin](#) should not ...  
[rheumatoid arthritis](#)), [peripheral neuropathy](#), [aplastic anemia](#), [peptic ulcer](#), ...