

1

Name of journal: *World Journal of Gastroenterology***ESPS Manuscript NO:** 15682**Columns:** ORIGINAL ARTICLE**Retrospective Study**

2

Needle-knife fistulotomy vs double-guidewire technique in patients with repetitive unintentional pancreatic cannulations**Kim** SJ *et al.* NKF or DGT for repetitive pancreatic cannulations

8

Su Jin Kim, Dae Hwan Kang, Hyung Wook Kim, Choel Woong Choi, Su Bum Park, Byeong Jun Song, Young Mi Hong

8

Su Jin Kim, Dae Hwan Kang, Hyung Wook Kim, Choel Woong Choi, Su Bum Park, Byeong Jun Song, Young Mi Hong, Department of Internal Medicine, Pusan National University School of Medicine and Research Institute for Convergence of Biomedical Science and Technology, Pusan National University Yangsan Hospital, Yangsan 626-770, South Korea

13

Match Overview

1	Internet 172 words crawled on 08-Jan-2015 www.wjnet.com	3%
2	Internet 99 words crawled on 19-Dec-2014 journals.lww.com	2%
3	CrossCheck 66 words "UEG Week 2013 Poster Presentations", United European Gastroenterology Journal, 2013.	1%
4	CrossCheck 45 words Tham, T.C.K., "Needle-knife sphincterotomy and post-ERCP pancreatitis: time to lower the threshold for the needle?"	1%
5	CrossCheck 45 words Choi, Cheol W., Dae H. Kang, Hyung W. Kim, Su B. Park, Woo S. Jo, Geun A. Song, and Mong Cho. "Comparison of	1%
6	CrossCheck 43 words &NA, "Abstracts of Papers Submitted to the Joint 45th Meeting of the American Pancreatic Association and Japan ...	1%
7	Internet 30 words crawled on 15-Sep-2014 repositorium.sdum.uminho.pt	<1%
8	CrossCheck 29 words Jang, Hyung Ha, Dae Hwan Kang, Hyung Wook Kim, Choel Woong Choi, Soo Bum Park, Byung Jun Song, and Su Jin	<1%

CrossCheck 78 words



Needle-knife fistulotomy vs double-guidewire technique in patients with repe ▾



Scholar

1 result (0.05 sec)

Articles

Case law

My library

Any time

Since 2015

Since 2014

Since 2011

Custom range...

Sort by relevance

Sort by date

☒ include patents

☒ include citations

☐ Create alert

[CITATION] Comparison of Early **Needle-Knife Fistulotomy** and **Double-Guidewire Technique** in **Patients With Repetitive Unintentional Pancreatic Cannulations**

SJ Kim, DH Kang, HW Kim, CW Choi... - ..., 2014 - LIPPINCOTT WILLIAMS & WILKINS ...

[Cite](#) [Save](#)

☐ Create alert

[About Google Scholar](#)

[Privacy](#)

[Terms](#)

[Provide feedback](#)



technique in patients with repetitive unintentional pancreatic cannulations



网页 图片 视频 购物 新闻 更多 搜索工具

找到约 635 条结果 (用时 0.73 秒)

Endoscopic prevention of post-endoscopic retrograde ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : TH Lee - 2014 - 被引用次数 : 1 - 相关文章

2014年11月28日 - For prevention of severe PEP, **patient** risk stratification, appropriate use of early precut **fistulotomy or double-guidewire**-induced **cannulation** only In instances of **unintentional pancreatic** duct guidewire **cannulation**, ... In precut methods, various **techniques** including **needle-knife** sphincterotomy with or ...

Pancreatic duct guidewire placement for biliary cannulation ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - 翻译此页

作者 : D Xinopoulos - 2011 - 被引用次数 : 14 - 相关文章

2011年4月21日 - Pre-cut **technique** with **needle-knife** is reserved as the 3rd step in ... Biliary **cannulation** with the use of **double-guidewire technique**. ... **Unintentional** PD guidewire insertion after 5 attempts was documented in 112 **patients**. ... In 67 **patients** no CBD or PD **cannulation** was possible with the initial 5 attempts.

[PDF] Sequential algorithm analysis to facilitate selective biliary ...

www.biomedcentral.com/content/pdf/1471-230X-14-30.pdf - 翻译此页

作者 : TH Lee - 2014 - 相关文章

2014年2月17日 - Methods: This prospective clinical study enrolled 711 **patients** with naïve papillae at a tertiary referral center. If wire-guided ... **double-guidewire cannulation** (DGC) **technique**, and pre- cut after ... of papillary contact or **unintentional pancreatic** duct ... precut **fistulotomy** (infundibulotomy) using a **needle-knife**.

biliary cannulation Publications and Abstracts

www.pubfacts.com/search/biliary+cannulation - 翻译此页

The study was conducted prospectively in the **patients** with naive papillae, who ... **Needle-knife** precut papillotomy is the standard of care but is associated with a high