

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 15950

Columns: ORIGINAL ARTICLE

Clinical Trials Study

**Phase I trial of combination chemotherapy with gemcitabine, cisplatin, and
S-1 in patients with advanced biliary tract cancer**

Akinori Watanabe, Mitsuhiro Kida, Shiro Miyazawa, Tomohisa Iwai, Kosuke
Okuwaki, Toru Kaneko, Hiroshi Yamauchi, Miyoko Takezawa, Hiroshi

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|-----------|------------|
| 1 | CrossCheck Masashi Kanai, "Phase I trial of oral S-1 combined with gemcitabine and cisplatin for advanced biliary tract cancer (I..." | 233 words | 6% |
| 2 | CrossCheck G. A. Otterson, "A Phase I Clinical and Pharmacokinetic Study of Fenretinide Combined with Paclitaxel and Cisplatin ..." | 30 words | 1% |

[网页](#)[新闻](#)[图片](#)[视频](#)[更多](#)[搜索工具](#)

找到约 40,300 条结果 (用时 0.80 秒)

[A multi-institution phase II study of gemcitabine/cisplatin/S-1 ...](#)

[www.ncbi.nlm.nih.gov/pubmed/25477010](#) - [翻译此页](#)

作者: M Kanai - 2014 - [相关文章](#)

2014年12月5日 - 1. Cancer Chemother Pharmacol. 2015 Feb;75(2):293-300. doi: ...

A multi-institution **phase II** study of **gemcitabine/cisplatin/S-1** (GCS) **combination chemotherapy** for **patients with advanced biliary tract cancer** ... This study was registered with ClinicalTrials.gov (NCT01284413) and the UMIN Clinical Trials ...

[PubMed Result](#)

[www.ncbi.nlm.nih.gov/pubmed?itool...Abstract...](#) - [翻译此页](#)

1: Kanai M, Hatano E, Kobayashi S, Fujiwara Y, Sakai D, Kodama Y, Ajiki T, Nagano ... I trial of oral **S-1 combined** with **gemcitabine** and **cisplatin** for advanced biliary tract ... **combination chemotherapy** for **patients with advanced biliary tract cancer**. ...

Saisho H. **Phase I** trial of oral **S-1 combined** with **gemcitabine** in metastatic ...

[Current status of chemotherapy for the treatment of ...](#)

[www.ncbi.nlm.nih.gov](#) > ... > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: T Sasaki - 2013 - [被引用次数: 8](#) - [相关文章](#)

2013年8月14日 - **Biliary tract cancer** (BTC) includes intrahepatic

cholangiocarcinoma, ... Recently, reports concerning **chemotherapy** for **advanced** BTC in the ... **Phase II** studies of **gemcitabine** and **S-1** (GS) **combination** therapy A **phase II** trial of **S-1** and **cisplatin** in **patients** with metastatic or relapsed **biliary tract cancer**.

[Randomized phase II trial of S-1 and cisplatin versus ...](#)

[meetinglibrary.asco.org](#) > ... > [2010 ASCO Annual Meeting](#) - [翻译此页](#)

... trial of **S-1** and **cisplatin** versus **gemcitabine** and **cisplatin** in **advanced biliary tract** ... of **combination chemotherapy** with **S-1** and **cisplatin** (SP) versus **gemcitabine** and

[网页](#)[新闻](#)[购物](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 22,800 条结果 (用时 0.46 秒)

[A multi-institution phase II study of gemcitabine/cisplatin/S-1 ...](#)

www.ncbi.nlm.nih.gov/pubmed/25477010 - 翻译此页

作者：M Kanai - 2014 - [相关文章](#)

2014年12月5日 - 1. Cancer Chemother Pharmacol. 2015 Feb;75(2):293-300. doi: ... A multi-institution **phase II** study of **gemcitabine/cisplatin/S-1** (GCS) **combination chemotherapy** for **patients with advanced biliary tract cancer** ... This study was registered with ClinicalTrials.gov (NCT01284413) and the UMIN Clinical **Trials** ...

[Current status of chemotherapy for the treatment of ...](#)

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者：T Sasaki - 2013 - 被引用次数：8 - [相关文章](#)

2013年8月14日 - **Biliary tract cancer** (BTC) includes intrahepatic **cholangiocarcinoma**, ... Recently, reports concerning **chemotherapy** for **advanced** BTC in the ... **Phase II** studies of **gemcitabine** and **S-1** (GS) **combination** therapy A **phase II trial** of **S-1** and **cisplatin** in **patients** with metastatic or relapsed **biliary tract cancer**.

[Systemic Therapy for Biliary Tract Cancers - The Oncologist](#)

theoncologist.alphamedpress.org/content/13/4/415.full - 翻译此页

作者：AF Hezel - 2008 - 被引用次数：128 - [相关文章](#)

Three randomized **trials** have been conducted comparing **chemotherapy** regimens in BTC. **Gemcitabine** and **cisplatin** or oxaliplatin **combinations** in BTC have been **Phase II** study of **S-1** in **patients with advanced biliary tract cancer**.

[Gemcitabine/Cisplatin/S-1\(GCS\) Combination Therapy for ...](#)

<https://clinicaltrials.gov/ct2/show/NCT01284413> ▾ 翻译此页

2011年1月3日 - ... (NPRM) for FDAAA 801 and NIH Draft Reporting Policy for NIH-Funded **Trials** ... Biliary Tract Cancer, Drug: **S-1**, **Gemcitabine**, **Cisplatin**, **Phase 1** ...