iThenticate
15356-Review
4%

Name of journal: World Journal of Gastroenterology
ESPS Manuscript NO: 15356
Columns: ORIGINAL ARTICLE
Prospective Study

Risk of venous congestion in live donors of extended right liver graft

Arnold Radtke, George Sgourakis, Ernesto P Molmenti, Susanne Beckebaum, Vito E Cicinnati, Hartmut Schmidt, Heinz-Otto Peitgen, Christoph E Broelsch, Massimo Malagó, Tobias Schroeder

Abstract

AIM: To investigate middle hepatic vein (MHV) management in adult living donor liver transplantation (ALDLT) and safer remnant volumes (RV).

METHODS: There were 59 grafts with and 12 grafts without MHV (including 4 with

Match Overview
1 CrossCheck 3%
2 CrossCheck 1%
3 CrossCheck <1%
4 CrossCheck <1%

Google Risk of venous congestion in live donors of extended right liver graft

网页 图片 新闻 视频 更多 搜索工具

找到约 1,260,000 条结果 （用时 0.86 秒）

您是不是要找： Risk of venous congestion in ***liver*** donors of extended right liver graft

Google 学术：Risk of venous congestion in live donors of extended right liver graft

Congestion of right liver graft in living donor liver ... - Lee - 被引用次数：241

... living donor liver transplantation using extended right ... - Lo - 被引用次数：550

... living donor liver transplantation using a right hepatic ... - Wachs - 被引用次数：271

Hepatic vein anatomy of the medial segment for living donor ...

www.ncbi.nlm.nih.gov/pubmed/15776411 翻译此页

作者：S Hwang - 2005 - 被引用次数：36 - 相关文章

... segment for living donor liver transplantation using extended right lobe graft. ... To assess risk of hepatic venous congestion (HVC) in ERL donors, we tried to ...

Anterior segment congestion of a right liver lobe graft in ...

www.ncbi.nlm.nih.gov/pubmed/12918453 翻译此页

作者：S Lee - 2003 - 被引用次数：69 - 相关文章

Anterior segment congestion of a right liver lobe graft in living-donor liver ... However, the necessity of middle hepatic vein (MHV) outflow drainage from the ... in a right lobe graft is possible by two harvesting methods: an extended right lobe ... From the viewpoint of donor safety, the ERL graft increases the donor's risk more ...

Get PDF (238K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/lt.20387/pdf 翻译此页

Google

Risk of venous congestion in live donors of extended right liver graft

学术搜索

找到约 3,560 条结果 （用时0.14秒）

文章
我的图书馆

时间不限
2015以来
2014以来
2011以来
自定义范围...

按相关性排序
按日期排序

搜索所有网页
中文网页
英语网页

包括专利
包含引用

创建快讯

您是不是要找： Risk of venous congestion in ***liver*** donors of extended right liver graft

Congestion of right liver graft in living donor liver transplantation
SG Lee, KM Park, S Hwang, YJ Lee, DN Choi... - ..., 2001 - journals.lww.com
... right of the Cantlie line with an ultrasonic dissector and a bipolar electrocautery without vascular inflow occlusion. ... reported that ligation of the major hepatic veins does not pose any risk in patients ... of a right liver graft without MHV resulted in the isolation of venous tributaries from ...
被引用次数：242 相关文章 所有 6 个版本 引用 保存

Adult-to-adult living donor liver transplantation using extended right lobe grafts. nih.gov 中的 [PDF]
CM Lo, ST Fan, CL Liu, WI Wei, RJ Lo, CL Lai... - Annals of ..., 1997 - ncbi.nlm.nih.gov
... and were further coun- seled, with particular emphasis on all possible risks of the ... length of inflow and outflow vessels were required to facilitate subsequent vascular anastomosis. ... vein end-to-end anastomosis was performed without interruption of the portal venous bypass via ...
被引用次数：551 相关文章 所有 7 个版本 引用 保存

Adult living donor liver transplantation using a right hepatic lobe centerspan.org 中的 [PDF]
ME Wachs, TE Bak, FM Karrer, GT Everson... - ..., 1998 - journals.lww.com
... There is little concern about torsion of the hepatic venous outflow, as is the case when using a left-sided graft. ... required for a complete right or left lobectomy is the same, along Cantle's line, the risk of bleeding ... Capussotti L, Polastri R. Operative risks of major hepatic resections. ...
被引用次数：272 相关文章 所有 6 个版本 引用 保存

Extending the limit on the size of adult recipient in living donor liver transplantation using extended right lobe graft
CM Lo, ST Fan, CL Liu, RJW Lo, GKK Lau... - ..., 1997 - journals.lww.com
... the only source of grafts available to save these patients who otherwise would have no chance of survival (2, 3, 8, 9) . Although the ethical issues related to the risks and benefits ... in a life-and-death situation, it should not be the doctors who decide how much risk is too ...
被引用次数：152 相关文章 所有 5 个版本 引用 保存

[HTML] Vein reconstruction in modified right liver graft for living donor liver transplantation nih.gov 中的 [HTML]
Y Sugawara, M Makuuchi, K Sano, H Imamura... - Annals of ..., 2003 - ncbi.nlm.nih.gov
... 4. Postoperative Evaluation. Vascular flow in the graft or interposition vein patency was checked by Doppler ... reported that ligation of the major hepatic veins does not pose any risk for patients ... The use of a venous patch or a long anterior wall of the reconstructed hepatic vein may ...

https://scholar.google.com/scholar?cites=5447945446147605273&as_sdt=2005&sciodt=...