

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 14687

Columns: ORIGINAL ARTICLE

Retrospective Study

Proportions of acetyl-histone-positive hepatocytes indicate the functional status and prognosis of cirrhotic patients

Zhou P *et al.* Histone acetylation in cirrhotic liver

Ping Zhou, Jie Xia, Yong-Jie Zhou, Jun Wan, Li Li, Ji Bao, Yu-Jun Shi, Hong Bu

Ping Zhou, Jie Xia, Yong-Jie Zhou, Jun Wan, Li Li, Ji Bao, Yu-Jun Shi, Hong Bu,
Laboratory of Pathology, West China Hospital, Sichuan University, Chengdu 610041,
Sichuan Province, China

Ping Zhou, Hong Bu, Department of Pathology, West China Hospital, Sichuan

Match Overview

1	Internet 160 words crawled on 08-Jan-2015 www.wjgnet.com	3%
2	CrossCheck 46 words &NA: "Abstracts"; Journal of Thoracic Oncology, 06/2011	1%
3	CrossCheck 44 words "The 22nd Conference of the Asian Pacific Association ... r the Study of the Liver: APASL 2012—Taipei, Taiwan—	1%
4	CrossCheck 31 words "AASLD Abstracts", Hepatology, 2013.	1%
5	Publications 29 words "Study Findings on Gastroenterology Are Outlined in R ... ports from Sichuan University (Report)", Biotech Week, N	1%
6	Internet 28 words crawled on 14-Sep-2012 www.les.net.cn	1%
7	Internet 25 words crawled on 16-Oct-2014 www.science.gov	<1%
8	Internet 19 words crawled on 27-Jan-2015 doaj.org	<1%
9	CrossCheck 19 words "The 21st Conference of the Asian Pacific Association ...	<1%

[Web](#)[Images](#)[News](#)[Videos](#)[More ▼](#)[Search tools](#)

About 626,000 results (0.63 seconds)

Activation of Inactive Hepatocytes through Histone ...

www.ncbi.nlm.nih.gov › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) ▼by Y Shi - 2011 - [Cited by 8](#) - [Related articles](#)With the progression of **cirrhosis**, the ratio of the positive cells was gradually elevated,... of acetylated histones might represent the **functional status** of **hepatocytes**. ...Therefore, our data **indicate** a novel concept of "functional heterogeneity" of the**The Proportion of the Acetyl-Histone-Positive Hepatocytes** Gradually ...

Histone deacetylase inhibitor trichostatin a induces cell ...

onlinelibrary.wiley.com › ... › [Vol 103 Issue 5](#) › [Abstract](#) ▼by Y Yamashita - 2003 - [Cited by 153](#) - [Related articles](#)Dec 6, 2002 - Grant **Number**: 12411 ... TSA increased levels of **acetylated histones** H3and H4 in both ... Our results **indicate** that TSA can induce cell-cycle arrest/apoptosisand ... have been reported to maintain some mature **hepatocyte functions**.4,originate from liver **cirrhosis**, so **patients** generally have a multiplicity ...

article - Nature

www.nature.com › [Journal home](#) › [Archive](#) › [July 09 2012](#)by A Fernández-Alvarez - 2012 - [Cited by 7](#) - [Related articles](#)Jul 9, 2012 - We also examined the acetylation **status** of the COX-2 promoter and theeffects of ... hormones and other cellular stresses.¹ Adult **hepatocytes** fail to induceCOX-2 ... **Treatment** with demethylating agents or **histone** deacetylase in liver**cirrhosis** and chronic hepatitis from **patients** without concurrent HCC.

Wilms' Tumor 1 Gene Expression in Hepatocellular ...

cancerres.aacrjournals.org/content/69/4/1358.full ▼by MJ Perugoria - 2009 - [Cited by 25](#) - [Related articles](#)Feb 15, 2009 - In conclusion, WT1 is expressed in a substantial **proportion** of HCC ...of **hepatocytes** in patients with chronic hepatitis and significant fibrosis and, at high

levels, in the cirrhotic liver (9). ... and to the development of hepatic insufficiency in

cirrhotic patients (9). **Role** of WT1 in HCC cell growth and **survival**.

网页 图片 新闻 购物 视频 更多 搜索工具

找到约 514,000 条结果 (用时 0.55 秒)

Google 学术 : Proportions of acetyl-histone-positive hepatocytes indicate the functional status and prognosis of cirrhotic patients

Activation of inactive hepatocytes through histone ... - Shi - 被引用次数 : 8

Activation of Inactive Hepatocytes through Histone ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : Y Shi - 2011 - 被引用次数 : 8 - 相关文章

With the progression of cirrhosis, the ratio of the positive cells was gradually elevated, ... of acetylated histones might represent the functional status of hepatocytes.

Therefore, our data indicate a novel concept of "functional heterogeneity" of the The Proportion of the Acetyl-Histone-Positive Hepatocytes Gradually ...

[DOC] WJG-20-5951.doc - World Journal of Gastroenterology

www.wjgnet.com/1007-9327/pdf/v20/i20/5951.doc ▾ 翻译此页

作者 : T Pollicino - 2014 - 被引用次数 : 3 - 相关文章

2014年5月28日 - Accumulating evidence indicates that occult hepatitis B virus (HBV) infection ... Indeed, in OBI as in HBV-positive infection, HBV DNA can persist in the hepatocytes both by the acetylation status of viral cccDNA-bound H3/H4 histones. ... Among non-HCV infected patients, a large proportion of subjects ...

Wilms' Tumor 1 Gene Expression in Hepatocellular ...

cancerres.aacrjournals.org/content/69/4/1358.full ▾ 翻译此页

作者 : MJ Perugorria - 2009 - 被引用次数 : 25 - 相关文章

2009年2月15日 - In conclusion, WT1 is expressed in a substantial proportion of HCC contributing ... of hepatocytes in patients with chronic hepatitis and significant fibrosis and, ... and to the development of hepatic insufficiency in cirrhotic patients (9). ... a correlation between WT1 expression and patient survival, there are no ...

Histone deacetylase inhibitors for treatment of ...