

**Name of journal:** World Journal of Gastroenterology

**ESPS Manuscript NO:** 15043

**Columns:** Case Report

Reactive lymphoid hyperplasia of the liver: Perinodular enhancement in the arterial dominant phase on contrast-enhanced computerized tomography and magnetic resonance imaging

Tetsuo Sonomura, Shinpei Anami, Taizo Takeuchi, Motoki Nakai, Shinya

### Match Overview

- |   |  |    |
|---|--|----|
| 1 | <b>Internet</b> 22 words<br>crawled on 24-Nov-2013<br><a href="http://www.recentmedicalfindings.com">www.recentmedicalfindings.com</a>         | 1% |
| 2 | <b>CrossCheck</b> 19 words<br>Nobuyuki Kawai, "Interlocking Detachable Coil Embolization by Technique of Dumbbell-Shaped Framing and Filling a | 1% |
| 3 | <b>Internet</b> 17 words<br>crawled on 13-Jul-2013<br><a href="http://radiopaedia.org">radiopaedia.org</a>                                     | 1% |

找到约 691 条结果 (用时 0.94 秒)

您是不是要找: Reactive lymphoid hyperplasia of the liver: **Peri Nodular** enhancement in the arterial dominant phase on contrast-enhanced computerized tomography and magnetic resonance imaging

Pseudolymphoma of the liver associated with primary biliary ...  
[www.pubfacts.com/.../Pseudolymphoma-of-the-liver-associated...](#) ▾ 翻译此页  
Superparamagnetic iron oxide-enhanced MRI revealed another 4 mm ... in the late phase in computed tomography (CT) after injection of contrast medium. ... Reactive lymphoid hyperplasia of the liver: a case report and review of literature. ... and sometimes, perinodular enhancement was observed at the arterial dominant ...

WJSO | Full text | An operative case of hepatic ...  
[www.wjsoc.com/content/9/1/3](#) ▾ 翻译此页

作者: M Hayashi - 2011 - 被引用次数: 7 - 相关文章

2011年1月13日 - Imaging study using computed tomography and magnetic ... also termed as reactive lymphoid hyperplasia, or nodular lymphoid lesion, ... Contrast-enhanced CT scan during arterial phase showed minimally peripheral ring enhancement. ... MRI protocol not clearly visualized during arterial dominant phase ...

Multinodular pseudolymphoma of the liver: computed ...  
[www.researchgate.net/.../51609863\\_Multinodular\\_pseudolymph...](#) ▾ 翻译此页  
Computed tomography demonstrated multiple enhancing lesions in the both lobes of the liver, ... On magnetic resonance imaging, masses showed slight T1 and T2 ... the hepatobiliary phase of liver-specific contrast agent enhancement, lesions were ... The final pathological diagnosis was reactive lymphoid hyperplasia or ...



[网页](#) [图片](#) [视频](#) [购物](#) [新闻](#) [更多 ▾](#) [搜索工具](#)

找到约 251,000 条结果 (用时 0.17 秒)

### [WJSO | Full text | An operative case of hepatic ...](#)

[www.wjso.com/content/9/1/3](#) ▾ [翻译此页](#)作者：M Hayashi - 2011 - 被引用次数：7 - [相关文章](#)2011年1月13日 - Imaging study using **computed tomography** and magnetic ... also termed as **reactive lymphoid hyperplasia**, or **nodular** lymphoid lesion, ...**Contrast-enhanced CT** scan during **arterial phase** showed minimally peripheral ring **enhancement**. .... **MRI** protocol not clearly visualized during **arterial dominant phase** ...

### [\[PDF\] Cirrhosis: CT and MR imaging evaluation - ResearchGate](#)

[www.researchgate.net/...CT...imaging.../0c9605217b00c1502f...](#) ▾ [翻译此页](#)作者：G Brancatelli - 2007 - 被引用次数：76 - [相关文章](#)Keywords: **Liver**; Cirrhosis; **Computed tomography**; **Magnetic resonance imaging**. 1. .... and mimicking enlarged **lymph** nodes (Fig. 6). ... The phenomenon of segmental **hyperplasia** associated with atrophy of ... **Contrast-enhanced CT** scan shows ... **Arterial dominant phase** (not shown) failed to show **enhancement** of **nodule**.

### [Body MRI - Slideshare](#)

[www.slideshare.net/nyxdianagutierrez/body-mri](#)2014年8月14日 - Body **MRI** Evan S. Siegelman, MD Associate Professor of Radiology Chief, **MRI** ... tumor viability and to differentiate between **reactive** and malignant **lymph** node<sup>^</sup>. ... **Contrast-enhanced MRI** and routine single photon emission ..... imaging is classified into three **phases**: **hepatic arterial dominant**, portal ...

### [abdominal tuberculous lymphadenopathy: Topics by ...](#)

[worldwidescience.org/.../a/abdominal+tuberculous+lymphadenopathy.html](#)The aim of this study was to describe the **MRI** features of abdominal tuberculous ...T1-weighted images demonstrated **predominant** peripheral **enhancement** in 28 lesions:... **Contrast enhanced CT** patterns correlate well with the pathologic features of .....**Lymph** node biopsies from two patients showed **reactive hyperplasia**.

### [multiple focal nodular: Topics by WorldWideScience.org](#)

[worldwidescience.org/topicpages/m/multiple+focal+nodular.html](#)