



15513-Review

BY QIU-LONG SHEN

Quotes Included
Bibliography Included0%
SIMILAR

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 15513

Columns: ORIGINAL ARTICLES

Retrospective Study

Evaluation of liver stiffness measurement by fibroscan as compared to liver biopsy for assessment of liver fibrosis in children with biliary atresia

Qiu-Long Shen, Ya-Jun Chen, Zeng-Meng Wang, Ting-Chong Zhang, Wen-Bo Pang, Jun Shu, Chun-Hui Peng

Abstract

Match Overview



0.00% 0.00% 0.00% 0.00% 0.00%



[网页](#) [图片](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 7,020 条结果 (用时 0.81 秒)

Google 学术: Assessment of liver fibrosis with fibroscan as compared to liver biopsy in biliary atresia

... transaminase to platelets ratio index, and liver biopsy - de Ledinghen - 被引用次数: 122

Liver biopsy - Bravo - 被引用次数: 1321

Assessment of liver fibrosis and cirrhosis by aspartate ... - Kim - 被引用次数: 37

Points to Be Considered When Applying FibroScan S Probe ...

www.ncbi.nlm.nih.gov/... Literature PubMed Central (PMC) - 翻译此页

作者: S Kim - 2014 - 被引用次数: 2

2014年10月24日 - In the large-thorax group, ICC was the highest for S2 versus M (0.88), ... Keywords: biliary atresia, children, liver fibrosis, transient elastography ..., APRI, and liver biopsy for the assessment of fibrosis in chronic hepatitis C.

Liver stiffness measurement in children using FibroScan ...

www.researchgate.net/.../5817630_Liver_stiffness_measuremen... - 翻译此页

ABSTRACT: Assessment of liver fibrosis in chronic hepatitis C virus (HCV) infection is considered a ... Although liver biopsy has been considered the gold standard for staging liver fibrosis, it is an ... of liver stiffness measurement and to compare FibroScan, ... sweat test and assessment of CFTR mutations; biliary atresia

FibroTest use is now validated in children — BioPredictive

www.biopredictive.com/intl/news/news_item...10.../view?... - 翻译此页

FibroScan® a new non-invasive method for the diagnosis of liver fibrosis in children; a prospective comparison with FibroTest-FibroSURE® and liver biopsy ... bedside method to assess liver fibrosis by measuring liver stiffness in adult patients. ... included liver fibrosis (n=38), biliary atresia (n=14), HCV infection (n=11)

网页 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 6,830 条结果 (用时 0.46 秒)

Google 学术 : Assessment of liver fibrosis with fibroscan as compared to liver biopsy in biliary atresia

... transaminase to platelets ratio index, and liver biopsy - de Lédinghen - 被引用次数 : 122

Liver biopsy - Bravo - 被引用次数 : 1326

Assessment of liver fibrosis and cirrhosis by aspartate ... - Kim - 被引用次数 : 37

Points to Be Considered When Applying FibroScan S Probe ...

www.ncbi.nlm.nih.gov › ... › Literature › PubMed Central (PMC) - 翻译此页

作者 : S Kim - 2014 - 被引用次数 : 2 - 相关文章

2014年10月24日 - In the large-thorax group, ICC was the highest for S2 versus M (0.88), ... Keywords: biliary atresia, children, liver fibrosis, transient elastography APRI, and liver biopsy for the assessment of fibrosis in chronic hepatitis C.

Liver stiffness measurement in children using FibroScan ...

www.researchgate.net/.../5817630_Liver_stiffness_measuremen... - 翻译此页

... comparison with Fibrotest, aspartate transaminase to platelets ratio index, and liver biopsy.. ... When Applying FibroScan S Probe for Children with Biliary Atresia. ...

Article: Non-invasive diagnosis of liver fibrosis in chronic hepatitis C. ... 4 (ITI4) in Children with Chronic Hepatitis C: Relation to Liver Fibrosis and Viremia.

Liver Fibrosis: Noninvasive Assessment with Acoustic ...

pubs.rsna.org/doi/full/10.1148/radiol.13122208 ▾ 翻译此页

作者 : C Cassinotto - 2013 - 被引用次数 : 21 - 相关文章

Liver biopsy is the reference method used to assess and quantify liver fibrosis; ... (FibroScan; Echosens, Paris, France) was developed to quantify liver fibrosis with ... The aim of this study was to compare the diagnostic performance of ARFI ... hepatic fibrosis (n = 2), α 1-antitrypsin deficiency (n = 1), biliary atresia (n = 1), and ...