

**Name of journal:** World Journal of Gastroenterology

**ESPS Manuscript NO:** 16297

**Columns:** ORIGINAL ARTICLE

*Retrospective Study*

**Study of celiac artery variations and related surgical techniques in gastric cancer**

Yuan Huang, Guang-Chuan Mu, Xin-Gan Qin, Zhi-Bai Chen, Jin-Ling Lin,  
Yan-Jun Zeng

## Match Overview



There are no matching sources found.

[网页](#)[图片](#)[新闻](#)[视频](#)[更多](#)[搜索工具](#)

找到约 216,000 条结果 (用时 0.74 秒)

### Google 学术: Study of celiac artery variations and related surgical techniques in gastric cancer

Gastric cancer surgery: morbidity and mortality results ... - Sano - 被引用次数: 464

... variations of the hepatic arteries in 604 selective celiac ... - Kooops - 被引用次数: 162

... node metastases of gastric cancer. General pattern in ... - Maruyama - 被引用次数: 409

### Clinical research in individual information of celiac artery CT ... [www.bioportfolio.com/.../Clinical-research-in-individual-infor...](http://www.bioportfolio.com/.../Clinical-research-in-individual-infor...) [翻译此页](#)

The objective of this study is to acquire CT images of the celiac artery by 64-multi-slice ... (64-MSCTA) in gastric cancer patients to facilitate gastric cancer surgery. ... 34 patients (33.33 %) were observed with celiac artery variations of whom there ... be classified as a routine preoperative procedure in gastric cancer patients.

### Clinical research in individual information of celiac artery CT ... [link.springer.com/content/pdf/10.../s12094-013-1002-8.pdf](http://link.springer.com/content/pdf/10.../s12094-013-1002-8.pdf) [翻译此页](#)

作者: GC Mu - 2013 - 被引用次数: 1 - 相关文章

2013年1月29日 - Objective The objective of this study is to acquire CT images of the ... observed with celiac artery variations of whom there were 27 patients with ... related to age, significantly ( $P \leq 0.01$ ). ... as a routine preoperative procedure in gastric cancer ... is widely accepted by an increasing number of surgeons as.

### [PDF] Morphometry of the celiac trunk - medIND

[medind.nic.in/jae/t13/i1/jaet13i1p23.pdf](http://medind.nic.in/jae/t13/i1/jaet13i1p23.pdf) [翻译此页](#)

Aims: We carried out this study for evaluating the normal anatomy trunk and



## 学术搜索

找到约 11,000 条结果 (用时0.14秒)

## 文章

我的图书馆

## 时间不限

2015以来

2014以来

2011以来

自定义范围...

## 按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯[Gastric cancer surgery: morbidity and mortality results from a prospective randomized controlled trial comparing D2 and extended para-aortic lymphadenectomy—](#)

T Sano, M Sasako, S Yamamoto... - Journal of clinical ..., 2004 - jco.ascopubs.org

... the stomach flows to the perigastric nodes and then to the nodes around the celiac axis and ... Br J Surg 89:123, 2002. ▽ Takahashi S: Study of para-aortic lymph node metastasis of ... 91:29-35, 1990. Medline. Kitamura M, Arai K, Iwasaki Y: Clinico-pathological studies and problems ...

被引用次数: 468 相关文章 所有 6 个版本 引用 保存

[Anatomic variations of the hepatic arteries in 604 selective celiac and superior mesenteric angiographies](#)

A Koops, B Wojciechowski, DC Broering... - Surgical and Radiologic ..., 2004 - Springer

... they should be considered as replacing arteries as well [4]. However, angiographic studies before and ... Moreover, stenosis of the celiac trunk, which was found in our study as a ... hepatic artery arising from a gastroduo- denal artery that originates separately from the celiac trunk. ...

被引用次数: 162 相关文章 所有 8 个版本 引用 保存

[Lymph node metastases of gastric cancer. General pattern in 1931 patients.](#)

K Maruyama, P Gunven, K Okabayashi... - ... of surgery, 1989 - ncbi.nlm.nih.gov

... 13 The evaluation of systematic node dissection by non- randomized studies is complicated by the ... the common hepatic artery (CHA), the left gastric artery (LGA), and celiac artery (CA), and ... of metastases to any perigastric node station was highest the perigastric stations studied. ...

被引用次数: 410 相关文章 所有 7 个版本 引用 保存

[\[HTML\] A multicenter study on oncologic outcome of laparoscopic gastrectomy for early cancer in Japan](#)

..., Japanese Laparoscopic Surgery Study Group - ... of surgery, 2007 - ncbi.nlm.nih.gov

... Intraoperative and postoperative complications were not associated with any of the factors studied, including sex, age, body ... Several studies have investigated mortality and morbidity associated with LAG. ... A multicenter study on laparoscopic surgery for colorectal cancer in Japan ...

被引用次数: 603 相关文章 所有 8 个版本 引用 保存

[... computed tomographic angiography using 16-channel multidetector-row computed tomography for laparoscopic gastrectomy in patients with early gastric cancer](#)

S Kumano, T Tsuda, H Tanaka, M Hirata... - Journal of computer ..., 2007 - journals.lww.com

... 9-14 Previous studies used 4-channel MDCT images with a detector-row configuration of 2.5 or ... 19 In our study, an aberrant LHA from the LGA could be clearly depicted by a 3D ... When dissecting lymph nodes along the common hepatic artery toward the celiac axis, which is a ...

ascopubs.org 中的 [HTML]

nih.gov 中的 [PDF]

nih.gov 中的 [HTML]