

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 14778

Columns: Original Articles

Prospective study

**Assessment of the correlation between serum prolidase and alpha-fetoprotein levels
in patients with hepatocellular carcinoma**

Sevil Uygun Ilikhan, Muammer Bilici, Hatice Sahin, Ayşe Semra Demir Akca, Murat Can,
Ibrahim Ilker Oz, Berrak Guven, M Cagatay Buyukuysal, Yucel Ustundag

Match Overview

1	Publications 93 words RABUŞ, Murat Bülent, DEMİRBAĞ, Recep, SEZEN, Yusuf , TAŞAR, Mehmet, TAŞKIN, Abdullah, AKSOY, Nurten, KI	2%
2	CrossCheck 41 words Ewa Karna. "Collagen metabolism disturbances are acc ompanied by an increase in prolidase activity in lung c...	1%
3	CrossCheck 38 words Camuzcuoglu, H.. "Assessment of preoperative serum ... rolidase activity in epithelial ovarian cancer", European J	1%
4	CrossCheck 37 words "Sunday, 31 August 2008", European Heart Journal, 09/0 2/2008	1%
5	CrossCheck 37 words Duygu, Fazilet, Nurten Aksoy, Aysegul Copur Cicek, Ilknu r Butun, and Sebnem Unlu. "Does Prolidase Indicate Wo	1%
6	Internet 32 words crawled on 29-Oct-2014 www.science.gov	1%

[网页](#) [图片](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 47,100 条结果 (用时 0.49 秒)

Google 学术: Assessment of the correlation between serum prolidase and alpha-fetoprotein levels in patients with hepatocellular carcinoma

... of hepatitis B-related small hepatocellular carcinoma - Xia - 被引用次数: 19

... progression of the post-hepatitis B cirrhosis patients - Wang - 被引用次数: 7

... -related gene expression in hepatocellular carcinoma ... - Wang - 被引用次数: 13

Serum alpha-fetoprotein level per tumor volume reflects ...www.ncbi.nlm.nih.gov/pubmed/19102374 [翻译此页](#)

作者: T Furihata - 2008 - 被引用次数: 28 - 相关文章

This study aimed to assess the prognostic reliability of serum AFP levels per tumor ... of 196 patients with HCC were analyzed with reference to serum AFP levels at diagnosis. ... RESULTS: No significant correlation between serum AFP levels and ...

Adult; Aged; Carcinoma, Hepatocellular/blood*; Carcinoma, Hepatocellular/ ...

缺少字词: prolidase

Clinical significance of alpha-fetoprotein: involvement in ...www.ncbi.nlm.nih.gov/pubmed/18466288 [翻译此页](#)

作者: N Mitsuhashi - 2008 - 被引用次数: 27 - 相关文章

2008年5月7日 - BACKGROUND AND AIM: Hepatocellular carcinoma is one of the most common cancers. alpha-Fetoprotein is strongly expressed in most patients with ... METHODS: We analyzed the correlation between serum alpha-fetoprotein levels ... To assess the mechanistic correlations between alpha-fetoprotein ...

缺少字词: prolidase

网页 图片 新闻 视频 购物 更多 搜索工具

找到约 47,500 条结果 (用时 0.54 秒)

Google 学术 : Assessment of the correlation between serum prolidase and alpha-fetoprotein levels in patients with hepatocellular carcinoma

... of hepatitis B-related small hepatocellular carcinoma - Xia - 被引用次数 : 19

... progression of the post-hepatitis B cirrhosis patients - Wang - 被引用次数 : 7

... -related gene expression in hepatocellular carcinoma ... - Wang - 被引用次数 : 13

Serum alpha-fetoprotein level per tumor volume reflects ...

www.ncbi.nlm.nih.gov/pubmed/19102374 翻译此页

作者 : T Furihata - 2008 - 被引用次数 : 28 - 相关文章

This study aimed to assess the prognostic reliability of serum AFP levels per tumor ...

of 196 patients with HCC were analyzed with reference to serum AFP levels at diagnosis. ... RESULTS: No significant correlation between serum AFP levels and ...

Adult; Aged; Carcinoma, Hepatocellular/blood*; Carcinoma, Hepatocellular/ ...

缺少字词 : prolidase

Clinical significance of alpha-fetoprotein: involvement in ...

www.ncbi.nlm.nih.gov/pubmed/18466288 翻译此页

作者 : N Mitsuhashi - 2008 - 被引用次数 : 27 - 相关文章

2008年5月7日 - BACKGROUND AND AIM: Hepatocellular carcinoma is one of the most common cancers. alpha-Fetoprotein is strongly expressed in most patients

with ... METHODS: We analyzed the correlation between serum alpha-fetoprotein levels ... To assess the mechanistic correlations between alpha-fetoprotein ...

缺少字词 : prolidase

cord blood - eGIFT - Extracting Gene Information From Text

biotm.cis.udel.edu/eGIFT/index.php?cat... 翻译此页

Serum or ascites alpha-fetoprotein (afp) from patients with hepatocellular ... Analysis of afp levels in the cord blood of newborn infants of gestational ages between 33 ...

Human mammary medullary carcinoma cells (passages 16 to 21) were Cord blood