



15898-Review

BY ATSUO YAMADA

Quotes Excluded
Bibliography Excluded10%
SIMILAR

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 15898

Columns: ORIGINAL ARTICLE

*Retrospective Study***Risk factors for small bowel angioectasia: The impact of visceral fat accumulation**

Atsuo Yamada, Ryota Niikura, Yuka Kobayashi, Hirobumi Suzuki, Shuntaro Yoshida,
Hirotsugu Watabe, Yutaka Yamaji, Yoshihiro Hirata, Kazuhiko Koike

Abstract**AIM:** To investigate visceral fat accumulation in association with the risk of small bowel**Match Overview**

1	CrossCheck 91 words Atsuo Yamada. "SURVEILLANCE OF SMALL INTESTINAL ABNORMALITIES IN PATIENTS WITH HEPATOCELLULAR CARCINOMA"	3%
2	Internet 76 words crawled on 10-Dec-2009 gut.bmj.com	2%
3	CrossCheck 46 words Aoyama, Taiki, Shiro Oka, Hiroshi Aikata, Makoto Nakano, Ikue Watari, Noriaki Naeshiro, Shigeto Yoshida, Shinji	1%
4	CrossCheck 40 words Atsuo Yamada. "Assessment of the Risk Factors for Chronic Diverticular Hemorrhage", Diseases of the Colon & Rectum	1%
5	Internet 25 words crawled on 22-Oct-2014 onlinelibrary.wiley.com	1%
6	CrossCheck 22 words Vongsuvan, Roslyn, Jacob George, Liang Qiao, and [unclear] van der Poorten. "Visceral adiposity in gastrointestinal diseases"	1%

[网页](#) [图片](#) [新闻](#) [视频](#) [更多 +](#) [搜索工具](#)

找到约 104,000 条结果 (用时 0.73 秒)

[Takuma Higurashi - Publications - ResearchGate](#)www.researchgate.net/profile/Takuma_Higurashi/publications - [翻译此页](#)Journal of Gastroenterology 12/2014; - 3.79 **Impact Factor** ... ABSTRACT:Background **Small bowel angioectasia** is reported as the most common cause ...Article: **Risk factors for small-bowel** mucosal breaks in chronic low-dose aspirin ...kg/m(2), p=0.0349), viscerally obese patients (**visceral fat** area ≥ 100 cm(2), p=

0.0019), ...

[Yasuo Hata - Publications - ResearchGate](#)www.researchgate.net/profile/Yasuo_Hata/publications - [翻译此页](#)ABSTRACT: Background **Small bowel angioectasia** is reported as the most commoncause ... Article: **Risk factors for small-bowel** mucosal breaks in chronic low-doseaspirin ... Gastrointestinal endoscopy 05/2014; - 6.71 **Impact Factor** ... kg/m(2),p=0.0349), viscerally obese patients (**visceral fat** area ≥ 100 cm(2), p=0.0019), ...[Hereditary hemorrhagic telangiectasia - Wikipedia, the free ...](#)en.wikipedia.org/wiki/Hereditary_hemorrhagic_telangiectasia - [翻译此页](#)... suggesting that additional genes or other **risk factors** may determine the rate at ...This procedure carries a **small** risk of stroke (0.5%) and is therefore limited to ...Despite the designation "possible", someone with a **visceral AVM** and a ...tranexamic acid; these have few side **effects** and may have a **small** degree of benefit.[Sakai Eiji - SciCurve](#)scicurve.com/author/Sakai%20Eiji - [翻译此页](#)"DNA methylation **accumulation** and its predetermination of future cancerphenotypes. ... "Risk factors for **small-bowel** mucosal breaks in chronic low-doseaspirin users: ... "Early **Effect** of Single-dose Sitagliptin Administration on GastricEmptying: ... "Time-course of changes of **visceral fat** area, liver volume and liver fat

[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 105,000 条结果 (用时 0.52 秒)

Eiji Sakai - Publications - ResearchGate

www.researchgate.net/profile/Eiji_Sakai/publications - 翻译此页

Journal of Gastroenterology 12/2014; · 3.79 **Impact Factor**. Article: Frequency and **risk factors** for rebleeding events in patients with **small bowel angioectasia**. ... Article: DNA methylation **accumulation** and its predetermination of future cancer ... Article: **Risk factors for small-bowel** mucosal breaks in chronic low-dose aspirin ...

Hereditary hemorrhagic telangiectasia - Wikipedia, the free ...

en.wikipedia.org/wiki/Hereditary_hemorrhagic_telangiectasia ▾ 翻译此页

Telangiectasia (**small** vascular malformations) may occur in the skin and ... the increased pressure may give rise to fluid **accumulation** in the abdominal cavity (ascites). ... suggesting that additional genes or other **risk factors** may determine the rate at Despite the designation "possible", someone with a **visceral AVM** and a ...

Link Between Hormones, Visceral Fat, And Intestinal Cancer

www.inquisitr.com/.../link-between-hormones-visceral-fat-and-... ▾ 翻译此页

2013年4月8日 - **Visceral fat accumulates** in the abdominal cavity and is packed ... The **small intestine** lies between the stomach and the colon and is about 20 feet long. ... obesity per se is a bona fide cancer **risk factor**, rather than the habits that fuel it, ... made more of an **impact** on decreasing the number of intestinal tumors.

Influence of obesity on the risk of developing colon cancer

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者：EE Frezza - 2006 - 被引用次数：232 - 相关文章

Radiographic assessments of visceral abdominal fat may eventually prove to at risk than men; the **impact** of ethnicity will be discussed in the last section of and 101.5 cm for men) had twice the **colon** cancer risk of those with a **smaller** WC. Yahata K. et al Contribution of **visceral fat accumulation** to the **risk factors** for ...

Publications Authored by Eiji Sakai - PubFacts

www.pubfacts.com/author/Eiji+Sakai ▾ 翻译此页