

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 15049

Columns: CASE REPORT

Citrin deficiency presenting as acute liver failure in an 8-month-old infant

Mei-Hong Zhang, Jing-Yu Gong, Jian-She Wang

Abstract

Citrin deficiency typically presents as neonatal intrahepatic cholestasis and resolves in late infancy. Here we report a case of citrin deficiency that presented as acute liver

Match Overview

- 1

Internet 21 words
crawled on 27-Oct-2010
[download.thelancet.com](#)

1%
- 2

CrossCheck 17 words
Hai-Yan Fu. "The mutation spectrum of the SLC25A13 ge ...
e in Chinese infants with intrahepatic cholestasis and ami

1%
- 3

CrossCheck 15 words
Saga, K.. "Localized cytomegalovirus reactivation after ra ...
otherapy for high-grade gastric lymphoma", Gastrointestina

1%

[网页](#)[新闻](#)[图片](#)[视频](#)[更多](#)[搜索工具](#)

找到约 36,200 条结果 (用时 0.65 秒)

Google 学术: Citrin deficiency presenting as acute liver failure in an 8-month-old infant

Failure to thrive: when to suspect inborn errors of ... - Ficicioglu - 被引用次数: 9

... intrahepatic cholestasis caused by citrin deficiency: a ... - Lin - 被引用次数: 8

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Neonatal intrahepatic cholestasis caused by citrin deficiency ...

www.academia.edu/.../Neonatal_intrahepatic_cholestasis_cause... ▾ 翻译此页

The younger sibling, a six-month-old Chinese girl, presented. ... Keywords: citrin deficiency, citrullinaemia type 2, metabolic liver disease, ... caused by citrin deficiency: severe hepatic dysfunction in an infant requiring liver transplantation. ... gene of Japanese patients with citrin deficiency. J Hum Genet 2005; 50:338-46. 8.

Neonatal intrahepatic cholestasis caused by citrin deficiency ...

www.biomedcentral.com/1471-230X/12/141 ▾ 翻译此页

作者: S Treepongkaruna - 2012 - 被引用次数: 7 - 相关文章

2012年10月15日 - Since most NICCD infants recovered from liver disease by 1 year of age, ... coma which can occur at any age but usually in adulthood [5,7,8]. ... He had jaundice started at 1 month old, developmental delay due to ... by citrin deficiency: severe hepatic dysfunction in an infant requiring liver transplantation.

The Role of Molecular Testing and Enzyme Analysis in the ...

[www.ncbi.nlm.nih.gov/.../PubMed_Central_\(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed_Central_(PMC)) ▾ 翻译此页

作者: DP Dimmock - 2008 - 被引用次数: 15 - 相关文章

2008年11月15日 - Three patients presented with clinical illness whereas seven

[网页](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 36,800 条结果 (用时 0.61 秒)

Google 学术 : Citrin deficiency presenting as acute liver failure in an 8-month-old infant

Failure to thrive: when to suspect inborn errors of ... - Ficicioglu - 被引用次数 : 9

... intrahepatic cholestasis caused by citrin deficiency: a ... - Lin - 被引用次数 : 8

Neonatal intrahepatic cholestasis caused by citrin deficiency ...

www.academia.edu/.../Neonatal_intrahepatic_cholestasis_cause... ▾ 翻译此页

The younger sibling, a six-month-old Chinese girl, presented. ... Keywords: citrin deficiency, citrullinaemia type 2, metabolic liver disease, caused by citrin deficiency: severe hepatic dysfunction in an infant requiring liver transplantation. ... gene of Japanese patients with citrin deficiency. J Hum Genet 2005; 50:338-46. 8.

Neonatal intrahepatic cholestasis caused by citrin deficiency ...

www.biomedcentral.com/1471-230X/12/141 ▾ 翻译此页

作者 : S Treepongkaruna - 2012 - 被引用次数 : 7 - 相关文章

2012年10月15日 - Since most NICCD infants recovered from liver disease by 1 year of age, ... coma which can occur at any age but usually in adulthood [5,7,8]. He had jaundice started at 1 month old, developmental delay due to by citrin deficiency: severe hepatic dysfunction in an infant requiring liver transplantation.

The Role of Molecular Testing and Enzyme Analysis in the ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : DP Dimmock - 2008 - 被引用次数 : 15 - 相关文章

2008年11月15日 - Three patients presented with clinical illness whereas seven came ... variants" of ASS deficiency as well as citrin deficiency [Rinaldo et al., 2004; Schulze et al., 2003]. ... ancestry, who presented at 15 years of age with acute liver failure G390R mutations developed fulminant hepatic failure 8 months into ...