

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 16060

Columns: EDITORIAL

Impact of muscle wasting on survival in patients with liver cirrhosis

Kalafateli M *et al.* Muscle wasting and cirrhosis

Maria Kalafateli, Christos Konstantakis, Konstantinos Thomopoulos, Christos Triantos

Maria Kalafateli, Christos Konstantakis, Konstantinos Thomopoulos, **Christos Triantos**,

Department of Gastroenterology, University Hospital of Patras, 26504 Patras, Greece

Author contributions: Triantos C and Kalafateli M conceptualized and designed this editorial; Kalafateli M, Konstantakis C and Triantos C reviewed the literature and wrote the manuscript; Thomopoulos K reviewed the manuscript critically for important

Match Overview

1	Internet 92 words crawled on 09-Mar-2015 www.researchgate.net	3%
2	Internet 21 words crawled on 18-Apr-2015 pen.sagepub.com	1%
3	Internet 20 words crawled on 12-Apr-2012 www.jcsm.info	1%

学术搜索

找到约 21,800 条结果 (用时0.16秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

Nutrition and survival in patients with liver cirrhosis

F Alberino, A Gatta, P Amodio, C Merkel, L Di Pascoli... - Nutrition, 2001 - Elsevier

... Although the effect of malnutrition on survival has been demonstrated by a number of studies ... is difficult to separate the effects of malnutrition per se from the effects of liver ... Together these observations suggest that depletion of the muscle compartment is clinically more important ...

被引用次数: 327 相关文章 所有 7 个版本 引用 保存

nutritionjrn.com 中的 [HTML]

[HTML] Influence of selected patient variables and operative blood loss on six-month survival following liver transplantation

BW SHAW Jr, RP Wood, RD Gordon... - ... in liver disease, 1985 - ncbi.nlm.nih.gov

... Multiple linear regression was used initially to examine the effects of the different variables on 6 ... Many patient variables, which in the overall analysis have no significant impact, do make a ... It allows for additional scoring to account for the dramatic effect of operative blood loss on ...

被引用次数: 188 相关文章 所有 7 个版本 引用 保存

nih.gov 中的 [HTML]

Pretransplant renal function predicts survival in patients undergoing orthotopic liver transplantation

S Nair, S Verma, PJ Thuluvath - Hepatology, 2002 - Wiley Online Library

... The objective of this study was to determine the impact of pretransplant renal function on graft and patient survival ... organ allocation in the United States, it has become imperative to determine the independent effect of elevated ... Effects of renal impairment on liver transplantation. ...

被引用次数: 373 相关文章 所有 5 个版本 引用 保存

wiley.com 中的 [PDF]

MELD and PELD: application of survival models to liver allocation

RH Wiesner, SV McDiarmid, PS Kamath... - Liver, 2001 - Wiley Online Library

... None Easily controlled Poorly controlled Nutritional status Excellent Good Poor "wasting" ... Table 6. Impact of Excluding Cause of Liver Disease on MELD Score's Predictive Ability ... Because all patients included in these data had PBC, there is no effect from excluding the cause. ...

被引用次数: 659 相关文章 所有 7 个版本 引用 保存

wiley.com 中的 [PDF]

Prognostic impact of disease-related malnutrition

K Norman, C Pichard, H Lochs, M Pirlich - Clinical nutrition, 2008 - Elsevier

... Malnutrition; Prognostic impact; Morbidity; Mortality; Length of hospital stay; Costs. ... despite the growing body of evidence describing both its clinical and economical consequences, ... or imbalance of energy, protein, and other nutrients causes measurable adverse effects on tissue ...

被引用次数: 524 相关文章 所有 12 个版本 引用 保存

webspinnerij.eu 中的 [PDF]

[网页](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 5,930,000 条结果 (用时 0.56 秒)

Google 学术 : Impact of muscle wasting on survival in patients with liver cirrhosis

Nutrition and survival in patients with liver cirrhosis - Alberino - 被引用次数 : 328

... blood loss on six-month survival following liver ... - SHAW Jr - 被引用次数 : 188

... predicts survival in patients undergoing orthotopic liver ... - Nair - 被引用次数 : 375

Muscle wasting: a nutritional criterion to prioritize patients for ...

www.ncbi.nlm.nih.gov/pubmed/24613858 ▾ [翻译此页](#)作者 : AJ Montano-Loza - 2014 - 被引用次数 : 3 - [相关文章](#)

RECENT FINDINGS: Muscle wasting is present in up to 45% of patients with cirrhosis and is ... with higher risk of sepsis-related death rather than liver failure mortality. ...

The impact on mortality of muscle wasting after liver transplantation is ...

Clinical relevance of sarcopenia in patients with cirrhosis

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)作者 : AJ Montano-Loza - 2014 - 被引用次数 : 9 - [相关文章](#)

2014年7月7日 - Core tip: Severe muscle wasting or sarcopenia is one of the most common ... in patients with cirrhosis, which negatively impact survival, quality of life, and mortality among cirrhotic patients awaiting liver transplantation[34].

Consilience in sarcopenia of cirrhosis

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)作者 : S Dasarathy - 2012 - 被引用次数 : 25 - [相关文章](#)

2012年5月31日 - Cirrhosis is the consequence of progression of many forms of ...

Keywords: Cirrhosis, Sarcopenia, Liver transplantation, Survival, Complications, of a patient with progressive worsening of liver disease is loss of muscle and ...