



15899-Review

BY JAE MIN LEE

Quotes Included
Bibliography Included4%
SIMILAR

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 15899

Columns: ORIGINAL ARTICLE

Retrospective Study

Risk factors of organ failure in cholangitis with bacteriobilia

Jae Min Lee, Sang Hyub Lee, Kwang Hyun Chung, Jin Myung Park, Ban Seok Lee,
Woo Hyun Paik, Joo Kyung Park, Ji Kon Ryu, Yong-Tae Kim

Abstract

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|----------|------------|
| 1 | CrossCheck | 88 words | 2% |
| | Negm, A.A.. "Routine bile collection for microbiological analysis during cholangiography and its impact on the manage | | |
| 2 | CrossCheck | 39 words | 1% |
| | Chien-Chang Lee. "Epidemiology and Prognostic Determinants of Patients with Bacteremic Cholecystitis or Cholangi | | |
| 3 | CrossCheck | 28 words | 1% |
| | Joan M. Raurich. "Incidence and outcome of ischemic hepatitis complicating septic shock", Hepatology Research, 07 | | |
| 4 | Internet | 21 words | <1% |
| | crawled on 14-Oct-2010
archsurg.ama-assn.org | | |

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 173,000 条结果 (用时 0.54 秒)

[Risk factors of organ failure in patients with bacteremic ...](#)

www.ncbi.nlm.nih.gov/pubmed/23179153 • [翻译此页](#)

作者: BS Lee - 2013 - [被引用次数: 3](#) - [相关文章](#)

2012年11月22日 - [Risk factors of organ failure](#) in patients with bacteremic

[cholangitis](#). Lee BS(1), Hwang JH, Lee SH, Jang SE, Jang ES, Jo HJ, Shin CM, Park

YS, ...

[Ascending cholangitis - Wikipedia, the free encyclopedia](#)

en.wikipedia.org/wiki/Ascending_cholangitis • [翻译此页](#)

[Risk factors](#) indicating an increased risk of death include older age, female gender ...

Complications following severe [cholangitis](#) include [renal failure](#), respiratory ...

[Microbial profile and antibiotic sensitivity pattern in bile ...](#)

www.wjgnet.com/1007-9327/full/v18/i27/3585.htm • [翻译此页](#)

作者: M Kaya - 2012 - [被引用次数: 14](#) - [相关文章](#)

2012年7月21日 - Acute [cholangitis](#) spans a continuous clinical spectrum and can progress from ... severity of the [cholangitis](#), the presence or absence of [renal](#) and

hepatic [failure](#), ... Furthermore, we investigated [risk factors](#) for microbiological

colonization Other studies have detected [bacteriobilia](#) in 16% to 85% of

patients, ...

[Routine bile collection for microbiological analysis during](#)

www.researchgate.net/.../44666582_Routine_bile_collection_fo... • [翻译此页](#)

ABSTRACT Antibiotic treatment of [cholangitis](#) is often insufficient because of

inappropriate antibiotic use gitis and to identify [risk factors](#) of [bacteriobilia](#).

monomicrobial, fungal, or multiple-drug-resistant [organ](#)- ... [Failure](#) of aspiration was

[网页](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 81,000 条结果 (用时 0.64 秒)

小提示： 仅限搜索简体中文结果。您可以在设置中指定搜索语言

Risk factors of organ failure in patients with bacteremic ...

www.ncbi.nlm.nih.gov/pubmed/23179153 ▾ [翻译此页](#)

作者：BS Lee - 2013 - 被引用次数：3 - [相关文章](#)

2012年11月22日 - Risk factors of organ failure in patients with bacteremic cholangitis.

Lee BS(1), Hwang JH, Lee SH, Jang SE, Jang ES, Jo HJ, Shin CM, Park YS, ...

Ascending cholangitis - Wikipedia, the free encyclopedia

en.wikipedia.org/wiki/Ascending_cholangitis ▾ [翻译此页](#)

Risk factors indicating an increased risk of death include older age, female gender ...

Complications following severe cholangitis include renal failure, respiratory ...

Routine bile collection for microbiological analysis during ...

www.researchgate.net/.../44666582_Routine_bile_collection_fo... - [翻译此页](#)

ABSTRACT Antibiotic treatment of cholangitis is often insufficient because of

inappropriate antibiotic use gitis and to identify risk factors of bacteriobilia.

monomicrobial, fungal, or multiple-drug-resistant organ- ... Failure of aspiration was

Microbial profile and antibiotic sensitivity pattern in bile ...

europepmc.org/articles/pmc3400861 - [翻译此页](#)

作者：M Kaya - 2012 - 被引用次数：14 - [相关文章](#)

2012年7月21日 - Acute cholangitis spans a continuous clinical spectrum and can

progress from a local ... the severity of the cholangitis, the presence or absence of

renal and hepatic failure, ... Furthermore, we investigated risk factors for

microbiological Risk factors for bacteriobilia are orthotopic liver transplantation

(OLT), ...