

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 14254

**Columns:** ORIGINAL ARTICLE

### *Clinical Trials Study*

**Use of magnetic resonance elastography for assessing liver functional reserve: A clinical study**

Chao M<sup>12</sup> *et al.* Magnetic resonance assessment of liver function

Ming Chao, Bin Li, Jie Min, Wei-Ren Liang,<sup>4</sup> Guang-Qiang Zhang, Jian-Jun Wu, Kai Jin, Wei Huang, Cai-Yu Ying

Ming Chao, Bin Li, Jie Min, Wei-Ren Liang,<sup>4</sup> Guang-Qiang Zhang, Jian-Jun Wu,<sup>3</sup> Kai Jin, Wei Huang, Cai-Yu Ying, Department of Radiology, The Second Affiliated Hospital of Zhejiang University School of Medicine, Hangzhou 310009, Zhejiang Province, China

### Match Overview

1	Internet 145 words crawled on 11-Feb-2015 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	3%
2	CrossCheck 56 words Utaroh Motosugi, "Magnetic resonance elastography o ... he liver: preliminary results and estimation of inter-rater r	1%
3	Publications 31 words Jian-Jun Wu, "Pulmonary and cerebral lipiodol embolism after transcatheter arterial hemoembolization in hepato ...	1%
4	Publications 19 words Ji-Hong Sun, "Coexistence of small cell neuroendocrini ... carcinoma and villous adenoma in the ampulla of Vater".	<1%
5	Internet 18 words crawled on 24-Feb-2014 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	<1%
6	CrossCheck 17 words Ryota Masuzaki, "Risk Assessment of Hepatocellular Ca rcinoma in Chronic Hepatitis C Patients by Transient E ...	<1%
7	CrossCheck 17 words Motosugi, U., "Staging liver fibrosis by using liver-enhanc ement ratio of gadoteric acid-enhanced MR imaging: c ...	<1%
8	CrossCheck 16 words Watanabe, S., "Differences in fecal microflora between p atients with atopic dermatitis and healthy control subje ...	<1%
9	CrossCheck 16 words Chunlei Zhao, "Imaging a pancreatic carcinoma xenog ... ft model with 11C-acetate: a comparison study with 18F-	<1%



## Articles

Case law

My library

## Any time

Since 2015

Since 2014

Since 2011

Custom range...

## Sort by relevance

Sort by date

☒ include patents☒ include citations☒ Create alert**MR elastography of the liver: preliminary results 1**

O Rouviere, M Yin, MA Dresner, PJ Rossman... - Radiology, 2006 - pubs.rsna.org

... Other investigators have proposed a modified phase-contrast **magnetic resonance** (MR) imaging sequence to image ... The **use** of subcostal and transcostal approaches yielded similar estimations of normal **liver** ... It is also possible that MR **elastography** might be **used** to detect or ...

Cited by 345 Related articles All 5 versions Cite Save

[\[HTML\] from rsna.org](#)

... fatty **liver** disease and advanced fibrosis in Hong Kong Chinese: a population **study** using proton-**magnetic resonance** spectroscopy and transient **elastography**

VWS Wong, WCW Chu, GLH Wong, RSM Chan... - Gut, 2012 - gut.bmj.com

... Proton-**magnetic resonance** spectroscopy: ... 0 and 12.1% in subjects with fatty **liver** (table 3). When lower cut-off values of the scores were **used** for screening, 83.7 ... The **use** of state-of-the-art non-invasive tests allowed accurate **assessment** of **hepatic** steatosis and fibrosis in a large ...

Cited by 121 Related articles All 8 versions Cite Save

**Magnetic resonance elastography: a review**YK Mariappan, KJ Glaser, RL Ehman - *Clinical anatomy*, 2010 - Wiley Online Library

... MRE typically **uses** vibrations of a single frequency (within the audio frequency range) generated by ... While it would be difficult to **use** ultra- sound-based approaches to noninvasively **assess** brain mechanical properties, MRE is well suited for this **application**. ...

Cited by 185 Related articles All 5 versions Cite Save

[\[HTML\] from nih.gov](#)**Quantifying hepatic shear modulus in vivo using acoustic radiation force**

ML Palmeri, MH Wang, JJ Dahl, KD Frinkley... - Ultrasound in medicine ..., 2008 - Elsevier

... The ultimate **clinical application** of this work is noninvasive quantification of **liver** stiffness in the ... The FibroScan® system (EchoSens, Paris, France) **uses** an external vibrator to generate shear waves in ... Some of these challenges can be overcome with the **use** of focused acoustic ...

Cited by 341 Related articles All 12 versions Cite Save

[\[HTML\] from nih.gov](#)**Repeatability of magnetic resonance elastography for quantification of hepatic stiffness**CDG Hines, TA Bley, MJ Lindstrom... - ... *Magnetic Resonance* ..., 2010 - Wiley Online Library

... In practice, the complexity added by the **use** of the log scale is minimized by keeping all ... If two different readers are **used**, then the standard deviation increases to 12.0 ... In vivo determination of **hepatic** stiffness using steady-state free precession **magnetic resonance elastography**. ...

Cited by 70 Related articles All 5 versions Cite Save

[\[HTML\] from nih.gov](#)



找到约 222,000 条结果 (用时 0.75 秒)

## Google 学术 : Use of magnetic resonance elastography for assessing liver functional reserve: A clinical study

MR elastography of the liver: preliminary results 1 - Rouviere - 被引用次数 : 345

... : a population study using proton-magnetic resonance ... - Wong - 被引用次数 : 123

Magnetic resonance elastography: a review - Mariappan - 被引用次数 : 189

## MAGNETIC RESONANCE ELASTOGRAPHY: A REVIEW

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : YK Mariappan - 2010 - 被引用次数 : 189 - 相关文章

Magnetic Resonance Elastography (MRE) is a rapidly developing technology ... MRE is already being used clinically for the assessment of patients with chronic liver ... of MRI to measure tissue motion was for the assessment of cardiac function ..... Skeletal muscle MRE can be used for studying the physiological response of ...

## Advanced MRI Methods for Assessment of Chronic Liver ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : B Taouli - 2009 - 被引用次数 : 101 - 相关文章

Serological markers: Liver function tests are known to be poorly correlated with the ...

A free breathing or respiratory triggered acquisition allows the use of multiple ....

Clinical studies by multiple investigators have established that MRE is an ...

Assessment of hepatic fibrosis with MRE (magnetic resonance elastography) in ...

## Elastography - Wikipedia, the free encyclopedia

en.wikipedia.org/wiki/Elastography ▾ 翻译此页

Elastography is used to investigate disease in the liver. ... For example, magnetic resonance elastography is capable of assessing the ... There are a host of different elastographic techniques, running the spectrum from extensive clinical use to ... It