

1 **Name of journal:** *World Journal of Gastroenterology*

ESPS Manuscript NO: 15760

Columns: CASE REPORT

Endoscopic mucosal resection of duodenal bulb adenocarcinoma with neuroendocrine features: An extremely rare case report

Wen MY *et al.* Endoscopic treatment of duodenal bulb with NEF

Ming-Yao Wen, Yu Wang, Xiao-Yan Meng, Hua-Ping Xie

10
2 **Ming-Yao Wen,** Department of Otolaryngology-Head and Neck Surgery,
Tongji Hospital, Tongji Medical College, Huazhong University of Science and
Technology, Wuhan 430030, Hubei Province, China

Yu Wang, Department of Pathology, Tongji Hospital, Tongji Medical College,
Huazhong University of Science and Technology, Wuhan 430030, Hubei
Province, China

Match Overview

| | | |
|----------|--|----|
| 1 | Internet 150 words crawled on 11-Feb-2015 www.wjgnet.com | 7% |
| 2 | Internet 71 words crawled on 11-Sep-2012 www.ies.net.cn | 3% |
| 3 | CrossCheck 50 words George A. Poultides. "Duodenal Adenocarcinoma: Clinic... pathologic Analysis and Implications for Treatment", <i>Annal</i> | 2% |
| 4 | Internet 42 words crawled on 20-Sep-2014 effiloop.com | 2% |
| 5 | Publications 34 words Sagnak, Levent; Topaloglu, Hikmet; Ozok, Ugur and Ersoy, Hamit. "Prognostic Significance of Neuroendocrine Differ... | 2% |
| 6 | Publications 24 words Jian Luo. "Effect of mutant p27 ^{WAF1} gene on human cholan... ocarcinoma cell line, QBC939", <i>World Journal of Gastroente</i> | 1% |
| 7 | CrossCheck 21 words Levi Sandri, Giovanni Battista, Fabio Carboni, Mario Valle, Paolo Visca, and Alfredo Garofalo. "Mixed Adenoneuroer... | 1% |
| 8 | Internet 15 words crawled on 18-May-2014 www.ncbi.nlm.nih.gov | 1% |

Internet 8 words

Articles

Case law

My library

Any time

Since 2015

Since 2014

Since 2011

Custom range...

Sort by relevance

Sort by date

☒ include patents☒ include citations☒ Create alert[\[PDF\] ENETS consensus guidelines for the management of patients with gastroduodenal neoplasms](#)[G Delle Fave](#), DJ Kwekkeboom, E Van Cutsem... - ..., 2012 - grupponet.it... and lymph nodal invasion before polypectomy by snare or **endoscopic mucosal resection** (EMR). ... reported to be effective at removing d-NENs, including **endoscopic removal** by snare ... long-term relative results of **resection** performed with **endoscopy**, laparoscopy, transduodenal ...Cited by 72 [Related articles](#) [All 21 versions](#) [Cite](#) [Save](#) [More](#)[\[PDF\] from grupponet.it](#)[An extramural gastrointestinal stromal tumor of the **duodenum** mimicking a pancreatic head tumor](#)[H Uchida](#), A Sasaki, K Iwaki... - Journal of hepato- ..., 2005 - Wiley Online Library... year-old woman was admitted to a local hospital for **endoscopic mucosal resection** of a ... GISTs are usually diagnosed by means of CT, MRI, gastrointestinal **endoscopy**, barium study ... with moderate contrast enhancement, and large tumors tend to have **mucosal** ulceration, central ...Cited by 33 [Related articles](#) [All 7 versions](#) [Cite](#) [Save](#)[\[CITATION\] Three subtypes of gastric argyrophil carcinoid and the gastric **neuroendocrine carcinoma**: a clinicopathologic study](#)[G Rindi](#), O Luinetti, M Cornaggia... - ..., 1993 - WB SAUNDERS COCited by 528 [Related articles](#) [All 6 versions](#) [Cite](#) [Save](#)[Duodenal neuroendocrine tumors: classification, functional syndromes, diagnosis and medical treatment](#)[KM Hoffmann](#), M Furukawa, RT Jensen - Best Practice & Research Clinical ..., 2005 - Elsevier... **duodenal** and upper jejunal NETs is shown in Table 1. Overall, 50–75% of **duodenal** NETs are ... Gastrin-producing tumor (upper part of the **duodenum**). ... Benign or low grade malignant (uncertain malignant potential): confined to **mucosa**-submucosa, with or without angioinvasion ...Cited by 83 [Related articles](#) [All 7 versions](#) [Cite](#) [Save](#)[Duodenal Carcinoids: Imaging **Features** with Clinical-Pathologic Comparison 1](#)[AD Levy](#), LD Taylor, RM Abbott, LH Sobin - Radiology, 2005 - pubs.rsna.org... Gross photographs showed hemorrhagic ulcers (Fig 2b) on the **mucosal** margin of the tumor in eight of ... masses (periampullary lesions that cause jaundice and large lesions that are not amenable to **endoscopic removal**) undergo CT or MR imaging in addition to **endoscopy**. ...Cited by 42 [Related articles](#) [All 4 versions](#) [Cite](#) [Save](#)[\[HTML\] from rsna.org](#)



adenocarcinoma with neuroendocrine features: An extremely rare case report



网页 图片 视频 新闻 购物 更多 ▾ 搜索工具

找到约 93,300 条结果 (用时 0.70 秒)

Google 学术 : Endoscopic mucosal resection of duodenal bulb adenocarcinoma with neuroendocrine features: An extremely rare case report

... neuroendocrine carcinoma: a clinicopathologic study - Rindi - 被引用次数 : 528

ENETS consensus guidelines for the management of ... - Delle Fave - 被引用次数 : 72

... stromal tumor of the duodenum mimicking a pancreatic ... - Uchida - 被引用次数 : 33

Endoscopic management of nonampullary duodenal polyps

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : PJ Basford - 2012 - 被引用次数 : 18 - 相关文章

Duodenal polyps are a rare finding in patients presenting for gastroscopy, being found in ... Keywords: adenoma, carcinoid, duodenum, endoscopic mucosal resection, ... polyps is dependent on symptoms, histopathology and endoscopic features. ... However, other retrospective studies of duodenal polyps report no cases of ...

Endoscopic Management of a Primary Duodenal Carcinoid ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : A Abraham - 2012 - 被引用次数 : 3 - 相关文章

2012年5月23日 - Upper endoscopy showed a duodenal bulb mass around 1 cm in size. ... Successful endoscopic mucosal resection of the mass was performed. ... who first used the term 'Karzinoide' to describe a carcinoma-like small bowel ... Carcinoid syndrome may occur in 4%, and in rare cases Cushing ... Case Report.

CARCINOID TUMOR OF THE DUODENUM: a rare ... - SciELO

www.scielo.br/scielo.php?pid=S0004...script=sci_arttext ▾ 翻译此页